

Lake Creek Logistics Center GREENHOUSE GAS ANALYSIS TOWN OF APPLE VALLEY

PREPARED BY:

Haseeb Qureshi hqureshi@urbanxroads.com

Alyssa Barnett abarnett@urbanxroads.com

Shannon Wong swong@urbanxroads.com

FEBRUARY 26, 2025

TABLE OF CONTENTS

TΑ	BLE O	F CONTENTS	I
AF	PEND	ICES	II
		XHIBITS	
		TABLES	
LIS	ST OF A	ABBREVIATED TERMS	III
EX	ECUTI	VE SUMMARY	1
	ES.1	Summary of Findings	1
	ES.2	Regulatory Requirements	1
	ES.3	Project Mitigation Measures (MMs)	2
1	INT	FRODUCTION	5
	1.1	Site Location	5
	1.2	Project Description	
2	CLI	MATE CHANGE SETTING	
	2.1	Introduction to Global Climate Change	9
	2.2	Global Climate Change Defined	
	2.3	GHGs	9
	2.4	Global Warming Potential	16
	2.5	GHG Emissions Inventories	
	2.6	Effects of Climate Change in California	
	2.7	Regulatory Setting	19
3	PR	OJECT GREENHOUSE GAS IMPACT	42
	3.1	Introduction	
	3.2	Standards of Significance	
	3.3	Models Employed To Analyze Greenhouse Gases Emissions	
	3.4	Construction Emissions	
	3.5	Operational Emissions	
	3.6	Emissions Summary	
	3.7	Greenhouse Gas Emissions Findings and Recommendations	
4		FERENCES	
5	CFI	RTIFICATION	59



APPENDICES

APPENDIX 3.1: CALEEMOD CONSTRUCTION EMISSIONS MODEL OUTPUTS APPENDIX 3.2: CALEEMOD OPERATIONAL EMISSIONS MODEL OUTPUTS

APPENDIX 3.3: TRU CALCUATIONS

LIST OF EXHIBITS

EXHIBIT 1-A: LOCATION MAP	6
EXHIBIT 1-B: SITE PLAN	7
EXHIBIT 2-A: SUMMARY OF PROJECTED GLOBAL WARMING IMPACT, 2070-2099 (AS CON	/IPARED WITH
1961-1990)	15
<u>LIST OF TABLES</u>	
TABLE ES-1: SUMMARY OF CEQA SIGNIFICANCE FINDINGS	1
TABLE 2-1: GHGS	10
TABLE 2-2: GWP AND ATMOSPHERIC LIFETIME OF SELECT GHGS	16
TABLE 2-3: TOP GHG PRODUCING COUNTRIES AND THE EUROPEAN UNION	
TABLE 3-1: CONSTRUCTION DURATION	4 4
TABLE 3-2: CONSTRUCTION EQUIPMENT ASSUMPTIONS	
TABLE 3-3 AMORTIZED ANNUAL CONSTRUCTION EMISSIONS	
TABLE 3-4: PASSENGER CAR FLEET MIX	
TABLE 3-5: TRUCK FLEET MIX	
TABLE 3-7: PROJECT GHG EMISSIONS SUMMARY (WITHOUT MITIGATION)	
TABLE 3-8: PROJECT GHG EMISSIONS SUMMARY (WITH MITIGATION)	



LIST OF ABBREVIATED TERMS

(1) Reference % Percent

AB Assembly Bill

AB 32 Global Warming Solutions Act of 2006

AB 1493 Pavley Fuel Efficiency Standards

AB 1881 California Water Conservation in Landscaping Act of 2006

APA Administrative Procedure Act
AQIA Air Quality Impact Analysis

BAU Business As Usual

BSC Building Standards Commission

CAA Federal Clean Air Act

CalEEMod California Emissions Estimator Model™

CalEPA California Environmental Protection Agency

CALGAPS California LBNL GHG Analysis of Policies Spreadsheet

CALGreen Californina Green Building Standards Code

CAP Climate Action Plan

CAPCOA California Air Pollution Control Officers Association

CARB California Air Resource Board
CCR California Code of Regulations

CDFA California Department of Food and Agriculture

CEC California Energy Commission

CEQA California Environmental Quality Act

CFC Chlorofluorocarbons

CH₄ Methane

CNRA California Natural Resources Agency

CO Carbon Monoxide CO₂ Carbon Dioxide

CO₂e Carbon Dioxide Equivalent

Convention United Nations Framework Convention on Climate Change

COP UNCFCC Conference of the Parties
CPUC California Public Utilities Commission
EPA Environmental Protection Agency

GCC Global Climate Change

Gg Gigagram

GHG Greenhouse Gas

GHGA Greenhouse Gas Analysis



Gpd/acre Gallons per Day per Acre
GWP Global Warming Potential

H₂O Water Vapor

HDT Heavy-Duty Trucks
HFC Hydrofluorocarbons

IPCC Intergovernmental Panel on Climate Change
LBNL Lawrence Berkeley National Laboratory

LCFS Low Carbon Fuel Standard MDT Medium-Duty Trucks

MDAQMD Mojave Desert Air Quality Management District

MMT Million Metric Tons

MMTCO₂e Million Metric Ton of Carbon Dioxide Equivalent

MPG Miles Per Gallon
MT Metric Tons

MT/yr Metric Tons per Year

MTCO₂e Metric Ton of Carbon Dioxide Equivalent

MY Model Year

N₂O Nitrogen Dioxide

NDC Nationally Determined Contributions

NHTSA National Highway Traffic Safety Administration

NO_X Oxides of Nitrogen NF₃ Nitrogen Trifluoride

OAL Office of Administrative Law

Ordinance Model Water Efficient Landscape Ordinance
OPR Govenor's Office of Planning and Research

PFC Perfluorocarbons

PM₁₀ Particulate Matter 10 microns in diameter or less PM_{2.5} Particulate Matter 2.5 microns in diameter or less

ppb Parts Per Billion
ppm Parts Per Million
ppt Parts Per Trillion

Project Lake Creek Logistics Center

RPS Renewables Portfolio Standard

RTP/SCS Regional Transportation Plan/Sustainable Communities

Strategy

SB Senate Bill SB 32 Senate Bill 32

SB 375 Regional GHG Emissions Reduction Targets/Sustainable



Communities Strategies

SCAQMD South Coast Air Quality Management District
SCAG Southern California Association of Governments

Scoping Plan CARB's Climate Change Scoping Plan

sf Square Feet

SF₆ Sulfur Hexafluoride

SLPS Short-Lived Climate Pollutant Strategy

SO_X Oxides of Sulfur

Town of Apple Valley

tpy Tons Per Year

tsf Thousand Square Feet

UNFCCC United Nations' Framework Convention on Climate Change

Update CARB approved First Updated to the Scoping Plan

VMT Vehicle-Miles Traveled

VOC Volatile Organic Compounds
ZE/NZE Zero- and near-zero-emission

ZEV Zero Emission Vehicle



This page intentionally left blank



EXECUTIVE SUMMARY

ES.1 SUMMARY OF FINDINGS

The results of this *Lake Creek Logistics Center Greenhouse Gas Analysis* (GHGA) are summarized below based on the significance criteria in Section 3 of this report consistent with Appendix G of the *California Environmental Quality Act (CEQA) Guidelines* (1). Table ES-1 shows the findings of significance for potential greenhouse gas (GHG) impacts under CEQA.

TABLE ES-1: SUMMARY OF CEQA SIGNIFICANCE FINDINGS

Analysis	Report	Significanc	e Findings
Analysis	Section	Unmitigated	Mitigated
GHG Impact #1: The Project would not generate direct or indirect GHG emission that would result in a significant impact on the environment.	3.8	Less Than Significant	n/a
GHG Impact #2: The Project would not conflict with any applicable plan, policy or regulation of an agency adopted for the purpose of reducing the emissions of GHGs.	3.8	Less Than Significant	n/a

ES.2 REGULATORY REQUIREMENTS

The Project would be required to comply with all mandates imposed by the State of California and the Mojave Desert Air Quality Management District (MDAQMD). Those that are applicable to the Project and that would assist in the reduction of GHG emissions are:

- Global Warming Solutions Act of 2006 (AB 32) (2).
- Regional GHG Emissions Reduction Targets/Sustainable Communities Strategies (SB 375) (3).
- Pavley Fuel Efficiency Standards (AB 1493). Establishes fuel efficiency ratings for new vehicles (4).
- Title 24 California Code of Regulations (California Building Code). Establishes energy efficiency requirements for new construction (5).
- Title 20 California Code of Regulations (Appliance Energy Efficiency Standards). Establishes energy efficiency requirements for appliances (6).
- Title 17 California Code of Regulations (Low Carbon Fuel Standard). Requires carbon content of fuel sold in California to be 10% less by 2020 (7).
- California Water Conservation in Landscaping Act of 2006 (AB 1881). Requires local agencies to adopt the Department of Water Resources updated Water Efficient Landscape Ordinance or



equivalent by January 1, 2010 to ensure efficient landscapes in new development and reduced water waste in existing landscapes (8).

- Statewide Retail Provider Emissions Performance Standards (SB 1368). Requires energy generators to achieve performance standards for GHG emissions (9).
- Renewable Portfolio Standards (SB 1078). Requires electric corporations to increase the amount
 of energy obtained from eligible renewable energy resources to 20 percent (%) by 2010 and 33%
 by 2020 (10).
- Senate Bill 32 (SB 32). Requires the state to reduce statewide GHG emissions to 40% below 1990 levels by 2030, a reduction target that was first introduced in Executive Order B-30-15 (11).

Promulgated regulations that will affect the Project's emissions are accounted for in the Project's GHG calculations provided in this report. In particular, AB 1493, LCFS, and RPS, and therefore are accounted for in the Project's emission calculations.

ES.3 Project Mitigation Measures (MMs)

The following measures (MM GHG-1 through MM GHG-3) are designed to reduce Project GHG emissions.

MM GHG-1

The Project Applicant or successor in interest shall implement the following measures:

- The Project's landscape plan shall incorporate drought-tolerant plants and use water-efficient irrigation techniques.
- All appliance fixtures shall be Energy Star-rated.
- All fixtures installed in restrooms and employee break areas shall be U.S. Environmental Protection Agency (EPA) WaterSense certified or equivalent.

MM GHG-2

As a condition of certificates of occupancy, all on-site outdoor cargo handling equipment (including yard trucks, hostlers, yard goats, pallet jacks, forklifts, and other on-site equipment) shall be required to be powered by electricity, compressed natural gas, or gasoline and all indoor cargo handling equipment shall be required to be powered by electricity.

MM GHG-3

The Project shall implement the following measures in order to reduce operational off-road equipment, stationary source, and on-road vehicle air pollutant emissions to the extent feasible:

• Solar Power. At a minimum, the roofs of the warehouse building shall be designed to provide the structural capacity to accommodate roof-top solar panels. The Project shall be designed to include rooftop solar panels that generate sufficient power to meet at least 10% of the Project's total operational base energy requirements from within the Project's building envelope. The Town of Apple Valley shall verify the size and scope of the solar energy system based upon the analysis of the projected power requirements and generating capacity as well as the available solar panel installation space. In the event sufficient space is not available on the Project site to accommodate the needed number of solar panels to produce the operation's base power use, the Project Applicant or successor in interest shall demonstrate how all available space has been maximized (e.g., roof) for solar energy system use. Areas that provide for truck movement may be excluded from these calculations unless otherwise deemed acceptable by the supplied reports and



applicable building standards. The Project Applicant or successor in interest, or as contractually delegated by the Project Applicant or successor in interest, shall install the solar energy system when the Town of Apple Valley has approved building permits and the necessary equipment has arrived. The operation of the system shall commence only when it has received permission to operate from the applicable utility. The solar energy system owner shall be responsible for maintaining the system at not less than 80% of the rated power for 20 years. At the end of the 20-year period, the owners, operators, or tenants shall install a new photovoltaic system meeting the capacity and operational requirements of this measure, or continue to maintain the existing system, for the life of the Project. As the Project's demand for solar power increases, additional solar panels may be added to the Project.



This page intentionally left blank



1 INTRODUCTION

This report presents the results of the GHGA prepared by Urban Crossroads, Inc., for the Lake Creek Logistics Center (Project). The purpose of this GHGA is to evaluate Project-related construction and operational emissions and determine the level of GHG impacts as a result of constructing and operating the proposed Project.

1.1 SITE LOCATION

The proposed Project is located within the North Apple Valley Industrial Specific Plan (NAVISP) and bounded by Gustine Street to the north, Central Road to the east, Corwin Road to the south, and the Apple Valley Airport to the west as shown on Exhibit 1-A. The nearest existing noise-sensitive residential use is located approximately 492 feet east of the Project site.

1.2 PROJECT DESCRIPTION

The Project consists of the development of three industrial warehouse and distribution buildings totaling 3,480,736 square feet (sf). For the purposes of the Greenhouse Gas Analysis, it is proposed that the Project mix will assume 10 percent (%) general light industrial, 10% high-cube cold storage warehouse use, and 80% high-cube fulfillment center warehousing use. A preliminary site plan for the proposed Project is shown on Exhibit 1-B. The Project is anticipated to have an Opening Year of 2029.



Turtle Mountain 1165 m Bell Mountain 1173 m Fairview Mountain 1305 m Little Bell Mountain 1122 m Catholic Hill 1101 m Happy Trails High © OpenStreetMap (and) contributors, CC-BY-SA **LEGEND:** Site Boundary

EXHIBIT 1-A: LOCATION MAP



EXHIBIT 1-B: SITE PLAN







This page intentionally left blank

2 CLIMATE CHANGE SETTING

2.1 Introduction to Global Climate Change

GCC is defined as the change in average meteorological conditions on the earth with respect to temperature, precipitation, and storms. The majority of scientists believe that the climate shift taking place since the Industrial Revolution is occurring at a quicker rate and magnitude than in the past. Scientific evidence suggests that GCC is the result of increased concentrations of GHGs in the earth's atmosphere, including carbon dioxide (CO_2), methane (CO_4), nitrous oxide (CO_2), and fluorinated gases. The majority of scientists believe that this increased rate of climate change is the result of GHGs resulting from human activity and industrialization over the past 200 years.

An individual project like the proposed Project evaluated in this GHGA cannot generate enough GHG emissions to affect a discernible change in global climate. However, the proposed Project may participate in the potential for GCC by its incremental contribution of GHGs combined with the cumulative increase of all other sources of GHGs, which when taken together constitute potential influences on GCC. Because these changes may have serious environmental consequences, Section 3.0 will evaluate the potential for the proposed Project to have a significant effect upon the environment as a result of its potential contribution to the greenhouse effect.

2.2 GLOBAL CLIMATE CHANGE DEFINED

GCC refers to the change in average meteorological conditions on the earth with respect to temperature, wind patterns, precipitation and storms. Global temperatures are regulated by naturally occurring atmospheric gases such as water vapor, CO_2 , N_2O , CH_4 , hydrofluorocarbons (HFCs), perfluorocarbons (PFCs), nitrogen trifluoride (NF₃), and sulfur hexafluoride (SF₆). These particular gases are important due to their residence time (duration they stay) in the atmosphere, which ranges from 10 years to more than 100 years. These gases allow solar radiation into the earth's atmosphere, but prevent radiative heat from escaping, thus warming the earth's atmosphere. GCC can occur naturally as it has in the past with the previous ice ages.

Gases that trap heat in the atmosphere are often referred to as GHGs. GHGs are released into the atmosphere by both natural and anthropogenic activity. Without the natural GHG effect, the earth's average temperature would be approximately 61 degrees Fahrenheit (°F) cooler than it is currently. The cumulative accumulation of these gases in the earth's atmosphere is considered to be the cause for the observed increase in the earth's temperature.

2.3 GHGs

2.3.1 GHGs and Health Effects

GHGs trap heat in the atmosphere, creating a GHG effect that results in global warming and climate change. Many gases demonstrate these properties and as discussed in Table 2-1. For the purposes of this analysis, emissions of CO_2 , CH_4 , and N_2O were evaluated (see Table 3-1 later in



this report) because these gases are the primary contributors to GCC from development projects. Although there are other substances such as fluorinated gases that also contribute to GCC, these fluorinated gases were not evaluated as their sources are not well-defined and do not contain accepted emissions factors or methodology to accurately calculate these gases.

TABLE 2-1: GHGS

GHGs	Description	Sources	Health Effects
Water	Water is the most abundant, important, and variable GHG in the atmosphere. Water vapor is not considered a pollutant; in the atmosphere it maintains a climate necessary for life. Changes in its concentration are primarily considered to be a result of climate feedbacks related to the warming of the atmosphere rather than a direct result of industrialization. A climate feedback is an indirect, or secondary, change, either positive or negative, that occurs within the climate system in response to a forcing mechanism. The feedback loop in which water is involved is critically important to projecting future climate change. As the temperature of the atmosphere rises, more water is evaporated from ground storage (rivers, oceans, reservoirs, soil). Because the air is warmer, the relative humidity can be higher (in essence, the air is able to 'hold' more water when it is warmer), leading to more water vapor in the atmosphere. As a GHG, the higher concentration of water vapor is then able to absorb more thermal indirect energy radiated from the Earth, thus further warming the atmosphere can then hold more water vapor and so on and so on. This is referred to as a "positive feedback loop." The extent to which this positive	The main source of water vapor is evaporation from the oceans (approximately 85%). Other sources include evaporation from other water bodies, sublimation (change from solid to gas) from sea ice and snow, and transpiration from plant leaves.	There are no known direct health effects related to water vapor at this time. It should be noted however that when some pollutants react with water vapor, the reaction forms a transport mechanism for some of these pollutants to enter the human body through water vapor.



GHGs	Description	Sources	Health Effects
	feedback loop will continue is unknown as there are also dynamics that hold the positive feedback loop in check. As an example, when water vapor increases in the atmosphere, more of it will eventually condense into clouds, which are more able to reflect incoming solar radiation (thus allowing less energy to reach the earth's surface and heat it up) (12).		
CO ₂	CO ₂ is an odorless and colorless GHG. Since the industrial revolution began in the mid-1700s, the sort of human activity that increases GHG emissions has increased dramatically in scale and distribution. Data from the past 50 years suggests a corollary increase in levels and concentrations. As an example, prior to the industrial revolution, CO ₂ concentrations were fairly stable at 280 parts per million (ppm). Today, they are around 370 ppm, an increase of more than 30%. Left unchecked, the concentration of CO ₂ in the atmosphere is projected to increase to a minimum of 540 ppm by 2100 as a direct result of anthropogenic sources (13).	CO ₂ is emitted from natural and manmade sources. Natural sources include: the decomposition of dead organic matter; respiration of bacteria, plants, animals and fungus; evaporation from oceans; and volcanic outgassing. Anthropogenic sources include: the burning of coal, oil, natural gas, and wood. CO ₂ is naturally removed from the air by photosynthesis, dissolution into ocean water, transfer to soils and ice caps, and chemical weathering of carbonate rocks (14).	Outdoor levels of CO ₂ are not high enough to result in negative health effects. According to the National Institute for Occupational Safety and Health (NIOSH) high concentrations of CO ₂ can result in health effects such as: headaches, dizziness, restlessness, difficulty breathing, sweating, increased heart rate, increased cardiac output, increased blood pressure, coma, asphyxia, and/or convulsions. It should be noted that current concentrations of CO ₂ in the earth's atmosphere are estimated to be approximately 370 ppm, the actual reference exposure level (level at which adverse health effects typically occur) is at exposure levels of 5,000 ppm averaged over 10 hours in a 40-hour workweek and short-term reference exposure levels of 30,000 ppm averaged over a 15 minute period (15).



GHGs	Description	Sources	Health Effects
CH ₄	CH ₄ is an extremely effective absorber of radiation, although its atmospheric concentration is less than CO ₂ and its lifetime in the atmosphere is brief (10-12 years), compared to other GHGs.	CH ₄ has both natural and anthropogenic sources. It is released as part of the biological processes in low oxygen environments, such as in swamplands or in rice production (at the roots of the plants). Over the last 50 years, human activities such as growing rice, raising cattle, using natural gas, and mining coal have added to the atmospheric concentration of CH ₄ . Other anthropocentric sources include fossil-fuel combustion and biomass burning (16).	CH ₄ is extremely reactive with oxidizers, halogens, and other halogen-containing compounds. Exposure to high levels of CH ₄ can cause asphyxiation, loss of consciousness, headache and dizziness, nausea and vomiting, weakness, loss of coordination, and an increased breathing rate.
N₂O	N ₂ O, also known as laughing gas, is a colorless GHG. Concentrations of N ₂ O also began to rise at the beginning of the industrial revolution. In 1998, the global concentration was 314 parts per billion (ppb).	N ₂ O is produced by microbial processes in soil and water, including those reactions which occur in fertilizer containing nitrogen. In addition to agricultural sources, some industrial processes (fossil fuel-fired power plants, nylon production, nitric acid production, and vehicle emissions) also contribute to its atmospheric load. It is used as an aerosol spray propellant, i.e., in whipped cream bottles. It is also	N ₂ O can cause dizziness, euphoria, and sometimes slight hallucinations. In small doses, it is considered harmless. However, in some cases, heavy and extended use can cause Olney's Lesions (brain damage) (17).



GHGs	Description	Sources	Health Effects
		used in potato chip bags to keep chips fresh. It is used in rocket engines and in race cars. N₂O can be transported into the stratosphere, be deposited on the earth's surface, and be converted to other compounds by chemical reaction (17).	
Chlorofluorocarbons (CFCs)	CFCs are gases formed synthetically by replacing all hydrogen atoms in CH ₄ or ethane (C ₂ H ₆) with chlorine and/or fluorine atoms. CFCs are nontoxic, nonflammable, insoluble and chemically unreactive in the troposphere (the level of air at the earth's surface).	CFCs have no natural source but were first synthesized in 1928. They were used for refrigerants, aerosol propellants and cleaning solvents. Due to the discovery that they are able to destroy stratospheric ozone, a global effort to halt their production was undertaken and was extremely successful, so much so that levels of the major CFCs are now remaining steady or declining. However, their long atmospheric lifetimes mean that some of the CFCs will remain in the atmosphere for over 100 years (18).	In confined indoor locations, working with CFC-113 or other CFCs is thought to result in death by cardiac arrhythmia (heart frequency too high or too low) or asphyxiation.




GHGs	Description	Sources	Health Effects
HFCs	HFCs are synthetic, man-made chemicals that are used as a substitute for CFCs. Out of all the GHGs, they are one of three groups with the highest global warming potential (GWP). The HFCs with the largest measured atmospheric abundances are (in order), Fluoroform (HFC-23), 1,1,1,2-tetrafluoroethane (HFC-134a), and 1,1-difluoroethane (HFC-152a). Prior to 1990, the only significant emissions were of HFC-23. HCF-134a emissions are increasing due to its use as a refrigerant.	HFCs are manmade for applications such as automobile air conditioners and refrigerants.	No health effects are known to result from exposure to HFCs.
PFCs	PFCs have stable molecular structures and do not break down through chemical processes in the lower atmosphere. High-energy ultraviolet rays, which occur about 60 kilometers above earth's surface, are able to destroy the compounds. Because of this, PFCs have very long lifetimes, between 10,000 and 50,000 years. Two common PFCs are tetrafluoromethane (CF_4) and hexafluoroethane (C_2F_6) . The EPA estimates that concentrations of CF_4 in the atmosphere are over 70 parts per trillion (ppt).	The two main sources of PFCs are primary aluminum production and semiconductor manufacture.	No health effects are known to result from exposure to PFCs.
SF ₆	SF ₆ is an inorganic, odorless, colorless, nontoxic, nonflammable gas. It also has the highest GWP of any gas evaluated (23,900) (19). The EPA indicates that concentrations in the 1990s were about 4 ppt.	SF ₆ is used for insulation in electric power transmission and distribution equipment, in the magnesium industry, in semiconductor manufacturing, and as a tracer gas for leak detection.	In high concentrations in confined areas, the gas presents the hazard of suffocation because it displaces the oxygen needed for breathing.



GHGs	Description	Sources	Health Effects
Nitrogen Trifluoride (NF ₃)	NF ₃ is a colorless gas with a distinctly moldy odor. The World Resources Institute (WRI) indicates that NF ₃ has a 100-year GWP of 17,200 (20).	NF ₃ is used in industrial processes and is produced in the manufacturing of semiconductors, Liquid Crystal Display (LCD) panels, types of solar panels, and chemical lasers.	Long-term or repeated exposure may affect the liver and kidneys and may cause fluorosis (21).

The potential health effects related directly to the emissions of CO₂, CH₄, and N₂O as they relate to development projects such as the proposed Project are still being debated in the scientific community. Their cumulative effects to GCC have the potential to cause adverse effects to human health. Increases in Earth's ambient temperatures would result in more intense heat waves, causing more heat-related deaths. Climate change will likely cause shifts in weather patterns, potentially resulting in devastating droughts and food shortages in some areas (22). Exhibit 2-A presents the potential impacts of global warming (23).

EXHIBIT 2-A: SUMMARY OF PROJECTED GLOBAL WARMING IMPACT, 2070-2099 (AS COMPARED WITH 1961-1990)



Source: Barbara H. Allen-Diaz. "Climate change affects us all." University of California, Agriculture and Natural Resources



2.4 GLOBAL WARMING POTENTIAL

GHGs have varying global warming potential (GWP) values. GWP of a GHG indicates the amount of warming a gas may cause over a given period of time and represents the potential of a gas to trap heat in the atmosphere. CO_2 is utilized as the reference gas for GWP, and thus has a GWP of 1. CO_2 equivalent (CO_2 e) is a term used for describing the difference GHGs in a common unit. CO_2 e signifies the amount of CO_2 which would have the equivalent GWP.

The atmospheric lifetime and GWP of selected GHGs are summarized at Table 2-2. As shown in the table below, GWP for the 2^{nd} Assessment Report, the Intergovernmental Panel on Climate Change (IPCC)'s scientific and socio-economic assessment on climate change, range from 1 for CO_2 to 23,900 for SF_6 and GWP for the IPCC's 6^{th} Assessment Report range from 1 for CO_2 to 25,200 for SF_6 (24).

TABLE 2-2: GWP AND ATMOSPHERIC LIFETIME OF SELECT GHGS

Gas	Atmospheric Lifetime	e GWP (100-year time horizon)	
Gas	(years)	2 nd Assessment Report	6 th Assessment Report
CO ₂	Multiple	1	1
CH ₄	11.8	21	28
N ₂ O	109	310	273
HFC-23	228	11,700	14,600
HFC-134a	14	1,300	1,526
HFC-152a	1.6	140	164
SF ₆	3,200	23,900	25,200

Source: IPCC Second Assessment Report, 1995 and IPCC Sixth Assessment Report, 2022

2.5 GHG Emissions Inventories

2.5.1 GLOBAL

Worldwide anthropogenic GHG emissions are tracked by the IPCC for industrialized nations (referred to as Annex I) and developing nations (referred to as Non-Annex I). Human GHG emissions data for Annex I nations are available through 2021. Based on the latest available data, the sum of these emissions totaled approximately 28,272,940 gigagram (Gg) CO₂e¹ (25) (26) as summarized on Table 2-3.



The global emissions are the sum of Annex I and non-Annex I countries, without counting Land-Use, Land-Use Change and Forestry (LULUCF). For countries without 2021 data, the United Nations' Framework Convention on Climate Change (UNFCCC) data for the most recent year were used U.N. Framework Convention on Climate Change, "Annex I Parties – GHG total without LULUCF," The most recent GHG emissions for China and India are from 2014 and 2016, respectively.

2.5.2 UNITED STATES

As noted in Table 2-3, the United States, as a single country, was the number two producer of GHG emissions in 2021.

TABLE 2-3: TOP GHG PRODUCING COUNTRIES AND THE EUROPEAN UNION

Emitting Countries	GHG Emissions (Gg CO₂e)
China	12,300,200
United States	6,340,228
European Union (27-member countries)	3,468,394
India	2,839,425
Russian Federation	2,156,599
Japan	1,168,094
Total	28,272,940

2.5.3 STATE OF CALIFORNIA

California has significantly slowed the rate of growth of GHG emissions due to the implementation of energy efficiency programs as well as adoption of strict emission controls but is still a substantial contributor to the United States (U.S.) emissions inventory total (17). The California Air Resource Board (CARB) compiles GHG inventories for the State of California. Based upon the 2023 GHG inventory data (i.e., the latest year for which data are available) for the 2000-2021 GHG emissions period, California emitted an average 381.3 million metric tons of CO₂e per year (MMTCO₂e/yr) or 381,300 Gg CO₂e (6.01% of the total United States GHG emissions) (27). Based on data published by the U.S. Energy Information Administration, California's per capita (9.12 metric tons) GHG emissions are much less than the nationwide per capita (15.8 metric ton) average (28).

2.6 EFFECTS OF CLIMATE CHANGE IN CALIFORNIA

2.6.1 PUBLIC HEALTH

Higher temperatures may increase the frequency, duration, and intensity of conditions conducive to air pollution formation. For example, days with weather conducive to ozone formation could increase from 25 to 35% under the lower warming range to 75 to 85% under the medium warming range. In addition, if global background ozone levels increase as predicted in some scenarios, it may become impossible to meet local air quality standards. Air quality could be further compromised by increases in wildfires, which emit fine particulate matter that can travel long distances, depending on wind conditions. Based on *Our Changing Climate Assessing the Risks to California by the California Climate Change Center*, large wildfires could become up to 55% more frequent if GHG emissions are not significantly reduced (29).

In addition, under the higher warming range scenario, there could be up to 100 more days per year with temperatures above 90°F in Los Angeles and 95°F in Sacramento by 2100. This is a



significant increase over historical patterns and approximately twice the increase projected if temperatures remain within or below the lower warming range. Rising temperatures could increase the risk of death from dehydration, heat stroke/exhaustion, heart attack, stroke, and respiratory distress caused by extreme heat.

2.6.2 WATER RESOURCES

A vast network of man-made reservoirs and aqueducts captures and transports water throughout the state from northern California rivers and the Colorado River. The current distribution system relies on Sierra Nevada snowpack to supply water during the dry spring and summer months. Rising temperatures, potentially compounded by decreases in precipitation, could severely reduce spring snowpack, increasing the risk of summer water shortages.

If temperatures continue to increase, more precipitation could fall as rain instead of snow, and the snow that does fall could melt earlier, reducing the Sierra Nevada spring snowpack by as much as 70 to 90%. Under the lower warming range scenario, snowpack losses could be only half as large as those possible if temperatures were to rise to the higher warming range. How much snowpack could be lost depends in part on future precipitation patterns, the projections for which remain uncertain. However, even under the wetter climate projections, the loss of snowpack could pose challenges to water managers and hamper hydropower generation. It could also adversely affect winter tourism. Under the lower warming range, the ski season at lower elevations could be reduced by as much as a month. If temperatures reach the higher warming range and precipitation declines, there might be many years with insufficient snow for skiing and snowboarding.

The State's water supplies are also at risk from rising sea levels. An influx of saltwater could degrade California's estuaries, wetlands, and groundwater aquifers. Saltwater intrusion caused by rising sea levels is a major threat to the quality and reliability of water within the southern edge of the Sacramento/San Joaquin River Delta – a major fresh water supply.

2.6.3 AGRICULTURE

Increased temperatures could cause widespread changes to the agriculture industry reducing the quantity and quality of agricultural products statewide. First, California farmers could possibly lose as much as 25% of the water supply needed. Although higher CO₂ levels can stimulate plant production and increase plant water-use efficiency, California's farmers could face greater water demand for crops and a less reliable water supply as temperatures rise. Crop growth and development could change, as could the intensity and frequency of pest and disease outbreaks. Rising temperatures could aggravate ozone pollution, which makes plants more susceptible to disease and pests and interferes with plant growth.

Plant growth tends to be slow at low temperatures, increasing with rising temperatures up to a threshold. However, faster growth can result in less-than-optimal development for many crops, so rising temperatures could worsen the quantity and quality of yield for a number of California's agricultural products. Products likely to be most affected include wine grapes, fruits, and nuts.



In addition, continued GCC could shift the ranges of existing invasive plants and weeds and alter competition patterns with native plants. Range expansion could occur in many species while range contractions may be less likely in rapidly evolving species with significant populations already established. Should range contractions occur, new or different weed species could fill the emerging gaps. Continued GCC could alter the abundance and types of many pests, lengthen pests' breeding season, and increase pathogen growth rates.

2.6.4 FORESTS AND LANDSCAPES

GCC has the potential to intensify the current threat to forests and landscapes by increasing the risk of wildfire and altering the distribution and character of natural vegetation. If temperatures rise into the medium warming range, the risk of large wildfires in California could increase by as much as 55%, which is almost twice the increase expected if temperatures stay in the lower warming range. However, since wildfire risk is determined by a combination of factors, including precipitation, winds, temperature, and landscape and vegetation conditions, future risks would not be uniform throughout the state. In contrast, wildfires in northern California could increase by up to 90% due to decreased precipitation.

Moreover, continued GCC has the potential to alter natural ecosystems and biological diversity within the state. For example, alpine and subalpine ecosystems could decline by as much as 60 to 80% by the end of the century as a result of increasing temperatures. The productivity of the state's forests has the potential to decrease as a result of GCC.

2.6.5 RISING SEA LEVELS

Rising sea levels, more intense coastal storms, and warmer water temperatures could increasingly threaten the state's coastal regions. Under the higher warming range scenario, sea level is anticipated to rise 22 to 35 inches by 2100. Elevations of this magnitude would inundate low-lying coastal areas with saltwater, accelerate coastal erosion, threaten vital levees and inland water systems, and disrupt wetlands and natural habitats. Under the lower warming range scenario, sea level could rise 12-14 inches.

2.7 REGULATORY SETTING

2.7.1 INTERNATIONAL

Climate change is a global issue involving GHG emissions from all around the world; therefore, countries such as the ones discussed below have made an effort to reduce GHGs.

IPCC

In 1988, the United Nations (U.N.) and the World Meteorological Organization established the IPCC to assess the scientific, technical, and socioeconomic information relevant to understanding the scientific basis of risk of human-induced climate change, its potential impacts, and options for adaptation and mitigation.



United Nation's Framework Convention on Climate Change (UNFCCC)

On March 21, 1994, the U.S. joined a number of countries around the world in signing the Convention. Under the UNFCCC, governments gather and share information on GHG emissions, national policies, and best practices; launch national strategies for addressing GHG emissions and adapting to expected impacts, including the provision of financial and technological support to developing countries; and cooperate in preparing for adaptation to the impacts of climate change.

INTERNATIONAL CLIMATE CHANGE TREATIES

The Kyoto Protocol is an international agreement linked to the UNFCCC. The major feature of the Kyoto Protocol is that it sets binding targets for 37 industrialized countries and the European community for reducing GHG emissions at an average of 5% against 1990 levels over the five-year period 2008–2012. The Convention (as discussed above) encouraged industrialized countries to stabilize emissions; however, the Protocol commits them to do so. Developed countries have contributed more emissions over the last 150 years; therefore, the Protocol places a heavier burden on developed nations under the principle of "common but differentiated responsibilities."

In 2001, President George W. Bush indicated that he would not submit the treaty to the U.S. Senate for ratification, which effectively ended American involvement in the Kyoto Protocol. In December 2009, international leaders met in Copenhagen to address the future of international climate change commitments post-Kyoto. No binding agreement was reached in Copenhagen; however, the UN Climate Change Committee identified the long-term goal of limiting the maximum global average temperature increase to no more than 2 degrees Celsius (°C) above preindustrial levels, subject to a review in 2015. The Committee held additional meetings in Durban, South Africa in November 2011; Doha, Qatar in November 2012; and Warsaw, Poland in November 2013. The meetings gradually gained consensus among participants on individual climate change issues.

On September 23, 2014, more than 100 Heads of State and Government and leaders from the private sector and civil society met at the Climate Summit in New York hosted by the U.N. At the Summit, heads of government, business and civil society announced actions in areas that would have the greatest impact on reducing emissions, including climate finance, energy, transport, industry, agriculture, cities, forests, and building resilience.

Parties to the UNFCCC reached a landmark agreement on December 12, 2015, in Paris, charting a fundamentally new course in the two-decade-old global climate effort. Culminating a four-year negotiating round, the new treaty ends the strict differentiation between developed and developing countries that characterized earlier efforts, replacing it with a common framework that commits all countries to put forward their best efforts and to strengthen them in the years ahead. This includes, for the first time, requirements that all parties report regularly on their emissions and implementation efforts and undergo international review.



The agreement and a companion decision by parties were the key outcomes of the conference, known as the 21st session of the UNFCCC Conference of the Parties (COP) 21. Together, the Paris Agreement and the accompanying COP decision:

- Reaffirm the goal of limiting global temperature increase well below 2°C, while urging efforts to limit the increase to 1.5 degrees;
- Establish binding commitments by all parties to make "nationally determined contributions" (NDCs), and to pursue domestic measures aimed at achieving them;
- Commit all countries to report regularly on their emissions and "progress made in implementing and achieving" their NDCs, and to undergo international review;
- Commit all countries to submit new NDCs every five years, with the clear expectation that they would "represent a progression" beyond previous ones;
- Reaffirm the binding obligations of developed countries under the UNFCCC to support the
 efforts of developing countries, while for the first time encouraging voluntary contributions
 by developing countries too;
- Extend the current goal of mobilizing \$100 billion a year in support by 2020 through 2025, with a new, higher goal to be set for the period after 2025;
- Extend a mechanism to address "loss and damage" resulting from climate change, which explicitly would not "involve or provide a basis for any liability or compensation;"
- Require parties engaging in international emissions trading to avoid "double counting;" and
- Call for a new mechanism, similar to the Clean Development Mechanism under the Kyoto Protocol, enabling emission reductions in one country to be counted toward another country's NDC (C2ES 2015a) (30).

2.7.2 NATIONAL

Prior to the last decade, there have been no concrete federal regulations of GHGs or major planning for climate change adaptation. The following are actions regarding the federal government, GHGs, and fuel efficiency.

GHG ENDANGERMENT

In Massachusetts v. Environmental Protection Agency 549 U.S. 497 (2007), decided on April 2, 2007, the United States Supreme Court (Supreme Court) found that four GHGs, including CO₂, are air pollutants subject to regulation under Section 202(a)(1) of the Clean Air Act (CAA). The Supreme Court held that the EPA Administrator must determine whether emissions of GHGs from new motor vehicles cause or contribute to air pollution, which may reasonably be anticipated to endanger public health or welfare, or whether the science is too uncertain to make a reasoned decision. On December 7, 2009, the EPA Administrator signed two distinct findings regarding GHGs under section 202(a) of the CAA:

• Endangerment Finding: The Administrator finds that the current and projected concentrations of the six key well-mixed GHGs— CO₂, CH₄, N₂O, HFCs, PFCs, and SF₆—in the atmosphere threaten the public health and welfare of current and future generations.



Cause or Contribute Finding: The Administrator finds that the combined emissions of these
well-mixed GHGs from new motor vehicles and new motor vehicle engines contribute to
the GHG pollution, which threatens public health and welfare.

These findings do not impose requirements on industry or other entities. However, this was a prerequisite for implementing GHG emissions standards for vehicles, as discussed in the section "Clean Vehicles" below. After a lengthy legal challenge, the Supreme Court declined to review an Appeals Court ruling that upheld the EPA Administrator's findings (31).

CLEAN VEHICLES

Congress first passed the Corporate Average Fuel Economy law in 1975 to increase the fuel economy of cars and light duty trucks. The law has become more stringent over time. On May 19, 2009, President Obama put in motion a new national policy to increase fuel economy for all new cars and trucks sold in the U.S. On April 1, 2010, the EPA, and the Department of Transportation's National Highway Traffic Safety Administration (NHTSA) announced a joint final rule establishing a national program that would reduce GHG emissions and improve fuel economy for new cars and trucks sold in the U.S.

The first phase of the national program applies to passenger cars, light-duty trucks, and medium-duty (MD) passenger vehicles, covering model years 2012 through 2016. They require these vehicles to meet an estimated combined average emissions level of 250 grams of CO₂ per mile, equivalent to 35.5 miles per gallon (mpg) if the automobile industry were to meet this CO₂ level solely through fuel economy improvements. Together, these standards would cut CO₂ emissions by an estimated 960 million metric tons and 1.8 billion barrels of oil over the lifetime of the vehicles sold under the program (model years 2012–2016). The EPA and the NHTSA issued final rules on a second-phase joint rulemaking establishing national standards for light-duty vehicles for model years 2017 through 2025 in August 2012. The new standards for model years 2017 through 2025 apply to passenger cars, light-duty trucks, and MD passenger vehicles. The final standards are projected to result in an average industry fleetwide level of 163 grams/mile of CO₂ in model year 2025, which is equivalent to 54.5 mpg if achieved exclusively through fuel economy improvements.

The EPA and the U.S. Department of Transportation issued final rules for the first national standards to reduce GHG emissions and improve fuel efficiency of heavy-duty trucks (HDT) and buses on September 15, 2011, effective November 14, 2011. For combination tractors, the agencies are proposing engine and vehicle standards that begin in the 2014 model year and achieve up to a 20% reduction in CO₂ emissions and fuel consumption by the 2018 model year. For HDT and vans, the agencies are proposing separate gasoline and diesel truck standards, which phase in starting in the 2014 model year and achieve up to a 10% reduction for gasoline vehicles and a 15% reduction for diesel vehicles by the 2018 model year (12 and 17% respectively if accounting for air conditioning leakage). Lastly, for vocational vehicles, the engine and vehicle standards would achieve up to a 10% reduction in fuel consumption and CO₂ emissions from the 2014 to 2018 model years.

On April 2, 2018, the EPA signed the Mid-term Evaluation Final Determination, which declared that the MY 2022-2025 GHG standards are not appropriate and should be revised (32). This Final



Determination serves to initiate a notice to further consider appropriate standards for MY 2022-2025 light-duty vehicles. On August 2, 2018, the NHTSA in conjunction with the EPA, released a notice of proposed rulemaking, the *Safer Affordable Fuel-Efficient (SAFE) Vehicles Rule for Model Years 2021-2026 Passenger Cars and Light Trucks* (SAFE Vehicles Rule). The SAFE Vehicles Rule was proposed to amend existing Corporate Average Fuel Economy (CAFE) and tailpipe CO₂ standards for passenger cars and light trucks and to establish new standards covering model years 2021 through 2026. As of March 31, 2020, the NHTSA and EPA finalized the SAFE Vehicle Rule which increased stringency of CAFE and CO₂ emissions standards by 1.5% each year through model year 2026 (33). On December 21, 2021, after reviewing all the public comments submitted on NHTSA's April 2021 Notice of Proposed Rulemaking, NHTSA finalizes the CAFE Preemption rulemaking to withdraw its portions of the so-called SAFE I Rule. The final rule concludes that the SAFE I Rule overstepped the agency's legal authority and established overly broad prohibitions that did not account for a variety of important state and local interests. The final rule ensures that the SAFE I Rule will no longer form an improper barrier to states exploring creative solutions to address their local communities' environmental and public health challenges (34).

On March 31, 2022, NHTSA finalized CAFE standards for MY 2024-2026. The standards for passenger cars and light trucks for MYs 2024-2025 were increased at a rate of 8% per year and then increased at a rate of 10% per year for MY 2026 vehicles. NHTSA currently projects that the revised standards would require an industry fleet-wide average of roughly 49 mpg in MY 2026 and would reduce average fuel outlays over the lifetimes of affected vehicles that provide consumers hundreds of dollars in net savings. These standards are directly responsive to the agency's statutory mandate to improve energy conservation and reduce the nation's energy dependence on foreign sources (35).

MANDATORY REPORTING OF GHGS

The Consolidated Appropriations Act of 2008, passed in December 2007, requires the establishment of mandatory GHG reporting requirements. On September 22, 2009, the EPA issued the Final Mandatory Reporting of GHGs Rule, which became effective January 1, 2010. The rule requires reporting of GHG emissions from large sources and suppliers in the U.S. and is intended to collect accurate and timely emissions data to inform future policy decisions. Under the rule, suppliers of fossil fuels or industrial GHGs, manufacturers of vehicles and engines, and facilities that emit 25,000 metric tons per year (MT/yr) or more of GHG emissions are required to submit annual reports to the EPA.

NEW SOURCE REVIEW

The EPA issued a final rule on May 13, 2010, that establishes thresholds for GHGs that define when permits under the New Source Review Prevention of Significant Deterioration and Title V Operating Permit programs are required for new and existing industrial facilities. This final rule "tailors" the requirements of these CAA permitting programs to limit which facilities would be required to obtain Prevention of Significant Deterioration and Title V permits. In the preamble to the revisions to the Federal Code of Regulations, the EPA states:



"This rulemaking is necessary because without it the Prevention of Significant Deterioration and Title V requirements would apply, as of January 2, 2011, at the 100 or 250 tons per year levels provided under the CAA, greatly increasing the number of required permits, imposing undue costs on small sources, overwhelming the resources of permitting authorities, and severely impairing the functioning of the programs. EPA is relieving these resource burdens by phasing in the applicability of these programs to GHG sources, starting with the largest GHG emitters. This rule establishes two initial steps of the phase-in. The rule also commits the agency to take certain actions on future steps addressing smaller sources but excludes certain smaller sources from Prevention of Significant Deterioration and Title V permitting for GHG emissions until at least April 30, 2016."

The EPA estimates that facilities responsible for nearly 70% of the national GHG emissions from stationary sources would be subject to permitting requirements under this rule. This includes the nation's largest GHG emitters—power plants, refineries, and cement production facilities.

STANDARDS OF PERFORMANCE FOR GHG EMISSIONS FOR NEW STATIONARY SOURCES: ELECTRIC UTILITY GENERATING UNITS

As required by a settlement agreement, the EPA proposed new performance standards for emissions of CO₂ for new, affected, fossil fuel-fired electric utility generating units on March 27, 2012. New sources greater than 25 megawatts (MW) would be required to meet an output-based standard of 1,000 pounds (lbs) of CO₂ per MW-hour (MWh), based on the performance of widely used natural gas combined cycle technology. It should be noted that on February 9, 2016, the Supreme Court issued a stay of this regulation pending litigation. Additionally, the current EPA Administrator has also signed a measure to repeal the Clean Power Plan, including the CO₂ standards. The Clean Power Plan was officially repealed on June 19, 2019, when the EPA issued the final Affordable Clean Energy rule (ACE). Under ACE, new state emission guidelines were established that provided existing coal-fired electric utility generating units with achievable standards.

On January 19, 2021, the D.C. Circuit Court of Appeals ruled that the EPA's ACE Rule for GHG emissions from power plants rested on an erroneous interpretation of the CAA that barred EPA from considering measures beyond those that apply at and to an individual source. The court therefore vacated and remanded the ACE Rule and adopted a replacement rule which regulates CO₂ emissions from existing power plants, potentially again considering generation shifting and other measures to more aggressively target power sector emissions.

CAP-AND-TRADE

Cap-and-trade refers to a policy tool where emissions are limited to a certain amount and can be traded or provides flexibility on how the emitter can comply. Successful examples in the U.S. include the Acid Rain Program and the N₂O Budget Trading Program and Clean Air Interstate Rule in the northeast. There is no federal GHG cap-and-trade program currently; however, some states have joined to create initiatives to provide a mechanism for cap-and-trade.



The Regional GHG Initiative is an effort to reduce GHGs among the states of Connecticut, Delaware, Maine, Maryland, Massachusetts, New Hampshire, New York, Rhode Island, and Vermont. Each state caps CO₂ emissions from power plants, auctions CO₂ emission allowances, and invests the proceeds in strategic energy programs that further reduce emissions, save consumers money, create jobs, and build a clean energy economy. The Initiative began in 2008 and in 2020 has retained all participating states.

The Western Climate Initiative (WCI) partner jurisdictions have developed a comprehensive initiative to reduce regional GHG emissions to 15% below 2005 levels by 2020. The partners were originally California, British Columbia, Manitoba, Ontario, and Quebec. However, Manitoba and Ontario are not currently participating. California linked with Quebec's cap-and-trade system January 1, 2014, and joint offset auctions took place in 2015. While the WCI has yet to publish whether it has successfully reached the 2020 emissions goal initiative set in 2007, SB 32 requires that California, a major partner in the WCI, adopt the goal of reducing statewide GHG emissions to 40% below the 1990 level by 2030.

SMARTWAY PROGRAM

The SmartWay Program is a public-private initiative between the EPA, large and small trucking companies, rail carriers, logistics companies, commercial manufacturers, retailers, and other federal and state agencies. Its purpose is to improve fuel efficiency and the environmental performance (reduction of both GHG emissions and air pollution) of the goods movement supply chains. SmartWay is comprised of four components (36):

- 1. SmartWay Transport Partnership: A partnership in which freight carriers and shippers commit to benchmark operations, track fuel consumption, and improve performance annually.
- 2. SmartWay Technology Program: A testing, verification, and designation program to help freight companies identify equipment, technologies, and strategies that save fuel and lower emissions.
- 3. SmartWay Vehicles: A program that ranks light-duty cars and small trucks and identifies superior environmental performers with the SmartWay logo.
- 4. SmartWay International Interests: Guidance and resources for countries seeking to develop freight sustainability programs modeled after SmartWay.

SmartWay effectively refers to requirements geared towards reducing fuel consumption. Most large trucking fleets driving newer vehicles are compliant with SmartWay design requirements. Moreover, over time, all HDTs would have to comply with the CARB GHG Regulation that is designed with the SmartWay Program in mind, to reduce GHG emissions by making them more fuel-efficient. For instance, in 2015, 53 foot or longer dry vans or refrigerated trailers equipped with a combination of SmartWay-verified low-rolling resistance tires and SmartWay-verified aerodynamic devices would obtain a total of 10% or more fuel savings over traditional trailers.

Through the SmartWay Technology Program, the EPA has evaluated the fuel saving benefits of various devices through grants, cooperative agreements, emissions, and fuel economy testing, demonstration projects and technical literature review. As a result, the EPA has determined the following types of technologies provide fuel saving and/or emission reducing benefits when used properly in their designed applications, and has verified certain products:



- Idle reduction technologies less idling of the engine when it is not needed would reduce fuel consumption.
- Aerodynamic technologies minimize drag and improve airflow over the entire tractor-trailer vehicle. Aerodynamic technologies include gap fairings that reduce turbulence between the tractor and trailer, side skirts that minimize wind under the trailer, and rear fairings that reduce turbulence and pressure drop at the rear of the trailer.
- Low rolling resistance tires can roll longer without slowing down, thereby reducing the
 amount of fuel used. Rolling resistance (or rolling friction or rolling drag) is the force
 resisting the motion when a tire rolls on a surface. The wheel would eventually slow down
 because of this resistance.
- Retrofit technologies include things such as diesel particulate filters, emissions upgrades (to a higher tier), etc., which would reduce emissions.
- Federal excise tax exemptions.

EXECUTIVE ORDER 13990

On January 20, 2021, Federal agencies were directed to immediately review, and take action to address, Federal regulations promulgated and other actions taken during the last 4 years that conflict with national objectives to improve public health and the environment; ensure access to clean air and water; limit exposure to dangerous chemicals and pesticides; hold polluters accountable, including those who disproportionately harm communities of color and low-income communities; reduce greenhouse gas emissions; bolster resilience to the impacts of climate change; restore and expand our national treasures and monuments; and prioritize both environmental justice and employment.

2.7.3 CALIFORNIA

2.7.3.1 LEGISLATIVE ACTIONS TO REDUCE GHGS

The State of California legislature has enacted a series of bills that constitute the most aggressive program to reduce GHGs of any state in the nation. Some legislation such as the landmark AB 32 was specifically enacted to address GHG emissions. Other legislation such as Title 24 and Title 20 energy standards were originally adopted for other purposes such as energy and water conservation, but also provide GHG reductions. This section describes the major provisions of the legislation.

AB 1881

The Water Conservation in Landscaping Act of 2006 requires local agencies to adopt the updated DWR model ordinance or equivalent. AB 1881 also requires the CEC to consult with the DWR to adopt, by regulation, performance standards and labeling requirements for landscape irrigation equipment, including irrigation controllers, moisture sensors, emission devices, and valves to reduce the wasteful, uneconomic, inefficient, or unnecessary consumption of energy or water.

SB 1368

California SB 1368 adds Sections 8340 and 8341 to the Public Utilities Code (effective January 1, 2007) with the intent "to prevent long-term investments in power plants with GHG emissions in



excess of those produced by a combined-cycle natural gas power plant" with the aim of "reducing emissions of GHGs from the state's electricity consumption, not just the state's electricity production." SB 1368 provides a mechanism for reducing the GHG emissions of electricity providers, both in-state and out-of-state, thereby assisting CARB in meeting its mandate under AB 32, the Global Warming Solutions Act of 2006.

AB32

The California State Legislature enacted AB 32, which required that GHGs emitted in California be reduced to 1990 levels by the year 2020 (this goal has been met²). GHGs as defined under AB 32 include CO₂, CH₄, N₂O, HFCs, PFCs, and SF₆. Since AB 32 was enacted, a seventh chemical, NF₃, has also been added to the list of GHGs. CARB is the state agency charged with monitoring and regulating sources of GHGs. Pursuant to AB 32, CARB adopted regulations to achieve the maximum technologically feasible and cost-effective GHG emission reductions. AB 32 states the following:

"Global warming poses a serious threat to the economic well-being, public health, natural resources, and the environment of California. The potential adverse impacts of global warming include the exacerbation of air quality problems, a reduction in the quality and supply of water to the state from the Sierra snowpack, a rise in sea levels resulting in the displacement of thousands of coastal businesses and residences, damage to marine ecosystems and the natural environment, and an increase in the incidences of infectious diseases, asthma, and other human health-related problems."

SB 375

On September 30, 2008, SB 375 was signed by Governor Schwarzenegger. According to SB 375, the transportation sector is the largest contributor of GHG emissions, which emits over 40% of the total GHG emissions in California. SB 375 states, "Without improved land use and transportation policy, California would not be able to achieve the goals of AB 32." SB 375 does the following: it (1) requires metropolitan planning organizations (MPOs) to include sustainable community strategies in their regional transportation plans for reducing GHG emissions, (2) aligns planning for transportation and housing, and (3) creates specified incentives for the implementation of the strategies.

SB 375 requires MPOs to prepare a Sustainable Communities Strategy (SCS) within the Regional Transportation Plan (RTP) that guides growth while taking into account the transportation, housing, environmental, and economic needs of the region. SB 375 uses CEQA streamlining as an incentive to encourage residential projects, which help achieve AB 32 goals to reduce GHG emissions. Although SB 375 does not prevent CARB from adopting additional regulations, such actions are not anticipated in the foreseeable future.

_



² Based upon the 2023 GHG inventory data (i.e., the latest year for which data are available) for the 2000-2021 GHG emissions period, California emitted an average 381.3 MMTCO₂e (27). This is less than the 2020 emissions target of 431 MMTCO₂e. This is less than the 2020 emissions target of 431 MMTCO₂e.

Concerning CEQA, SB 375, as codified in Public Resources Code Section 21159.28, states that CEQA findings for certain projects are not required to reference, describe, or discuss (1) growth inducing impacts, or (2) any project-specific or cumulative impacts from cars and light-duty truck trips generated by the project on global warming or the regional transportation network, if the project:

- 1. Is in an area with an approved sustainable communities strategy or an alternative planning strategy that CARB accepts as achieving the GHG emission reduction targets.
- 2. Is consistent with that strategy (in designation, density, building intensity, and applicable policies).
- 3. Incorporates the MMs required by an applicable prior environmental document.

AB 1493 - Pavley Fuel Efficiency Standards

Enacted on July 22, 2002, California AB 1493, also known as the Pavley Fuel Efficiency Standards, required CARB to develop and adopt regulations that reduce GHGs emitted by passenger vehicles and light duty trucks. Implementation of the regulation was delayed by lawsuits filed by automakers and by the EPA's denial of an implementation waiver. The EPA subsequently granted the requested waiver in 2009, which was upheld by the U.S. District Court for the District of Columbia in 2011.

The standards phase in during the 2009 through 2016 MY. Several technologies stand out as providing significant reductions in emissions at favorable costs. These include discrete variable valve lift or camless valve actuation to optimize valve operation rather than relying on fixed valve timing and lift as has historically been done; turbocharging to boost power and allow for engine downsizing; improved multi-speed transmissions; and improved air conditioning systems that operate optimally, leak less, and/or use an alternative refrigerant.

The second phase of the implementation for the Pavley bill was incorporated into Amendments to the Low-Emission Vehicle Program (LEV III) or the Advanced Clean Cars (ACC) program. The ACC program combines the control of smog-causing pollutants and GHG emissions into a single coordinated package of requirements for MY 2017 through 2025. The regulation will reduce GHGs from new cars by 34% from 2016 levels by 2025. The new rules will clean up gasoline and diesel-powered cars, and deliver increasing numbers of zero-emission technologies, such as full battery electric cars, newly emerging plug-in hybrid EV and hydrogen fuel cell cars. The package will also ensure adequate fueling infrastructure is available for the increasing numbers of hydrogen fuel cell vehicles planned for deployment in California. On March 9, EPA reinstated California's authority under the Clean Air Act to implement its own GHG emission standards for cars and light trucks, which other states can also adopt and enforce. With this authority restored, EPA will continue partnering with states to advance the next generation of clean vehicle technologies.

CLEAN ENERGY AND POLLUTION REDUCTION ACT OF 2015 (SB 350)

In October 2015, the legislature approved, and Governor Jerry Brown signed SB 350, which reaffirms California's commitment to reducing its GHG emissions and addressing climate change. Key provisions include an increase in the RPS, higher energy efficiency requirements for buildings, initial strategies towards a regional electricity grid, and improved infrastructure for EV charging



stations. Provisions for a 50% reduction in the use of petroleum statewide were removed from the Bill because of opposition and concern that it would prevent the Bill's passage. Specifically, SB 350 requires the following to reduce statewide GHG emissions:

- Increase the amount of electricity procured from renewable energy sources from 33% to 50% by 2030, with interim targets of 40% by 2024, and 25% by 2027.
- Double the energy efficiency in existing buildings by 2030. This target would be achieved through the California Public Utilities Commission (CPUC), the California Energy Commission (CEC), and local publicly owned utilities.
- Reorganize the Independent System Operator (ISO) to develop more regional electrify transmission markets and to improve accessibility in these markets, which would facilitate the growth of renewable energy markets in the western United States.

SB 32

On September 8, 2016, Governor Brown signed SB 32 and its companion bill, AB 197. SB 32 requires the state to reduce statewide GHG emissions to 40% below 1990 levels by 2030, a reduction target that was first introduced in Executive Order B-30-15. The new legislation builds upon the AB 32 goal and provides an intermediate goal to achieving S-3-05, which sets a statewide GHG reduction target of 80% below 1990 levels by 2050. AB 197 creates a legislative committee to oversee regulators to ensure that CARB not only responds to the Governor, but also the Legislature (11).

2017 CARB SCOPING PLAN

In November 2017, CARB released the *Final 2017 Scoping Plan Update* (2017 Scoping Plan), which identifies the State's post-2020 reduction strategy. The 2017 Scoping Plan reflects the 2030 target of a 40% reduction below 1990 levels, set by Executive Order B-30-15 and codified by SB 32. Key programs that the proposed Second Update builds upon include the Cap-and-Trade Regulation, the LCFS, and much cleaner cars, trucks, and freight movement, utilizing cleaner, renewable energy, and strategies to reduce CH₄ emissions from agricultural and other wastes.

The 2017 Scoping Plan establishes a new emissions limit of 260 MMTCO₂e for the year 2030, which corresponds to a 40% decrease in 1990 levels by 2030 (37).

California's climate strategy would require contributions from all sectors of the economy, including the land base, and would include enhanced focus on zero and near-zero emission (ZE/NZE) vehicle technologies; continued investment in renewables, including solar roofs, wind, and other distributed generation; greater use of low carbon fuels; integrated land conservation and development strategies; coordinated efforts to reduce emissions of short-lived climate pollutants (CH₄, black carbon, and fluorinated gases); and an increased focus on integrated land use planning to support livable, transit-connected communities and conservation of agricultural and other lands. Requirements for direct GHG reductions at refineries would further support air quality co-benefits in neighborhoods, including in disadvantaged communities historically located adjacent to these large stationary sources, as well as efforts with California's local air pollution control and air quality management districts (air districts) to tighten emission limits on



a broad spectrum of industrial sources. Major elements of the *2017 Scoping Plan* framework include:

- Implementing and/or increasing the standards of the Mobile Source Strategy, which include increasing zero-emission vehicles (ZEV) buses and trucks.
- LCFS, with an increased stringency (18% by 2030).
- Implementing SB 350, which expands the RPS to 50% RPS and doubles energy efficiency savings by 2030.
- California Sustainable Freight Action Plan, which improves freight system efficiency, utilizes near-zero emissions technology, and deployment of ZEV trucks.
- Implementing the proposed Short-Lived Climate Pollutant Strategy (SLPS), which focuses on reducing CH₄ and HCF emissions by 40% and anthropogenic black carbon emissions by 50% by year 2030.
- Continued implementation of SB 375.
- Post-2020 Cap-and-Trade Program that includes declining caps.
- 20% reduction in GHG emissions from refineries by 2030.
- Development of a Natural and Working Lands Action Plan to secure California's land base as a net carbon sink.

Note, however, that the 2017 Scoping Plan acknowledges that:

"[a]chieving net zero increases in GHG emissions, resulting in no contribution to GHG impacts, may not be feasible or appropriate for every project, however, and the inability of a project to mitigate its GHG emissions to net zero does not imply the project results in a substantial contribution to the cumulatively significant environmental impact of climate change under CEQA."

In addition to the statewide strategies listed above, the 2017 Scoping Plan also identifies local governments as essential partners in achieving the State's long-term GHG reduction goals and identifies local actions to reduce GHG emissions. As part of the recommended actions, CARB recommends that local governments achieve a community-wide goal to achieve emissions of no more than 6 metric tons of CO₂e (MTCO₂e) or less per capita by 2030 and 2 MTCO₂e or less per capita by 2050. For CEQA projects, CARB states that lead agencies may develop evidence-based bright-line numeric thresholds—consistent with the 2017 Scoping Plan and the State's long-term GHG goals—and projects with emissions over that amount may be required to incorporate onsite design features and MMs that avoid or minimize project emissions to the degree feasible; or a performance-based metric using a CAP or other plan to reduce GHG emissions is appropriate.

According to research conducted by the Lawrence Berkeley National Laboratory (LBNL) and supported by CARB, California, under its existing and proposed GHG reduction policies, could achieve the 2030 goals under SB 32. The research utilized a new, validated model known as the California LBNL GHG Analysis of Policies Spreadsheet (CALGAPS), which simulates GHG and criteria pollutant emissions in California from 2010 to 2050 in accordance to existing and future GHG-reducing policies. The CALGAPS model showed that by 2030, emissions could range from 211 to 428 MTCO₂e per year (MTCO₂e/yr), indicating that "even if all modeled policies are not



implemented, reductions could be sufficient to reduce emissions 40% below the 1990 level [of SB 32]." CALGAPS analyzed emissions through 2050 even though it did not generally account for policies that might be put in place after 2030. Although the research indicated that the emissions would not meet the State's 80% reduction goal by 2050, various combinations of policies could allow California's cumulative emissions to remain very low through 2050 (38) (39).

2022 CARB SCOPING PLAN

On December 15, 2022, CARB adopted the 2022 Scoping Plan for Achieving Carbon Neutrality (2022 Scoping Plan) (40). The 2022 Scoping Plan builds on the 2017 Scoping Plan as well as the requirements set forth by AB 1279, which directs the state to become carbon neutral no later than 2045. To achieve this statutory objective, the 2022 Scoping Plan lays out how California can reduce GHG emissions by 85% below 1990 levels and achieve carbon neutrality by 2045. The Scoping Plan scenario to do this is to "deploy a broad portfolio of existing and emerging fossil fuel alternatives and clean technologies, and align with statutes, Executive Orders, Board direction, and direction from the governor." The 2022 Scoping Plan sets one of the most aggressive approaches to reach carbon neutrality in the world. Unlike the 2017 Scoping Plan, CARB no longer includes a numeric per capita threshold and instead advocates for compliance with a local GHG reduction strategy (CAP) consistent with CEQA Guidelines section 15183.5.

The key elements of the 2022 CARB Scoping Plan focus on transportation - the regulations that will impact this sector are adopted and enforced by CARB on vehicle manufacturers and outside the jurisdiction and control of local governments. As stated in the Plan's executive summary:

"The major element of this unprecedented transformation is the aggressive reduction of fossil fuels wherever they are currently used in California, building on and accelerating carbon reduction programs that have been in place for a decade and a half. That means rapidly moving to zero-emission transportation; electrifying the cars, buses, trains, and trucks that now constitute California's single largest source of planet-warming pollution."

"[A]pproval of this plan catalyzes a number of efforts, including the development of new regulations as well as amendments to strengthen regulations and programs already in place, not just at CARB but across state agencies."

Under the 2022 Scoping Plan, the State will lead efforts to meet the 2045 carbon neutrality goal through implementation of the following objectives:

- Reimagine roadway projects that increase VMT in a way that meets community needs and reduces the need to drive.
- Double local transit capacity and service frequencies by 2030.
- Complete the High-Speed Rail (HSR) System and other elements of the intercity rail network by 2040.
- Expand and complete planned networks of high-quality active transportation infrastructure.
- Increase availability and affordability of bikes, e-bikes, scooters, and other alternatives to lightduty vehicles, prioritizing needs of underserved communities.
- Shift revenue generation for transportation projects away from the gas tax into more durable sources by 2030.



- Authorize and implement roadway pricing strategies and reallocate revenues to equitably improve transit, bicycling, and other sustainable transportation choices.
- Prioritize addressing key transit bottlenecks and other infrastructure investments to improve transit operational efficiency over investments that increase VMT.
- Develop and implement a statewide transportation demand management (TDM) framework with VMT mitigation requirements for large employers and large developments.
- Prevent uncontrolled growth of autonomous vehicle (AV) VMT, particularly zero-passenger miles.
- Channel new mobility services towards pooled use models, transit complementarity, and lower VMT outcomes.
- Establish an integrated statewide system for trip planning, booking, payment, and user accounts that enables efficient and equitable multimodal systems.
- Provide financial support for low-income and disadvantaged Californians' use of transit and new mobility services.
- Expand universal design features for new mobility services.
- Accelerate infill development in existing transportation-efficient places and deploy strategic resources to create more transportation-efficient locations.
- Encourage alignment in land use, housing, transportation, and conservation planning in adopted regional plans (RTP/SCS and RHNA) and local plans (e.g., general plans, zoning, and local transportation plans).
- Accelerate production of affordable housing in forms and locations that reduce VMT and affirmatively further fair housing policy objectives.
- Reduce or eliminate parking requirements (and/or enact parking maximums, as appropriate) and promote redevelopment of excess parking, especially in infill locations.
- Preserve and protect existing affordable housing stock and protect existing residents and businesses from displacement and climate risk.

Included in the 2022 Scoping Plan is a set of Local Actions (Appendix D to the 2022 Scoping Plan) aimed at providing local jurisdictions with tools to reduce GHGs and assist the state in meeting the ambitious targets set forth in the 2022 Scoping Plan. Appendix D to the 2022 Scoping Plan includes a section on evaluating plan-level and project-level alignment with the State's Climate Goals in CEQA GHG analyses. In this section, CARB identifies several recommendations and strategies that should be considered for new development in order to determine consistency with the 2022 Scoping Plan. Notably, this section is focused on Residential and Mixed-Use Projects, in fact CARB states in Appendix D (page 4): "...focuses primarily on climate action plans (CAPs) and local authority over new residential development. It does not address other land use types (e.g., industrial) or air permitting."

Additionally on Page 21 in Appendix D, CARB states: "The recommendations outlined in this section apply only to residential and mixed-use development project types. California currently faces both a housing crisis and a climate crisis, which necessitates prioritizing recommendations for residential projects to address the housing crisis in a manner that simultaneously supports the State's GHG and regional air quality goals. CARB plans to continue to explore new approaches for other land use types in the future." As such, it would be inappropriate to apply the



requirements contained in Appendix D of the 2022 Scoping Plan to any land use types other than residential or mixed-use residential development.

CAP-AND-TRADE PROGRAM

The 2017 Scoping Plan identifies a Cap-and-Trade Program as one of the key strategies for California to reduce GHG emissions. According to CARB, a cap-and-trade program would help put California on the path to meet its goal of achieving a 40% reduction in GHG emissions from 1990 levels by 2030. Under cap-and-trade, an overall limit on GHG emissions from capped sectors is established, and facilities subject to the cap would be able to trade permits to emit GHGs within the overall limit.

CARB adopted a California Cap-and-Trade Program pursuant to its authority under AB 32. The Cap-and-Trade Program is designed to reduce GHG emissions from regulated entities by more than 16% between 2013 and 2020, and by an additional 40% by 2030. The statewide cap for GHG emissions from the capped sectors (e.g., electricity generation, petroleum refining, and cement production) commenced in 2013 and would decline over time, achieving GHG emission reductions throughout the program's duration.

Covered entities that emit more than 25,000 MTCO₂e/yr must comply with the Cap-and-Trade Program. Triggering of the 25,000 MTCO₂e/yr "inclusion threshold" is measured against a subset of emissions reported and verified under the California Regulation for the Mandatory Reporting of GHG Emissions (Mandatory Reporting Rule or "MRR").

Under the Cap-and-Trade Program, CARB issues allowances equal to the total amount of allowable emissions over a given compliance period and distributes these to regulated entities. Covered entities are allocated free allowances in whole or part (if eligible), and may buy allowances at auction, purchase allowances from others, or purchase offset credits. Each covered entity with a compliance obligation is required to surrender "compliance instruments" for each MTCO₂e of GHG they emit. There also are requirements to surrender compliance instruments covering 30% of the prior year's compliance obligation by November of each year (41).

The Cap-and-Trade Program provides a firm cap, which provides the highest certainty of achieving the 2030 target. An inherent feature of the Cap-and-Trade program is that it does not guarantee GHG emissions reductions in any discrete location or by any particular source. Rather, GHG emissions reductions are only guaranteed on an accumulative basis. As summarized by CARB in the *First Update to the Climate Change Scoping Plan*:

"The Cap-and-Trade Regulation gives companies the flexibility to trade allowances with others or take steps to cost-effectively reduce emissions at their own facilities. Companies that emit more have to turn in more allowances or other compliance instruments. Companies that can cut their GHG emissions have to turn in fewer allowances. But as the cap declines, aggregate emissions must be reduced. In other words, a covered entity theoretically could increase its GHG emissions every year and still comply with the Cap-and-Trade Program if there is a reduction in GHG emissions from other covered entities. Such a focus on aggregate GHG emissions



is considered appropriate because climate change is a global phenomenon, and the effects of GHG emissions are considered cumulative." (42)

The Cap-and-Trade Program covers approximately 80% of California's GHG emissions (37). The Cap-and-Trade Program covers the GHG emissions associated with electricity consumed in California, whether generated in-state or imported. Accordingly, GHG emissions associated with CEQA projects' electricity usage are covered by the Cap-and-Trade Program. The Cap-and-Trade Program also covers fuel suppliers (natural gas and propane fuel providers and transportation fuel providers) to address emissions from such fuels and from combustion of other fossil fuels not directly covered at large sources in the Program's first compliance period. The Cap-and-Trade Program covers the GHG emissions associated with the combustion of transportation fuels in California, whether refined in-state or imported.

2.7.3.2 EXECUTIVE ORDERS RELATED TO GHG EMISSIONS

California's Executive Branch has taken several actions to reduce GHGs through the use of Executive Orders. Although not regulatory, they set the tone for the state and guide the actions of state agencies.

EXECUTIVE ORDER S-3-05

California Governor Arnold Schwarzenegger announced on June 1, 2005, through Executive Order S-3-05, the following reduction targets for GHG emissions:

- By 2010, reduce GHG emissions to 2000 levels.
- By 2020, reduce GHG emissions to 1990 levels.
- By 2050, reduce GHG emissions to 80% below 1990 levels.

The 2050 reduction goal represents what some scientists believe is necessary to reach levels that would stabilize the climate. The 2020 goal was established to be a mid-term target. Because this is an executive order, the goals are not legally enforceable for local governments or the private sector.

EXECUTIVE ORDER S-01-07 (LCFS)

Governor Schwarzenegger signed Executive Order S-01-07 on January 18, 2007. The order mandates that a statewide goal shall be established to reduce the carbon intensity of California's transportation fuels by at least 10% by 2020. CARB adopted the LCFS on April 23, 2009.

After a series of legal changes, in order to address the Court ruling, CARB was required to bring a new LCFS regulation to the Board for consideration in February 2015. The proposed LCFS regulation was required to contain revisions to the 2010 LCFS as well as new provisions designed to foster investments in the production of the low-carbon intensity fuels, offer additional flexibility to regulated parties, update critical technical information, simplify and streamline program operations, and enhance enforcement. On November 16, 2015, the Office of Administrative Law (OAL) approved the Final Rulemaking Package. The new LCFS regulation became effective on January 1, 2016.



In 2018, CARB approved amendments to the regulation, which included strengthening the carbon intensity benchmarks through 2030 in compliance with the SB 32 GHG emissions reduction target for 2030. The amendments included crediting opportunities to promote zero emission vehicle adoption, alternative jet fuel, carbon capture and sequestration, and advanced technologies to achieve deep decarbonization in the transportation sector (43).

EXECUTIVE ORDER S-13-08

Executive Order S-13-08 states that "climate change in California during the next century is expected to shift precipitation patterns, accelerate sea level rise and increase temperatures, thereby posing a serious threat to California's economy, to the health and welfare of its population and to its natural resources." Pursuant to the requirements in the Order, the 2009 California Climate Adaptation Strategy (CNRA 2009) was adopted, which is the "...first statewide, multi-sector, region-specific, and information-based climate change adaptation strategy in the United States." Objectives include analyzing risks of climate change in California, identifying, and exploring strategies to adapt to climate change, and specifying a direction for future research.

EXECUTIVE ORDER B-30-15

On April 29, 2015, Governor Brown issued an executive order to establish a California GHG reduction target of 40% below 1990 levels by 2030. The Governor's executive order aligned California's GHG reduction targets with those of leading international governments ahead of the U.N. Climate Change Conference in Paris late 2015. The Order sets a new interim statewide GHG emission reduction target to reduce GHG emissions to 40% below 1990 levels by 2030 in order to ensure California meets its target of reducing GHG emissions to 80% below 1990 levels by 2050 and directs CARB to update the *2017 Scoping Plan* to express the 2030 target in terms of MMTCO₂e. The Order also requires the state's climate adaptation plan to be updated every three years, and for the State to continue its climate change research program, among other provisions. As with Executive Order S-3-05, this Order is not legally enforceable as to local governments and the private sector. Legislation that would update AB 32 to make post 2020 targets and requirements a mandate is in process in the State Legislature.

EXECUTIVE ORDER B-55-18 AND SB 100

SB 100 and Executive Order B-55-18 were signed by Governor Brown on September 10, 2018. Under the existing RPS, 25% of retail sales of electricity are required to be from renewable sources by December 31, 2016, 33% by December 31, 2020, 40% by December 31, 2024, 45% by December 31, 2027, and 50% by December 31, 2030. SB 100 raises California's RPS requirement to 50% renewable resources target by December 31, 2026, and to achieve a 60% target by December 31, 2030. SB 100 also requires that retail sellers and local publicly owned electric utilities procure a minimum quantity of electricity products from eligible renewable energy resources so that the total kilowatt hours (kWh) of those products sold to their retail end-use customers achieve 44% of retail sales by December 31, 2024, 52% by December 31, 2027, and 60% by December 31, 2030. In addition to targets under AB 32 and SB 32, Executive Order B-55-18 establishes a carbon neutrality goal for the state of California by 2045; and sets a goal to maintain net negative emissions thereafter. The Executive Order directs the California Natural



Resources Agency (CNRA), California EPA (CalEPA), the California Department of Food and Agriculture (CDFA), and CARB to include sequestration targets in the Natural and Working Lands Climate Change Implementation Plan consistent with the carbon neutrality goal.

EXECUTIVE ORDER N-79-20 AND ADVANCED CLEAN CARS II

On August 25, 2022 CARB approved the Advanced Clean Cars II rule, which codifies the goals set out in Executive Order N-79-20 and establishes a year-by-year roadmap such that by 2035, 100% of new cars and light trucks sold in California will be zero-emission vehicles. Under this regulation, automakers are required to accelerate deliveries of zero-emission light-duty vehicles, beginning with model year 2026. CARB estimates that the regulation would reduce GHG emissions from light-duty vehicles by 50% by 2040, and that from 2026 to 2040, GHG emissions would be reduced by a cumulative 395 million metric tons.

2.7.3.3 CALIFORNIA REGULATIONS AND BUILDING CODES

California has a long history of adopting regulations to improve energy efficiency in new and remodeled buildings. These regulations have kept California's energy consumption relatively flat even with rapid population growth.

TITLE 20 CCR Sections 1601 ET SEQ. — APPLIANCE EFFICIENCY REGULATIONS

The Appliance Efficiency Regulations regulate the sale of appliances in California. The Appliance Efficiency Regulations include standards for both federally regulated appliances and non-federally regulated appliances. 23 categories of appliances are included in the scope of these regulations. The standards within these regulations apply to appliances that are sold or offered for sale in California, except those sold wholesale in California for final retail sale outside the state and those designed and sold exclusively for use in recreational vehicles (RV) or other mobile equipment (CEC 2012).

TITLE 24 ENERGY EFFICIENCY STANDARDS AND CALIFORNIA GREEN BUILDING STANDARDS

California Code of Regulations (CCR) Title 24 Part 6: The California Energy Code was first adopted in 1978 in response to a legislative mandate to reduce California's energy consumption.

The standards are updated periodically to allow consideration and possible incorporation of new energy efficient technologies and methods. CCR, Title 24, Part 11: California Green Building Standards Code (CALGreen) is a comprehensive and uniform regulatory code for all residential, commercial, and school buildings that went in effect on August 1, 2009, and is administered by the California Building Standards Commission.

CALGreen is updated on a regular basis, with the most recent approved update consisting of the 2022 California Green Building Code Standards that became effective on January 1, 2023. The CEC anticipates that the 2022 energy code will provide \$1.5 billion in consumer benefits and reduce GHG emissions by 10 million metric tons (44). The Project would be required to comply with the applicable standards in place at the time plan check submittals are made. These require, among other items (45):

NONRESIDENTIAL MANDATORY MEASURES



- Short-term bicycle parking. If the new project or an additional alteration is anticipated to generate visitor traffic, provide permanently anchored bicycle racks within 200 feet of the visitors' entrance, readily visible to passers-by, for 5% of new visitor motorized vehicle parking spaces being added, with a minimum of one two-bike capacity rack (5.106.4.1.1).
- Long-term bicycle parking. For new buildings with tenant spaces that have 10 or more tenant-occupants, provide secure bicycle parking for 5% of the tenant-occupant vehicular parking spaces with a minimum of one bicycle parking facility (5.106.4.1.2).
- EV charging stations. New construction shall facilitate the future installation of EV supply equipment. The compliance requires empty raceways for future conduit and documentation that the electrical system has adequate capacity for the future load. The number of spaces to be provided for is contained in Table 5.106. 5.3.3 (5.106.5.3). Additionally, Table 5.106.5.4.1 specifies requirements for the installation of raceway conduit and panel power requirements for medium-and heavy-duty electric vehicle supply equipment for warehouses, grocery stores, and retail stores.
- Outdoor light pollution reduction. Outdoor lighting systems shall be designed to meet the backlight, uplight and glare ratings per Table 5.106.8 (5.106.8).
- Construction waste management. Recycle and/or salvage for reuse a minimum of 65% of the nonhazardous construction and demolition waste in accordance with Section 5.408.1.1. 5.405.1.2, or 5.408.1.3; or meet a local construction and demolition waste management ordinance, whichever is more stringent (5.408.1).
- Excavated soil and land clearing debris. 100% of trees, stumps, rocks and associated vegetation and soils resulting primarily from land clearing shall be reused or recycled. For a phased project, such material may be stockpiled on site until the storage site is developed (5.408.3).
- Recycling by Occupants. Provide readily accessible areas that serve the entire building and are
 identified for the depositing, storage, and collection of non-hazardous materials for recycling,
 including (at a minimum) paper, corrugated cardboard, glass, plastics, organic waste, and
 metals or meet a lawfully enacted local recycling ordinance, if more restrictive (5.410.1).
- Water conserving plumbing fixtures and fittings. Plumbing fixtures (water closets and urinals) and fittings (faucets and showerheads) shall comply with the following:
 - Water Closets. The effective flush volume of all water closets shall not exceed
 1.28 gallons per flush (5.303.3.1)
 - Urinals. The effective flush volume of wall-mounted urinals shall not exceed
 0.125 gallons per flush (5.303.3.2.1). The effective flush volume of floor- mounted or other urinals shall not exceed 0.5 gallons per flush (5.303.3.2.2).
 - Showerheads. Single showerheads shall have a minimum flow rate of not more than 1.8 gallons per minute and 80 psi (5.303.3.3.1). When a shower is served by more than one showerhead, the combined flow rate of all showerheads and/or other shower outlets controlled by a single valve shall not exceed 1.8 gallons per minute at 80 psi (5.303.3.3.2).



- Faucets and fountains. Nonresidential lavatory faucets shall have a maximum flow rate of not more than 0.5 gallons per minute at 60 psi (5.303.3.4.1). Kitchen faucets shall have a maximum flow rate of not more than 1.8 gallons per minute of 60 psi (5.303.3.4.2). Wash fountains shall have a maximum flow rate of not more than 1.8 gallons per minute (5.303.3.4.3). Metering faucets shall not deliver more than 0.20 gallons per cycle (5.303.3.4.4). Metering faucets for wash fountains shall have a maximum flow rate not more than 0.20 gallons per cycle (5.303.3.4.5).
- Outdoor potable water uses in landscaped areas. Nonresidential developments shall comply with a local water efficient landscape ordinance or the current California Department of Water Resources' Model Water Efficient Landscape Ordinance (MWELO), whichever is more stringent (5.304.1).
- Water meters. Separate submeters or metering devices shall be installed for new buildings
 or additions in excess of 50,000 sf or for excess consumption where any tenant within a new
 building or within an addition that is projected to consume more than 1,000 gallons per day
 (GPD) (5.303.1.1 and 5.303.1.2).
- Outdoor water uses in rehabilitated landscape projects equal or greater than 2,500 sf. Rehabilitated landscape projects with an aggregate landscape area equal to or greater than 2,500 sf requiring a building or landscape permit (5.304.3).
- Commissioning. For new buildings 10,000 sf and over, building commissioning shall be included
 in the design and construction processes of the building project to verify that the building systems
 and components meet the owner's or owner representative's project requirements (5.410.2).

CARB REFRIGERANT MANAGEMENT PROGRAM

CARB adopted a regulation in 2009 to reduce refrigerant GHG emissions from stationary sources through refrigerant leak detection and monitoring, leak repair, system retirement and retrofitting, reporting and recordkeeping, and proper refrigerant cylinder use, sale, and disposal. The regulation is set forth in sections 95380 to 95398 of Title 17, CCR. The rules implementing the regulation establish a limit on statewide GHG emissions from stationary facilities with refrigeration systems with more than 50 pounds of a high GWP refrigerant. The refrigerant management program is designed to (1) reduce emissions of high-GWP GHG refrigerants from leaky stationary, non-residential refrigeration equipment; (2) reduce emissions from the installation and servicing of refrigeration and air-conditioning appliances using high-GWP refrigerants; and (3) verify GHG emission reductions.

TRACTOR-TRAILER GHG REGULATION

The tractors and trailers subject to this regulation must either use EPA SmartWay certified tractors and trailers or retrofit their existing fleet with SmartWay verified technologies. The regulation applies primarily to owners of 53-foot or longer box-type trailers, including both dryvan and refrigerated-van trailers, and owners of the HD tractors that pull them on California highways. These owners are responsible for replacing or retrofitting their affected vehicles with compliant aerodynamic technologies and low rolling resistance tires. Sleeper cab tractors MY 2011 and later must be SmartWay certified. All other tractors must use SmartWay verified low rolling resistance tires. There are also requirements for trailers to have low rolling resistance tires and aerodynamic devices.



Phase I and 2 Heavy-Duty Vehicle GHG Standards

In September 2011, CARB adopted a regulation for GHG emissions from HDTs and engines sold in California. It establishes GHG emission limits on truck and engine manufacturers and harmonizes with the EPA rule for new trucks and engines nationally. Existing HD vehicle regulations in California include engine criteria emission standards, tractor-trailer GHG requirements to implement SmartWay strategies (i.e., the Heavy-Duty Tractor-Trailer GHG Regulation), and in-use fleet retrofit requirements such as the Truck and Bus Regulation. The EPA rule has compliance requirements for new compression and spark ignition engines, as well as trucks from Class 2b through Class 8. Compliance requirements began with MY 2014 with stringency levels increasing through MY 2018. The rule organizes truck compliance into three groupings, which include a) HD pickups and vans; b) vocational vehicles; and c) combination tractors. The EPA rule does not regulate trailers.

CARB staff has worked jointly with the EPA and the NHTSA on the next phase of federal GHG emission standards for medium-duty trucks (MDT) and HDT vehicles, called federal Phase 2. The federal Phase 2 standards were built on the improvements in engine and vehicle efficiency required by the Phase 1 emission standards and represent a significant opportunity to achieve further GHG reductions for 2018 and later MY HDT vehicles, including trailers. The EPA and NHTSA have proposed to roll back GHG and fuel economy standards for cars and light-duty trucks, which suggests a similar rollback of Phase 2 standards for MDT and HDT vehicles may be pursued.

SB 97 AND THE CEQA GUIDELINES UPDATE

Passed in August 2007, SB 97 added Section 21083.05 to the Public Resources Code. The code states "(a) On or before July 1, 2009, the Office of Planning and Research (OPR) shall prepare, develop, and transmit to the Resources Agency guidelines for the mitigation of GHG emissions or the effects of GHG emissions as required by this division, including, but not limited to, effects associated with transportation or energy consumption. (b) On or before January 1, 2010, the Resources Agency shall certify and adopt guidelines prepared and developed by the OPR pursuant to subdivision (a)."

In 2012, Public Resources Code Section 21083.05 was amended to state:

"The Office of Planning and Research and the Natural Resources Agency shall periodically update the guidelines for the mitigation of greenhouse gas emissions or the effects of greenhouse gas emissions as required by this division, including, but not limited to, effects associated with transportation or energy consumption, to incorporate new information or criteria established by the State Air Resources Board pursuant to Division 25.5 (commencing with Section 38500) of the Health and Safety Code."

On December 28, 2018, the Natural Resources Agency announced the OAL approved the amendments to the *CEQA Guidelines* for implementing CEQA. The CEQA Amendments provide guidance to public agencies regarding the analysis and mitigation of the effects of GHG emissions in CEQA documents. The CEQA Amendments fit within the existing CEQA framework by amending existing *CEQA Guidelines* to reference climate change.



Section 15064.4 was added the *CEQA Guidelines* and states that in determining the significance of a project's GHG emissions, the lead agency should focus its analysis on the reasonably foreseeable incremental contribution of the project's emissions to the effects of climate change. A project's incremental contribution may be cumulatively considerable even if it appears relatively insignificant compared to statewide, national, or global emissions. The agency's analysis should consider a timeframe that is appropriate for the project. The agency's analysis also must reasonably reflect evolving scientific knowledge and state regulatory schemes. Additionally, a lead agency may use a model or methodology to estimate GHG emissions resulting from a project. The lead agency has discretion to select the model or methodology it considers most appropriate to enable decision makers to intelligently take into account the project's incremental contribution to climate change. The lead agency must support its selection of a model or methodology with substantial evidence. The lead agency should explain the limitations of the particular model or methodology selected for use (1).

2.7.4 REGIONAL

The Project site is located within the Mojave Desert Air Basin (MDAB), which is under the jurisdiction of the Mojave Desert Air Quality Management District (MDAQMD).

MDAQMD

According to the MDAQMD's CEQA and Federal Conformity Guidelines, a project is significant if it triggers or exceeds the most appropriate evaluation criteria. The MDAQMD states that in general, for GHG emissions, the significance emission threshold of 100,000 Tons CO_2e (90,718.5 MT CO_2e) per year is sufficient (46). A significant project must incorporate mitigation sufficient to reduce its impact to a level that is not significant. A project that cannot be mitigated to a level that is not significant must incorporate all feasible mitigation.

TOWN OF APPLE VALLEY CLIMATE ACTION PLAN (CAP)

On May 2021, the Town of Apple Valley adopted the 2019 CAP Update, which was originally adopted in 2010. The CAP provides a framework for reducing GHG emissions and managing resources to best prepare for a changing climate (47). The CAP recommends GHG emissions targets that are consistent with the reduction targets of the State of California and presents a number of strategies that will make it possible for the Town to meet the recommended targets. Projects that demonstrate consistency with the strategies, actions, and emission reduction targets contained in the CAP would have a less than significant impact on climate change.

The 2010 CAP concluded that the Town of Apple Valley would need to reduce greenhouse gas emissions by a minimum of 112,337 MTCO₂e/yr by 2020 to meet a reduction target of 15% below 2005 levels. The 2019 CAP Update provides a revised 2030 target of 299,565 MTCO₂e/yr for greenhouse gas emissions or 40% below baseline emission levels. Greenhouse gas inventories emissions provided in the 2019 CAP Update show that emissions were approximately 597,681 MTCO₂e per year, a 38,894 MTCO₂e/yr exceedance as compared to the 2020 target of 636,575 MTCO₂e. To achieve the 2030 target of 40% below baseline emissions, the Town of Apple Valley would need to reduce greenhouse gas emissions by 148,334 MTCO₂e/yr.



This page intentionally left blank



3 PROJECT GREENHOUSE GAS IMPACT

3.1 Introduction

The Project has been evaluated to determine if it will result in a significant GHG impact. The significance of these potential impacts is described in the following section.

3.2 STANDARDS OF SIGNIFICANCE

The criteria used to determine the significance of potential Project-related GHG impacts are taken from the Initial Study Checklist in Appendix G of the State *CEQA Guidelines* (14 California Code of Regulations §§15000, et seq.). Based on these thresholds, a project would result in a significant impact related to GHG if it would (1):

- Generate GHG emissions, either directly or indirectly, that may have a significant impact on the environment?
- Conflict with an applicable plan, policy or regulation adopted for the purpose of reducing the emissions of GHGs?

The evaluation of an impact under CEQA requires measuring data from a project against both existing conditions and a "threshold of significance." For establishing significance thresholds, the Office of Planning and Research's amendments to the CEQA Guidelines Section 15064.7(c) state "[w]hen adopting thresholds of significance, a lead agency may consider thresholds of significance previously adopted or recommended by other public agencies, or recommended by experts, provided the decision of the lead agency to adopt such thresholds is supported by substantial evidence."

CEQA Guidelines Section 15064.4(a) further states, ". . . A lead agency shall have discretion to determine, in the context of a particular project, whether to: (1) Use a model or methodology to quantify greenhouse gas emissions resulting from a project, and which model or methodology to use . . .; or (2) Rely on a qualitative analysis or performance-based standards."

CEQA Guidelines Section 15064.4 provides that a lead agency should consider the following factors, among others, in assessing the significance of impacts from greenhouse gas emissions:

- **Consideration #1:** The extent to which the project may increase or reduce greenhouse gas emissions as compared to the existing environmental setting.
- **Consideration #2:** Whether the project emissions exceed a threshold of significance that the lead agency determines applies to the project.
- Consideration #3: The extent to which the project complies with regulations or requirements adopted to implement a statewide, regional, or local plan for the reduction or mitigation of greenhouse gas emissions. Such regulations or requirements must be adopted by the relevant public agency through a public review process and must reduce or mitigate the project's incremental contribution of greenhouse gas emissions. In determining the significance of impacts, the lead agency may consider a project's consistency with the State's long-term climate goals or strategies, provided that substantial evidence supports the agency's analysis of how those



goals or strategies address the project's incremental contribution to climate change and its conclusion that the project's incremental contribution is not cumulatively considerable.

3.2.1 THRESHOLDS OF SIGNIFICANCE

The Town of Apple Valley has not adopted its own numeric threshold of significance for determining impacts with respect to greenhouse (GHG) emissions, thus the MDAQMD threshold of 90,718.5 MTCO₂e/yr will be utilized. If Project-related GHG emissions do not exceed the 90,718.5 MTCO₂e/yr threshold, then Project-related GHG emissions would clearly have a less-than-significant impact pursuant to Threshold GHG-1. On the other hand, if Project-related GHG emissions exceed 90,718.5 MTCO₂e/yr, the Project would be considered a substantial source of GHG emissions.

3.3 Models Employed To Analyze Greenhouse Gases Emissions

Land uses such as the Project affect GHGs through construction-source and operational-source emissions.

3.3.1 CALIFORNIA EMISSIONS ESTIMATOR MODEL (CALEEMOD)

The California Air Pollution Control Officers Association (CAPCOA) in conjunction with other California air districts, including MDAQMD, released CalEEMod 2022 in May 2022. CalEEMod periodically releases updates, as such the latest version available at the time of this report has been utilized in this analysis. The purpose of this model is to calculate construction-source and operational-source criteria pollutants and GHG emissions from direct and indirect sources; and quantify applicable air quality and GHG reductions achieved from mitigation measures (48). Accordingly, the latest version of CalEEMod has been used for this Project to determine GHG emissions. Output from the model runs are provided in Appendices 3.1 and 3.2. CalEEMod includes GHG emissions from the following source categories: area, energy, mobile, waste, and water.

3.4 Construction Emissions

Project construction activities would generate CO₂ and CH₄ emissions. The report *Lake Creek Logistics Center Air Quality Impact Analysis Report* (Urban Crossroads, Inc.) (AQIA) contains detailed information regarding Project construction activities (49). As discussed in the AQIA, construction related emissions are expected from the following construction activities:

- Site Preparation
- Grading
- Building Construction
- Paving
- Architectural Coating



3.4.1 CONSTRUCTION DURATION

For purposes of analysis, construction of the Project is expected to commence in March 2025 and would last through December 2029. The construction schedule utilized in the analysis represents a "worst-case" analysis scenario should construction occur any time after the respective dates since emission factors for construction decrease as time passes and the analysis year increases due to emission regulations becoming more stringent. The duration of construction activity and associated equipment represents a reasonable approximation of the expected construction fleet as required per *CEQA Guidelines* (1).

Construction Activity Start Date End Date Working Days 03/04/2025 05/12/2025 Site Preparation 50 Grading 05/13/2025 10/27/2025 120 **Building Construction** 10/28/2025 12/17/2029 1,080 **Paving** 09/12/2028 12/09/2028 64 **Architectural Coating** 06/08/2027 12/17/2029 660

TABLE 3-1: CONSTRUCTION DURATION

3.4.2 CONSTRUCTION EQUIPMENT

Consistent with industry standards and typical construction practices, each piece of equipment listed in Table 3-2 is assumed to operate up to a total of eight (8) hours per day, or more than two-thirds of the period during which construction activities are allowed pursuant to the Town code.

Construction Activity Equipment **Amount Hours Per Day Rubber Tired Dozers** 5 8 **Site Preparation Crawler Tractors** 6 8 2 Graders 8 **Excavators** 3 8 3 8 Grading Scrapers **Rubber Tired Dozers** 2 8 **Crawler Tractors** 3 8 **Forklifts** 5 8 **Building Construction Generator Sets** 2 8

TABLE 3-2: CONSTRUCTION EQUIPMENT ASSUMPTIONS

³ As shown in the CalEEMod User's Guide Version 2022, Appendix G "Table G-11. Statewide Average Annual Offoad Equipment Emission Factors" as the analysis year increases, emission factors for the same equipment pieces decrease due to the natural turnover of older equipment being replaced by newer less polluting equipment and new regulatory requirements.



Construction Activity	Equipment	Amount	Hours Per Day	
	Cranes	2	8	
	Welders	2	8	
	Tractors/Loaders/Backhoes	5	8	
	Pavers	2	8	
Paving	Paving Equipment	2	8	
	Rollers	2	8	
Architectural Coating	Air Compressors	1	8	

3.4.3 CONSTRUCTION EMISSIONS SUMMARY

For construction phase Project emissions, GHGs are quantified and amortized over the life of the Project. MDAQMD follows the SCAQMD recommendation in calculating the total GHG emissions for construction activities, by dividing it by a 30-year Project life then adding that number to the annual operational phase GHG emissions (50). As such, construction emissions were amortized over a 30-year period and added to the annual operational phase GHG emissions. The amortized construction emissions are presented in Table 3-3.

TABLE 3-3 AMORTIZED ANNUAL CONSTRUCTION EMISSIONS

Year	Emissions (MT/yr)					
rear	CO ₂	CH₄	N ₂ O	Refrigerants	Total CO₂e ⁴	
2025	1,790.00	0.06	0.08	1.29	1,818.00	
2026	4,641.00	0.07	0.34	5.59	4,749.00	
2027	4,826.00	0.07	0.34	5.41	4,933.00	
2028	5,005.00	0.07	0.34	5.12	5,113.00	
2029	4,842.00	0.07	0.31	4.38	4,942.00	
Total GHG Emissions	21,104.00	0.34	1.41	21.79	21,555.00	
Amortized Construction Emissions	703.47	1.13E-02	4.70E-02	0.73	718.50	

Source: CalEEMod annual construction-source emissions are presented in Appendix 3.1.

3.5 OPERATIONAL EMISSIONS

Project operations would generate CO₂, CH₄, N₂O and Refrigerant emissions. Primary emissions sources would include:

- Mobile Source Emissions
- Area Source Emissions
- Energy Source Emissions

 $^{^4}$ CalEEMod reports the most common GHGs emitted which include CO₂, CH₄, and N₂O. These GHGs are then converted into the CO₂e by multiplying the individual GHG by the GWP.



15341-03 GHG Report

- Water Supply, Treatment, and Distribution
- Solid Waste
- Refrigerants
- Stationary Source Emissions
- TRU Source Emissions
- On-site Cargo Equipment

3.5.1 MOBILE SOURCE

The Project related GHG emissions derive primarily from vehicle trips generated by the Project, including employee trips to and from the site associated with the proposed uses. Trip characteristics available from the *Lake Creek Logistics Center Traffic Analysis* were utilized in this analysis (51).

APPROACH FOR ANALYSIS OF THE PROJECT

To determine emissions from passenger car vehicles, the CalEEMod defaults were utilized for trip length and trip purpose for the proposed warehouse uses. For the proposed industrial uses, it is important to note that although the *Lake Creek Logistics Center Traffic Assessment* does not breakdown passenger cars by type, this analysis assumes that passenger cars include Light-Duty-Auto vehicles (LDA), Light-Duty-Trucks (LDT1⁵ & LDT2⁶), Medium-Duty-Vehicles (MDV), and Motorcycles (MCY) vehicle types. To account for emissions generated by passenger cars, the following fleet mix was utilized in this analysis:

TABLE 3-4: PASSENGER CAR FLEET MIX

Land Use	% Vehicle Type				
Land Ose	LDA	LDT1	LDT2	MDV	MCY
General Light Industrial					
High-Cube Cold Storage Warehouse	52.29%	4.27%	24.05%	16.67%	2.72%
High-Cube Fulfillment Center Warehouse					

Note: The Project-specific passenger car fleet mix used in this analysis is based on a proportional split utilizing the default CalEEMod percentages assigned to LDA, LDT1, LDT2, and MDV vehicle types.

To determine emissions from trucks for the proposed industrial uses, the analysis incorporated the truck trip lengths were taken from the Southern California Association of Governments (SCAG) estimation of average truck trip length in its 2024 Regional Transportation Plan/Sustainable Communities Strategy (RTP/SCS) (52), which discloses a 40-mile trip length with an assumption of 100% primary trips.

_



⁵ Vehicles under the LDT1 category have a gross vehicle weight rating (GVWR) of less than 6,000 lbs. and equivalent test weight (ETW) of less than or equal to 3,750 lbs.

 $^{^6}$ Vehicles under the LDT2 category have a GVWR of less than 6,000 lbs. and ETW between 3,751 lbs. and 5,750 lbs.

In order to be consistent with the Lake Creek Logistics Center Traffic Analysis, trucks are broken down by truck type. The truck fleet mix is estimated by rationing the trip rates for each truck type based on information provided in the Lake Creek Logistics Center Traffic Analysis. Heavy trucks are broken down by truck type (or axle type) and are categorized as either Light-Heavy-Duty Trucks (LHDT1⁷ & LHDT2 ⁸)/2-axle, Medium-Heavy-Duty Trucks (MHDT)/3-axle, and Heavy-Heavy-Duty Trucks (HHDT)/4+-axle. To account for emissions generated by trucks, the following fleet mix was utilized in this analysis:

TABLE 3-5: TRUCK FLEET MIX

Land Use	% Vehicle Type					
Land Ose	LHDT1	LHDT2	MHDT	HHDT		
General Light Industrial	13.90%	3.87%	20.00%	62.22%		
High-Cube Cold Storage Warehouse	27.26%	7.59%	11.36%	53.79%		
High-Cube Fulfillment Center Warehouse	13.04%	3.63%	20.74%	62.59%		

Note: Project-specific truck fleet mix is based on the number of trips generated by each truck type (LHDT1, LHDT2, MHDT, and HHDT) relative to the total number of truck trips.

3.5.2 AREA SOURCE EMISSIONS

LANDSCAPE MAINTENANCE EQUIPMENT

Landscape maintenance equipment would generate emissions from fuel combustion and evaporation of unburned fuel. Equipment in this category would include lawnmowers, shedders/grinders, blowers, trimmers, chain saws, and hedge trimmers used to maintain the landscaping of the Project. It should be noted that on October 9, 2021, Governor Gavin Newsom signed AB 1346. The bill aims to ban the sale of new gasoline-powered equipment under 25 gross horsepower (known as small off-road engines [SOREs]) by 2024, which is now effective. For purposes of analysis, the emissions associated with landscape maintenance equipment were calculated based on assumptions provided in CalEEMod.

3.5.3 ENERGY SOURCE

COMBUSTION EMISSIONS ASSOCIATED WITH NATURAL GAS AND ELECTRICITY

GHGs are emitted from buildings as a result of activities for which electricity and natural gas are typically used as energy sources. Combustion of any type of fuel emits CO₂ and other GHGs directly into the atmosphere; these emissions are considered direct emissions associated with a building; the building energy use emissions do not include street lighting. GHGs are also emitted during the generation of electricity from fossil fuels; these emissions are considered to be indirect emissions. Electricity usage associated with the Project was calculated by CalEEMod using default

⁹ The CalEEMod emissions inventory model does not include indirect emission related to street lighting. Indirect emissions related to street lighting are expected to be negligible and cannot be accurately quantified at this time as there is insufficient information as to the number and type of street lighting that would occur.



15341-03 GHG Report

⁷ Vehicles under the LHDT1 category have a GVWR of 8,501 to 10,000 lbs.

 $^{^{8}}$ Vehicles under the LHDT2 category have a GVWR of 10,001 to 14,000 lbs.

parameters. Based on information provided by the Project applicant, the site is not expected to utilize natural gas for the building envelope, and therefore would not generate any emissions from direct energy consumption.

3.5.4 WATER SUPPLY, TREATMENT, AND DISTRIBUTION

Indirect GHG emissions result from the production of electricity used to convey, treat, and distribute water and wastewater. The amount of electricity required to convey, treat, and distribute water depends on the volume of water as well as the sources of the water. Unless otherwise noted, CalEEMod default parameters were used.

3.5.5 SOLID WASTE

The proposed land uses would result in the generation and disposal of solid waste. A percentage of this waste would be diverted from landfills by a variety of means, such as reducing the amount of waste generated, recycling, and/or composting. The remainder of the waste not diverted would be disposed of at a landfill. GHG emissions from landfills are associated with the anaerobic breakdown of material. GHG emissions associated with the disposal of solid waste associated from the proposed Project were calculated by CalEEMod using default parameters.

3.5.6 REFRIGERANTS

Air conditioning (A/C) and refrigeration equipment associated with the buildings are anticipated to generate GHG emissions. CalEEMod automatically generates a default A/C and refrigeration equipment inventory for each project land use subtype based on industry data from the USEPA (2016b). CalEEMod quantifies refrigerant emissions from leaks during regular operation and routine servicing over the equipment lifetime and then derives average annual emissions from the lifetime estimate. Note that CalEEMod does not quantify emissions from the disposal of refrigeration and A/C equipment at the end of its lifetime. Per 17 CCR 95371, new facilities with refrigeration equipment containing more than 50 pounds of refrigerant are prohibited from utilizing refrigerants with a GWP of 150 or greater as of January 1, 2022. Additionally, beginning January 1, 2025, all new air conditioning equipment may not use refrigerants with a GWP of 750 or greater. GHG emissions associated with refrigerants were calculated by CalEEMod using default parameters.

3.5.7 EMERGENCY FIRE PUMP EMISSIONS

The proposed Project was conservatively assumed to include installation of three 300-horsepower diesel-powered fire pumps at Project buildout (one for each building). The fire pumps were each estimated to operate for up to 1 hour per day, 1 day per week for up to 50 hours per year for maintenance and testing purposes. Emissions associated with the stationary diesel-powered emergency fire pumps were calculated using CalEEMod.



3.5.8 TRU EMISSIONS

In order to account for the possibility of refrigerated uses, trucks associated with the cold-storage land use are assumed to also have TRUs. Therefore, for modeling purposes, 705 one-way truck trips have the potential to include TRUs. TRUs are accounted for during on-site and off-site travel. The TRU calculations are based on the EMFAC Offroad Emissions, developed by the CARB. EMFAC does not provide emission rates per hour or mile as with the on-road emission model and only provides emission inventories. Emission results are produced in tons per day while all activity, fuel consumption and horsepower hours were reported at annual levels. The emission inventory is based on specific assumptions including the average horsepower rating of specific types of equipment and the hours of operation annually. These assumptions are not always consistent with assumptions used in the modeling of project level emissions. Therefore, the emissions inventory was converted into emission rates to accurately calculate emissions from TRU operation associated with project level details. This was accomplished by converting the annual horsepower hours to daily operational characteristics and converting the daily emission levels into hourly emission rates based on the total emissions of GHGs by equipment type and the average daily hours of operation.

3.5.9 On-Site Cargo Handling Equipment Emissions

It is common for warehouse buildings to require the operation of exterior cargo handling equipment in the building's truck court areas. For this particular Project, on-site modeled operational equipment includes up to thirteen (13) compressed natural gas cargo handling equipment operating at 4 hours a day¹⁰ for 365 days of the year.

3.6 EMISSIONS SUMMARY

GHG Emissions Summary – Without Mitigation

The estimated Project-related GHG emissions are summarized in Table 3-7. Detailed operation model outputs for the Project are presented in Appendix 3.1. As shown in Table 3-7, construction and operation of the Project would generate approximately 37,345.63 MTCO₂e/yr.

_



¹⁰ Based on Table II-3, Port and Rail Cargo Handling Equipment Demographics by Type, from CARB's Technology Assessment: Mobile Cargo Handling Equipment document, a single piece of equipment could operate up to 2 hours per day (Total Average Annual Activity divided by Total Number Pieces of Equipment). As such, the analysis conservatively assumes that the tractor/loader/backhoe would operate up to 4 hours per day.

TABLE 3-7: PROJECT GHG EMISSIONS SUMMARY (WITHOUT MITIGATION)

Emission Course	Emissions (MT/yr)				
Emission Source	CO ₂	CH ₄	N ₂ O	Refrigerants	Total CO₂e
Annual construction-related emissions amortized over 30 years	703.47	1.13E-02	4.70E-02	0.73	718.50
Mobile Source	25,485.00	0.34	2.67	27.20	26,316.00
Area Source	50.80	0.00	0.00	0.00	51.00
Energy Source	3,928.00	0.37	0.05	0.00	3,950.00
Water Source	984.00	26.30	0.63	0.00	1,828.00
Waste Source	301.00	30.10	0.00	0.00	1,054.00
Refrigeration Source	0.00	0.00	0.00	1,551.00	1,551.00
Emergency Fire Pump Source	17.10	0.00	0.00	0.00	17.20
TRU Source					1,244.06
On-Site Cargo Handling Equipment Source					615.88
Total Project CO₂e (All Sources)	37,345.63				

Source: CalEEMod output, See Appendix 3.2 for detailed model outputs.

RECOMMENDED OPERATIONAL MITIGATION MEASURES

MM GHG-1

The Project Applicant or successor in interest shall implement the following measures:

- The Project's landscape plan shall incorporate drought-tolerant plants and use water-efficient irrigation techniques.
- All appliance fixtures shall be Energy Star-rated.
- All fixtures installed in restrooms and employee break areas shall be U.S. Environmental Protection Agency (EPA) WaterSense certified or equivalent.

MM GHG-2

As a condition of certificates of occupancy, all on-site outdoor cargo handling equipment (including yard trucks, hostlers, yard goats, pallet jacks, forklifts, and other on-site equipment) shall be required to be powered by electricity, compressed natural gas, or gasoline and all indoor cargo handling equipment shall be required to be powered by electricity.

MM GHG-3

The Project shall implement the following measures in order to reduce operational off-road equipment, stationary source, and on-road vehicle air pollutant emissions to the extent feasible:

Solar Power. At a minimum, the roofs of the warehouse building shall be designed to provide the structural capacity to accommodate roof-top solar panels. The Project shall be designed to include rooftop solar panels that generate sufficient power to meet at least 10% of the Project's total operational base energy requirements from within the Project's building envelope. The Town of Apple Valley shall verify the size and scope of the solar energy system based upon the analysis of the projected power requirements and generating capacity as well as the available solar panel



installation space. In the event sufficient space is not available on the Project site to accommodate the needed number of solar panels to produce the operation's base power use, the Project Applicant or successor in interest shall demonstrate how all available space has been maximized (e.g., roof) for solar energy system use. Areas that provide for truck movement may be excluded from these calculations unless otherwise deemed acceptable by the supplied reports and applicable building standards. The Project Applicant or successor in interest, or as contractually delegated by the Project Applicant or successor in interest, shall install the solar energy system when the Town of Apple Valley has approved building permits and the necessary equipment has arrived. The operation of the system shall commence only when it has received permission to operate from the applicable utility. The solar energy system owner shall be responsible for maintaining the system at not less than 80% of the rated power for 20 years. At the end of the 20-year period, the owners, operators, or tenants shall install a new photovoltaic system meeting the capacity and operational requirements of this measure, or continue to maintain the existing system, for the life of the Project. As the Project's demand for solar power increases, additional solar panels may be added to the Project.

GHG Emissions Summary – With Mitigation

The estimated operational-source emissions summarized on Table 3-8 represent the Project's GHG emissions after implementation of MM GHG-1 through MM GHG-3. Detailed operation model outputs for the Project are presented in Appendix 3.2. As shown in Table 3-8, construction and operation of the Project would generate approximately 35,753.76 MTCO₂e/yr.

TABLE 3-8: PROJECT GHG EMISSIONS SUMMARY (WITH MITIGATION)

Funitarion Course	Emissions (MT/yr)				
Emission Source	CO ₂	CH₄	N ₂ O	Refrigerants	Total CO₂e
Annual construction-related emissions amortized over 30 years	703.47	1.13E-02	4.70E-02	0.73	718.50
Mobile Source	25,485.00	0.34	2.67	27.20	26,316.00
Area Source	50.80	0.00	0.00	0.00	51.00
Energy Source	3,136.00	0.30	0.04	0.00	3,154.00
Water Source	886.00	23.70	0.57	0.00	1,648.00
Waste Source	301.00	30.10	0.00	0.00	1,054.00
Refrigeration Source	0.00	0.00	0.00	1,551.00	1,551.00
Emergency Fire Pump Source	17.10	0.00	0.00	0.00	17.20
TRU Source					1,244.06
On-Site Cargo Handling Equipment Source					0.00
Total Project CO₂e (All Sources)	35,753.76				

Source: CalEEMod output, See Appendix 3.2 for detailed model outputs.



3.7 Greenhouse Gas Emissions Findings and Recommendations

3.7.1 **GHG IMPACT #1**

The Project would not generate direct or indirect greenhouse gas emission that would result in a significant impact on the environment.

The Town of Apple Valley has not adopted its own numeric threshold of significance for determining impacts with respect to GHG emissions. The MDAQMD states that in general, for GHG emissions, the significant emission threshold of 100,000 Tons CO_2e (90,718.5 MTCO₂e) per year is sufficient to determine if additional analysis is required (53).

As previously shown in Tables 3-7 and 3-8, the Project will result in approximately 35,753.76 MTCO₂e/yr which would not exceed the screening threshold of 90,718.5 MTCO₂e/yr. This would be considered a less than significant impact.

3.7.2 **GHG IMPACT #2**

The Project would not conflict with any applicable plan, policy or regulation of an agency adopted for the purpose of reducing the emissions of greenhouse gases.

As previously stated, pursuant to 15604.4 of the *CEQA Guidelines*, a lead agency may rely on qualitative analysis or performance-based standards to determine the significance of impacts from GHG emissions (1). As such, the Project's consistency with the 2022 Scoping Plan, is discussed below. It should be noted that the Project's consistency with the 2022 Scoping Plan also satisfies consistency with AB 32 since the 2022 Scoping Plan is based on the overall targets established by AB 32 and SB 32. Consistency with the 2008 and 2017 Scoping Plan is not necessary, since both of these plans have been superseded by the 2022 Scoping Plan.

2022 CARB SCOPING PLAN CONSISTENCY

The Project would not impede the State's progress towards carbon neutrality by 2045 under the 2022 Scoping Plan. The Project would be required to comply with applicable current and future regulatory requirements promulgated through the 2022 Scoping Plan. Some of the current transportation sector policies the Project will comply with (through vehicle manufacturer compliance) include: Advanced Clean Cars II, Advanced Clean Trucks, Advanced Clean Fleets, Zero Emission Forklifts, the Off-Road Zero-Emission Targeted Manufacturer rule, Clean Off-Road Fleet Recognition Program, In-use Off-Road Diesel-Fueled Fleets Regulation, Off-Road Zero-Emission Targeted Manufacturer rule, Clean Off-Road Fleet Recognition Program, Amendments to the In-use Off-Road Diesel-Fueled Fleets Regulation, carbon pricing through the Cap-and-Trade Program, and the Low Carbon Fuel Standard. As such, the Project would be consistent with the 2022 Scoping Plan.

CONSISTENCY WITH THE TOWN OF APPLE VALLEY CAP

The Town of Apple Valley CAP includes several strategies aimed at helping the Town reduce GHG emissions consistent with State targets. As shown on Table 3-9, the proposed Project would be



consistent with the applicable CAP measures with incorporation of project design features and mitigation measures.

TABLE 3-9: PROJECT CAP CONSISTENCY REDUCTION MEASURES

CAP Reduction Measure	Consistency		
ND-6: For projects within the North Apple Valley Industrial Specific Plan, develop employee housing within one mile of the industrial project.	Consistent: The area adjacent to the Project site, on the southeastern side of Central Rd is designated for Low Density Housing. Development of these sites by their property owners would provide housing within one mile of the Project site.		
ND-12: Building and site plan designs shall ensure that the project energy efficiencies meet applicable California Title 24 Energy Efficiency Standards.	Consistent: The project would comply with all Title 24 energy efficiency standards.		
ND-20: Install common area electric vehicle charging station(s) and secure bicycle racks.	Consistent: The project would install EV charging station(s) and a secure bicycle rack.		



This page intentionally left blank



4 REFERENCES

- 1. Association of Environmental Professionals. 2024 CEQA California Environmental Quality Act. 2024.
- 2. **Air Resources Board.** Assembly Bill 32: Global Warming Solutions Act. [Online] 2006. http://www.arb.ca.gov/cc/ab32/ab32.htm.
- 3. —. Sustainable Communities. [Online] 2008. http://www.arb.ca.gov/cc/sb375/sb375.htm.
- 4. —. Clean Car Standards Pavley, Assembly Bill 1493. [Online] September 24, 2009. http://www.arb.ca.gov/cc/ccms/ccms.htm.
- 5. **Building Standards Commission.** California Building Standards Code (Title 24, California Code of Regulations). [Online] http://www.bsc.ca.gov/codes.aspx.
- 6. **California Energy Commission.** California Code of Regulations, TITLE 20, Division 2. [Online] September 3, 2013. https://www.energy.ca.gov/sites/default/files/2021-07/Title%2020%20Updated%20July%2023%2C%202021.pdf.
- 7. **Air Resources Board.** Title 17 California Code of Regulation. [Online] 2010. https://www.epa.gov/system/files/documents/2022-09/epa-approved-compiled-sip-california-code-of-regulations-title-17.pdf.
- 8. **Department of Water Resources.** Updated Model Water Efficient Landscape Ordinance AB 1881. [Online] 2006. [Cited: November 13, 2013.] https://water.ca.gov/Programs/Water-Use-And-Efficiency/Urban-Water-Use-Efficiency/Model-Water-Efficient-Landscape-Ordinance.
- 9. **California Energy Commission.** SB 1368 Emission Performance Standards. [Online] September 29, 2006. http://www.energy.ca.gov/emission_standards/.
- 10. —. Renewables Portfolio Standard (RPS). [Online] 2002. http://www.energy.ca.gov/portfolio/.
- 11. **California Legislative Information.** Senate Bill No. 32. [Online] September 8, 2016. https://leginfo.legislature.ca.gov/faces/billNavClient.xhtml?bill_id=201520160SB32.
- 12. **National Oceanic and Atmospheric Administration.** Greenhouse Gases Water Vapor. *NOAA National Centers For Environmental Information.* [Online] https://gml.noaa.gov/outreach/carbon_toolkit/.
- 13. Climate Change 2007: The Physical Science Basis. Contribution of Working Group I to the Fourth Assessment Report. International Panel on Climate Change. 4, 2007.
- 14. The Carbon Cycle and Climate Change. **Bennington, Bret J.** 1, s.l.: Brooks/Cole. ISBN 13: 978-0-495-73855-8.
- 15. **The National Institute for Occupational Safety and Health.** Carbon Dioxide. *Centers for Disease Control and Prevention.* [Online] https://www.cdc.gov/niosh/npg/npgd0103.html.
- 16. **National Oceanic and Atmospheric Administration.** Greenhouse Gases Methane. *NOAA National Centers for Environmental Information.* [Online] https://gml.noaa.gov/ccgg/carbontracker-ch4/.
- 17. World Resources Institute. Climate Analysis Indicator Tool (CAIT). [Online] http://cait.wri.org.
- 18. **National Oceanic and Atmospheric Administration.** Greenhouse Gases Chlorofluorocarbons. *NOAA National Centers For Environmental Information.* [Online] https://gml.noaa.gov/hats/publictn/elkins/cfcs.html.
- 19. **United States Environmental Protection Agency.** Regulation for Reducting Sulfur Hexafluoride Emissions from Gas Insulated Switchgear. *Environmental Protection Agency.* [Online] May 7, 2014.



- https://www.epa.gov/sites/production/files/2016-02/documents/mehl-arb-presentation-2014-wkshp.pdf.
- 20. **World Resources Institute.** Nitrogen Trifluoride Now Required in GHG Protocol Greenhouse Gas Emissions Inventory. [Online] May 22, 2013. https://www.wri.org/blog/2013/05/nitrogentrifluoride-now-required-ghg-protocol-greenhouse-gas-emissions-inventories.
- 21. **National Center for Biotechnology Information.** Nitrogen Trifluoride. *PubChem Compound Database.* [Online] https://pubchem.ncbi.nlm.nih.gov/compound/24553 .
- 22. **American Lung Association.** Climate Change. [Online] http://www.lung.org/our-initiatives/healthy-air/outdoor/climate-change/.
- 23. **Barbara H. Allen-Diaz.** Climate change affects us all. *University of California Agriculture and Natural Resources*. [Online] April 1, 2009. http://calag.ucanr.edu/Archive/?article=ca.v063n02p51.
- 24. **Intergovernmental Panel on Climate Change.** Climate Change 2021 The Physical Science Basis. *Climate Change 2021 The Physical Science Basis.* [Online] https://www.ipcc.ch/report/sixth-assessment-report-working-group-i/.
- 25. **United Nations.** Annex 1. [Online] 2023. https://di.unfccc.int/time_series.
- 26. —. GHG Profiles Non-Annex I. [Online] 2023. http://di.unfccc.int/ghg_profile_non_annex1.
- 27. **California Air Resources Board.** 2023 GHG Inventory. *California Greenhouse Gas Emission Inventory 2000-2021 Edition*. [Online] https://ww2.arb.ca.gov/ghg-inventory-data.
- 28. Energy Information Administration . [Online] https://www.eia.gov/state/data.php?sid=US.
- 29. California Energy Commission. Our Changing Climate Assessing the Risks to California. 2006.
- 30. **Center for Climate and Energy Solutions (C2ES).** Outcomes of the U.N. Climate Change Conference. *Center for Climate and Energy Solutions (C2ES).* [Online] 2015. http://www.c2es.org/international/negotiations/cop21-paris/summary.
- 31. **Agency, United States Environmental Protection.** Endangerment and Cause or Contribute Findings for Greenhouse Gases under the Section 202(a) of the Clean Air Act. *United States Environmental Protection Agency.* [Online] 2020. https://www.epa.gov/climate-change/endangerment-and-cause-or-contribute-findings-greenhouse-gases-under-section-202a.
- 32. **Federal Register.** Mid-Term Evaluation of Greenhouse Gas Emissions Standards for Model Year 2022-2025 Light-Duty Vehicles. [Online] 2018. https://www.federalregister.gov/documents/2018/04/13/2018-07364/mid-term-evaluation-of-greenhouse-gas-emissions-standards-for-model-year-2022-2025-light-duty.
- 33. **Administration, National Highway Traffic Safety.** SAFE: The Safer Affordable Fuel-Efficient 'SAFE' Vehicle Rule. *National Highway Traffic Safety Administration*. [Online] 2020. https://www.nhtsa.gov/corporate-average-fuel-economy/safe.
- 34. **National Highway Traffic Safety Administration.** Corporate Average Fuel Economy. [Online] https://www.nhtsa.gov/laws-regulations/corporate-average-fuel-economy.
- 35. **United States Department of Transportation.** Corporate Average Fuel Economy Standards for Model Years 2024-2026 Passenger Cars and Light Trucks. [Online] https://www.nhtsa.gov/sites/nhtsa.gov/files/2022-04/Final-Rule-Preamble_CAFE-MY-2024-2026.pdf.
- 36. **United States Environmental Protection Agency.** SmartWay. [Online] 2017. https://www.epa.gov/smartway/learn-about-smartway.



- 37. **California Air Resources Board.** California's 2017 Climate Change Scoping Plan . [Online] 2017. https://ww3.arb.ca.gov/cc/scopingplan/scoping_plan_2017_es.pdf.
- 38. Lawrence Berkeley National Laboratory. California's Policies Can Significantly Cut Greenhouse Gas Emissions through 2030. *Lawrence Berkeley National Laboratory*. [Online] January 22, 2015. http://newscenter.lbl.gov/2015/01/22/californias-policies-can-significantly-cut-greenhouse-gasemissions-2030/.
- 39. **Science Direct.** Modeling California policy impacts on greenhouse gas emissions. [Online] 2015. https://www.sciencedirect.com/science/article/abs/pii/S0301421514006892.
- 40. California Air Resources Board. 2022 Scoping Plan for Achieving Carbon Neutrality.
- 41. —. Legal Disclaimer & User's Notice. [Online] April 2019. https://ww2.arb.ca.gov/sites/default/files/2021-02/ct_reg_unofficial.pdf.
- 42. —. Climate Change Scoping Plan. [Online] 2014. https://ww3.arb.ca.gov/cc/scopingplan/2013_update/first_update_climate_change_scoping_plan.p df.
- 43. —. Low Carbon Fuel Standard. [Online] December 2019. https://ww3.arb.ca.gov/fuels/lcfs/lcfs.htm.
- 44. **California Energy Commission.** Energy Commission Adopts Updated Building Standards to Improve Efficiency, Reduce Emissions from Homes and Businesses. [Online] August 11, 2021. https://www.energy.ca.gov/news/2021-08/energy-commission-adopts-updated-building-standards-improve-efficiency-reduce-0.
- 45. **California Department of General Services.** 2022 CALGreen Code. *CALGreen.* [Online] https://codes.iccsafe.org/content/CAGBC2022P1.
- 46. Mojve Desert Air Quality Management District. MDAQMD CEQA Guidelines. 2016.
- 47. **Town of Apple Valley.** Town of Apple Valley Climate Action Plan 2019 Update. [Online] 2021. https://www.applevalley.org/home/showpublisheddocument/31233/637623641454430000.
- 48. California Air Pollution Control Officers Association (CAPCOA). California Emissions Estimator Model (CalEEMod). [Online] www.caleemod.com.
- 49. **Urban Crossroads, Inc.** *Lake Creek Logistics Center Air Quality Impact Analysis Report* . 2024.
- 50. **South Coast Air Quality Management District.** *Greenhouse Gas CEQA Significance Threshold Stakeholder Working Group #13.* [Powerpoint] Diamond Bar: s.n., 2009.
- 51. **Urban Crossroads, Inc.** *Lake Creek Logistics Center Traffic Analysis* . 2024.
- 52. Southern California Association of Governments. Final Connect SoCal 2024 Plan. 2024.
- 53. **Mojave Desert Air Quality Management District.** California Environmental Quality Act (CEQA) and Federal Conformity Guidelines. [Online] February 2020. https://www.mdaqmd.ca.gov/home/showpublisheddocument/8510/638126583450270000.



This page intentionally left blank



5 CERTIFICATION

The contents of this greenhouse gas study report represent an accurate depiction of the greenhouse gas impacts associated with the proposed Lake Creek Logistics Center Project. The information contained in this greenhouse gas report is based on the best available data at the time of preparation. If you have any questions, please contact me directly at hqureshi@urbanxroads.com.

Haseeb Qureshi
Principal
URBAN CROSSROADS, INC.
hqureshi@urbanxroads.com

EDUCATION

Master of Science in Environmental Studies California State University, Fullerton • May, 2010

Bachelor of Arts in Environmental Analysis and Design University of California, Irvine • June, 2006

PROFESSIONAL AFFILIATIONS

AEP – Association of Environmental Professionals AWMA – Air and Waste Management Association ASTM – American Society for Testing and Materials

PROFESSIONAL CERTIFICATIONS

Planned Communities and Urban Infill – Urban Land Institute • June 2011 Indoor Air Quality and Industrial Hygiene – EMSL Analytical • April 2008 Principles of Ambient Air Monitoring – California Air Resources Board • August 2007 AB2588 Regulatory Standards – Trinity Consultants • November 2006 Air Dispersion Modeling – Lakes Environmental • June 2006



This page intentionally left blank



APPENDIX 3.1:

CALEEMOD CONSTRUCTION EMISSIONS MODEL OUTPUTS



Lake Creek Logistics Center (Construction) Detailed Report

Table of Contents

- 1. Basic Project Information
 - 1.1. Basic Project Information
 - 1.2. Land Use Types
 - 1.3. User-Selected Emission Reduction Measures by Emissions Sector
- 2. Emissions Summary
 - 2.1. Construction Emissions Compared Against Thresholds
 - 2.2. Construction Emissions by Year, Unmitigated
- 3. Construction Emissions Details
 - 3.1. Site Preparation (2025) Unmitigated
 - 3.3. Grading (2025) Unmitigated
 - 3.5. Building Construction (2025) Unmitigated
 - 3.7. Building Construction (2026) Unmitigated
 - 3.9. Building Construction (2027) Unmitigated
 - 3.11. Building Construction (2028) Unmitigated
 - 3.13. Building Construction (2029) Unmitigated

- 3.15. Paving (2028) Unmitigated
- 3.17. Paving (2029) Unmitigated
- 3.19. Architectural Coating (2027) Unmitigated
- 3.21. Architectural Coating (2028) Unmitigated
- 3.23. Architectural Coating (2029) Unmitigated
- 4. Operations Emissions Details
 - 4.10. Soil Carbon Accumulation By Vegetation Type
 - 4.10.1. Soil Carbon Accumulation By Vegetation Type Unmitigated
 - 4.10.2. Above and Belowground Carbon Accumulation by Land Use Type Unmitigated
 - 4.10.3. Avoided and Sequestered Emissions by Species Unmitigated
- 5. Activity Data
 - 5.1. Construction Schedule
 - 5.2. Off-Road Equipment
 - 5.2.1. Unmitigated
 - 5.3. Construction Vehicles
 - 5.3.1. Unmitigated
 - 5.4. Vehicles
 - 5.4.1. Construction Vehicle Control Strategies

- 5.5. Architectural Coatings
- 5.6. Dust Mitigation
 - 5.6.1. Construction Earthmoving Activities
 - 5.6.2. Construction Earthmoving Control Strategies
- 5.7. Construction Paving
- 5.8. Construction Electricity Consumption and Emissions Factors
- 5.18. Vegetation
 - 5.18.1. Land Use Change
 - 5.18.1.1. Unmitigated
 - 5.18.1. Biomass Cover Type
 - 5.18.1.1. Unmitigated
 - 5.18.2. Sequestration
 - 5.18.2.1. Unmitigated
- 6. Climate Risk Detailed Report
 - 6.1. Climate Risk Summary
 - 6.2. Initial Climate Risk Scores
 - 6.3. Adjusted Climate Risk Scores
 - 6.4. Climate Risk Reduction Measures

- 7. Health and Equity Details
 - 7.1. CalEnviroScreen 4.0 Scores
 - 7.2. Healthy Places Index Scores
 - 7.3. Overall Health & Equity Scores
 - 7.4. Health & Equity Measures
 - 7.5. Evaluation Scorecard
 - 7.6. Health & Equity Custom Measures
- 8. User Changes to Default Data

1. Basic Project Information

1.1. Basic Project Information

Data Field	Value
Project Name	Lake Creek Logistics Center (Construction)
Construction Start Date	3/4/2025
Lead Agency	_
Land Use Scale	Project/site
Analysis Level for Defaults	County
Windspeed (m/s)	5.00
Precipitation (days)	12.4
Location	34.57509227224038, -117.17721847885088
County	San Bernardino-Mojave Desert
City	Apple Valley
Air District	Mojave Desert AQMD
Air Basin	Mojave Desert
TAZ	5160
EDFZ	10
Electric Utility	Southern California Edison
Gas Utility	Southwest Gas Corp.
App Version	2022.1.1.28

1.2. Land Use Types

Land Use Subtype	Size	Unit	Lot Acreage	Building Area (sq ft)	Landscape Area (sq ft)	Special Landscape Area (sq ft)	Population	Description
General Heavy Industry	348	1000sqft	7.99	348,074	0.00	_	_	_

Refrigerated Warehouse-No Rail	348	1000sqft	7.99	348,074	0.00	_	_	_
Unrefrigerated Warehouse-No Rail	2,785	1000sqft	64.5	2,784,588	24,966	_	_	_
Parking Lot	4,597	Space	31.7	0.00	0.00	_	_	_
Other Asphalt Surfaces	4,911	1000sqft	113	0.00	0.00	_	_	_

1.3. User-Selected Emission Reduction Measures by Emissions Sector

No measures selected

2. Emissions Summary

2.1. Construction Emissions Compared Against Thresholds

Un/Mit.	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Unmit.	40.8	39.3	61.6	160	0.18	3.11	27.3	28.4	2.86	6.58	7.61	_	45,534	45,534	1.08	2.87	111	46,503
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Unmit.	39.2	38.4	61.7	121	0.18	3.11	27.3	28.4	2.86	6.58	7.61	_	42,768	42,768	1.15	2.90	3.13	43,641
Average Daily (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Unmit.	27.2	26.6	33.1	88.1	0.13	1.41	19.3	20.0	1.30	4.65	5.27	_	30,231	30,231	0.42	2.05	33.8	30,882
Annual (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Unmit.	4.96	4.86	6.03	16.1	0.02	0.26	3.53	3.65	0.24	0.85	0.96	_	5,005	5,005	0.07	0.34	5.59	5,113

2.2. Construction Emissions by Year, Unmitigated

Year	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily - Summer (Max)	_	_	-	_	_	_	-	_	-	_	_	_	_	_	_	_	_	_
2025	8.00	6.74	61.6	55.1	0.12	3.11	9.91	13.0	2.86	4.61	7.47	_	13,280	13,280	0.47	0.34	6.55	13,399
2026	10.9	9.74	41.4	144	0.17	0.97	23.3	24.3	0.91	5.64	6.56	_	41,086	41,086	1.08	2.86	110	42,076
2027	39.2	37.8	41.6	158	0.17	0.92	27.1	28.1	0.86	6.54	7.40	_	44,671	44,671	0.51	2.85	111	45,645
2028	40.8	39.3	46.0	160	0.18	1.10	27.3	28.4	1.03	6.58	7.61	_	45,534	45,534	0.57	2.87	100	46,503
2029	39.6	38.8	44.6	151	0.18	1.03	27.3	28.4	0.97	6.58	7.55	_	44,679	44,679	0.57	2.76	89.3	45,605
Daily - Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
2025	10.6	9.34	61.7	114	0.17	3.11	23.3	24.4	2.86	5.64	7.47	_	39,384	39,384	1.15	2.86	3.13	40,269
2026	10.1	8.88	43.0	107	0.17	0.97	23.3	24.3	0.91	5.64	6.56	_	38,709	38,709	0.52	2.86	2.84	39,578
2027	38.4	36.9	43.2	117	0.17	0.92	27.1	28.1	0.86	6.54	7.40	_	41,871	41,871	0.58	2.90	2.88	42,752
2028	39.2	38.4	47.6	121	0.18	1.10	27.3	28.4	1.03	6.58	7.61	_	42,768	42,768	0.61	2.87	2.60	43,641
2029	38.8	37.2	45.4	116	0.18	1.03	27.3	28.4	0.97	6.58	7.55	_	41,970	41,970	0.61	2.76	2.32	42,810
Average Daily	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
2025	4.88	4.17	33.1	40.5	0.07	1.41	6.21	7.63	1.30	2.05	3.35	_	10,813	10,813	0.35	0.50	7.78	10,979
2026	7.27	6.42	31.0	83.2	0.12	0.69	16.5	17.2	0.65	4.00	4.65	_	28,032	28,032	0.39	2.05	33.8	28,685
2027	18.6	17.6	30.6	85.4	0.12	0.65	18.1	18.7	0.61	4.36	4.97	_	29,147	29,147	0.40	2.03	32.6	29,794
2028	27.2	26.6	31.2	88.1	0.13	0.66	19.3	20.0	0.62	4.65	5.27	_	30,231	30,231	0.40	2.05	30.9	30,882
2029	26.7	26.1	31.7	85.2	0.13	0.71	18.6	19.3	0.66	4.49	5.15	_	29,248	29,248	0.42	1.90	26.5	29,850
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
2025	0.89	0.76	6.03	7.38	0.01	0.26	1.13	1.39	0.24	0.37	0.61	_	1,790	1,790	0.06	0.08	1.29	1,818
2026	1.33	1.17	5.67	15.2	0.02	0.13	3.02	3.14	0.12	0.73	0.85	_	4,641	4,641	0.07	0.34	5.59	4,749
2027	3.39	3.21	5.58	15.6	0.02	0.12	3.30	3.41	0.11	0.80	0.91	_	4,826	4,826	0.07	0.34	5.41	4,933

2028	4.96	4.86	5.70	16.1	0.02	0.12	3.53	3.65	0.11	0.85	0.96	_	5,005	5,005	0.07	0.34	5.12	5,113
2029	4.88	4.77	5.78	15.6	0.02	0.13	3.40	3.53	0.12	0.82	0.94	_	4,842	4,842	0.07	0.31	4.38	4,942

3. Construction Emissions Details

3.1. Site Preparation (2025) - Unmitigated

		1110 (1107 0						<u> </u>		<i>J</i> ,		ricially						
Location	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Off-Roa d Equipm ent	7.80	6.56	60.7	52.4	0.08	3.10	_	3.10	2.85	_	2.85	_	8,981	8,981	0.36	0.07	_	9,012
Dust From Material Movemer	— t	_	_	_	_	_	9.35	9.35	_	4.47	4.47	_	_	_	_	_	_	_
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Off-Roa d Equipm ent	7.80	6.56	60.7	52.4	0.08	3.10	_	3.10	2.85	_	2.85	_	8,981	8,981	0.36	0.07	_	9,012
Dust From Material Movemer	 t	_	_	_	_	_	9.35	9.35	_	4.47	4.47	_	_	_	_	_	_	_
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00

Average	_																	
Daily																		
Off-Roa d Equipm ent	1.07	0.90	8.32	7.18	0.01	0.42	-	0.42	0.39	_	0.39	_	1,230	1,230	0.05	0.01	_	1,235
Dust From Material Movemer		_	_	_	_	_	1.28	1.28	_	0.61	0.61	_	_	_	_	_	_	_
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Off-Roa d Equipm ent	0.20	0.16	1.52	1.31	< 0.005	0.08	-	0.08	0.07	_	0.07	_	204	204	0.01	< 0.005	_	204
Dust From Material Movemer	 nt	_	_	_	_	_	0.23	0.23	_	0.11	0.11	_	_	_	_	_	_	_
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	-	_	-	_	_	_	_	-	_
Worker	0.17	0.15	0.14	2.33	0.00	0.00	0.37	0.37	0.00	0.09	0.09	_	408	408	0.02	0.01	1.49	414
Vendor	0.03	0.03	0.74	0.33	0.01	0.01	0.20	0.21	0.01	0.05	0.06	_	733	733	< 0.005	0.10	2.00	764
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Worker	0.14	0.13	0.15	1.56	0.00	0.00	0.37	0.37	0.00	0.09	0.09	_	362	362	0.02	0.01	0.04	366
Vendor	0.03	0.03	0.79	0.33	0.01	0.01	0.20	0.21	0.01	0.05	0.06	_	733	733	< 0.005	0.10	0.05	763

Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Worker	0.02	0.02	0.02	0.24	0.00	0.00	0.05	0.05	0.00	0.01	0.01	_	51.0	51.0	< 0.005	< 0.005	0.09	51.7
Vendor	< 0.005	< 0.005	0.11	0.04	< 0.005	< 0.005	0.03	0.03	< 0.005	0.01	0.01	_	100	100	< 0.005	0.01	0.12	105
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Worker	< 0.005	< 0.005	< 0.005	0.04	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	_	8.44	8.44	< 0.005	< 0.005	0.01	8.56
Vendor	< 0.005	< 0.005	0.02	0.01	< 0.005	< 0.005	< 0.005	0.01	< 0.005	< 0.005	< 0.005	_	16.6	16.6	< 0.005	< 0.005	0.02	17.3
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00

3.3. Grading (2025) - Unmitigated

Location	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5F	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
	100	ROO	ITOX		002	TWITOL	TWITOD	T WITO I	1 1012.02	1 W.Z.OD	1 1012.01	DOOL	NDOOZ	0021	0111	1120	11	0020
Onsite	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Off-Roa d Equipm ent	7.15	6.01	55.0	49.7	0.10	2.56	_	2.56	2.36	_	2.36	_	11,046	11,046	0.45	0.09	_	11,084
Dust From Material Movemer	—	_	_	_	_	_	4.92	4.92	_	1.91	1.91	_	_	_	_	_	_	_
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

Off-Roa	7 15	6.01	55.0	49.7	0.10	2.56	_	2.56	2.36	_	2.36		11,046	11,046	0.45	0.09	_	11,084
d Equipm	7.13	0.01	33.0	73.1	0.10	2.50		2.00	2.50		2.00		11,040	11,040	0.40	0.03		11,004
Dust From Material Movemer	—	_	_	_	_	_	4.92	4.92	_	1.91	1.91	_	_	_	_	_	_	_
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Off-Roa d Equipm ent	2.35	1.98	18.1	16.4	0.03	0.84	_	0.84	0.77	_	0.77	_	3,632	3,632	0.15	0.03	_	3,644
Dust From Material Movemer	—	_	-	_		-	1.62	1.62	_	0.63	0.63	_	_	_	_	_	_	-
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Off-Roa d Equipm ent	0.43	0.36	3.30	2.98	0.01	0.15	_	0.15	0.14	_	0.14	_	601	601	0.02	< 0.005	_	603
Dust From Material Movemer	—	_	-	_		-	0.30	0.30	_	0.11	0.11	_	_	_	_	_	_	_
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_		_	_	_	_	_	-
Worker	0.20	0.18	0.16	2.74	0.00	0.00	0.43	0.43	0.00	0.10	0.10	_	481	481	0.02	0.02	1.76	488

Vendor	0.07	0.07	1.78	0.78	0.01	0.02	0.47	0.50	0.02	0.13	0.15		1,752	1,752	< 0.005	0.23	4.79	1,827
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	-	-	_	-	_	_	_	_
Worker	0.16	0.15	0.17	1.84	0.00	0.00	0.43	0.43	0.00	0.10	0.10	_	426	426	0.02	0.02	0.05	432
Vendor	0.07	0.06	1.88	0.79	0.01	0.02	0.47	0.50	0.02	0.13	0.15	_	1,754	1,754	< 0.005	0.23	0.12	1,824
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Worker	0.05	0.05	0.06	0.68	0.00	0.00	0.14	0.14	0.00	0.03	0.03	_	144	144	0.01	0.01	0.25	146
Vendor	0.02	0.02	0.62	0.26	< 0.005	0.01	0.15	0.16	0.01	0.04	0.05	_	576	576	< 0.005	0.08	0.68	600
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Worker	0.01	0.01	0.01	0.12	0.00	0.00	0.03	0.03	0.00	0.01	0.01	_	23.9	23.9	< 0.005	< 0.005	0.04	24.2
Vendor	< 0.005	< 0.005	0.11	0.05	< 0.005	< 0.005	0.03	0.03	< 0.005	0.01	0.01	_	95.4	95.4	< 0.005	0.01	0.11	99.3
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00

3.5. Building Construction (2025) - Unmitigated

Location	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Off-Roa d Equipm ent	2.68	2.24	20.8	25.3	0.05	0.85	_	0.85	0.78	_	0.78	_	4,818	4,818	0.20	0.04	_	4,834

Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	_	_	_	_	_	_	_	_	_	_	_	_	_	-	_	_	_	_
Off-Roa d Equipm ent	0.34	0.29	2.64	3.22	0.01	0.11	_	0.11	0.10	_	0.10	_	613	613	0.02	< 0.005	_	615
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Off-Roa d Equipm ent	0.06	0.05	0.48	0.59	< 0.005	0.02	_	0.02	0.02		0.02	_	101	101	< 0.005	< 0.005	_	102
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Daily, Summer (Max)	_	_	_	_	_	-	-	-	-	_	_	-	_	_	_	_	_	_
Daily, Winter (Max)	_	_	_	-	_	-	-	_	-	_	_	-	-	_	_	-	_	_
Worker	7.30	6.54	7.75	81.5	0.00	0.00	19.1	19.1	0.00	4.48	4.48	_	18,877	18,877	0.92	0.73	2.02	19,118
Vendor	0.60	0.56	16.8	7.09	0.12	0.22	4.21	4.43	0.22	1.16	1.38	_	15,689	15,689	0.03	2.10	1.11	16,317
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	_	_	-	_	_	_	_	_	_	_	-	_	_	_	_	_	_	_
Worker	0.94	0.84	1.07	11.6	0.00	0.00	2.41	2.41	0.00	0.56	0.56	_	2,472	2,472	0.12	0.09	4.28	2,507
Vendor	0.08	0.08	2.14	0.89	0.02	0.03	0.53	0.56	0.03	0.15	0.18	_	1,994	1,994	< 0.005	0.27	2.35	2,076
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Worker	0.17	0.15	0.19	2.12	0.00	0.00	0.44	0.44	0.00	0.10	0.10	_	409	409	0.02	0.02	0.71	415

Vendor	0.01	0.01	0.39	0.16	< 0.005	0.01	0.10	0.10	0.01	0.03	0.03	_	330	330	< 0.005	0.04	0.39	344
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00

3.7. Building Construction (2026) - Unmitigated

Location	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Off-Roa d Equipm ent	2.56	2.14	19.6	25.2	0.05	0.75	_	0.75	0.69	_	0.69	_	4,817	4,817	0.20	0.04	_	4,833
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Off-Roa d Equipm ent	2.56	2.14	19.6	25.2	0.05	0.75	_	0.75	0.69	_	0.69	_	4,817	4,817	0.20	0.04	-	4,833
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Off-Roa d Equipm ent	1.83	1.53	14.0	18.0	0.03	0.54	_	0.54	0.49	_	0.49	_	3,441	3,441	0.14	0.03	_	3,452
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

Off-Roa Equipme	0.33 nt	0.28	2.56	3.28	0.01	0.10	_	0.10	0.09	_	0.09	_	570	570	0.02	< 0.005	_	572
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Daily, Summer (Max)	_	-	_	-	-	-	_	_	_	_	-	_		_	_	_	_	_
Worker	7.72	6.99	6.43	113	0.00	0.00	19.1	19.1	0.00	4.48	4.48	_	20,903	20,903	0.85	0.73	70.8	21,211
Vendor	0.67	0.61	15.3	6.46	0.12	0.22	4.21	4.43	0.22	1.16	1.38	_	15,366	15,366	0.03	2.10	38.8	16,032
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	_	-	-	-	-	-	-	_	_	_	-	_	_	_	_	_	_	_
Worker	6.95	6.19	7.09	75.1	0.00	0.00	19.1	19.1	0.00	4.48	4.48	_	18,508	18,508	0.29	0.73	1.83	18,734
Vendor	0.60	0.56	16.3	6.69	0.12	0.22	4.21	4.43	0.22	1.16	1.38	_	15,383	15,383	0.03	2.10	1.01	16,011
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	-	_	-	-	-	_	_	_	_	-	_	-	_	-	-	_	_	_
Worker	5.01	4.49	5.49	60.5	0.00	0.00	13.5	13.5	0.00	3.17	3.17	_	13,610	13,610	0.23	0.52	21.8	13,792
Vendor	0.44	0.41	11.5	4.72	0.09	0.16	2.99	3.14	0.16	0.83	0.98	_	10,981	10,981	0.02	1.50	12.0	11,441
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Worker	0.91	0.82	1.00	11.0	0.00	0.00	2.47	2.47	0.00	0.58	0.58	_	2,253	2,253	0.04	0.09	3.61	2,283
Vendor	0.08	0.07	2.10	0.86	0.02	0.03	0.55	0.57	0.03	0.15	0.18	_	1,818	1,818	< 0.005	0.25	1.98	1,894
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00

3.9. Building Construction (2027) - Unmitigated

Location	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

Daily, Summer (Max)	_		_	_	_			_		_	_	_			_	_	_	_
Off-Roa d Equipm ent	2.46	2.06	18.7	25.1	0.05	0.67	_	0.67	0.62	_	0.62	_	4,817	4,817	0.20	0.04	_	4,833
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Off-Roa d Equipm ent	2.46	2.06	18.7	25.1	0.05	0.67	_	0.67	0.62	-	0.62	_	4,817	4,817	0.20	0.04	_	4,833
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Off-Roa d Equipm ent	1.76	1.47	13.4	18.0	0.03	0.48	_	0.48	0.44	-	0.44	_	3,440	3,440	0.14	0.03	_	3,452
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Off-Roa d Equipm ent	0.32	0.27	2.44	3.28	0.01	0.09	_	0.09	0.08	_	0.08	_	570	570	0.02	< 0.005	_	572
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Daily, Summer (Max)	_	_	_	-	_	_	_	_	_	-	_	-	_	_	_	_	_	_

Worker	7.33	6.64	5.77	104	0.00	0.00	19.1	19.1	0.00	4.48	4.48	_	20,543	20,543	0.23	0.69	64.0	20,819
Vendor	0.66	0.48	14.8	6.18	0.12	0.22	4.21	4.43	0.22	1.16	1.38	_	15,030	15,030	0.03	1.98	34.6	15,655
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Worker	6.69	5.96	6.43	70.0	0.00	0.00	19.1	19.1	0.00	4.48	4.48	_	18,195	18,195	0.29	0.73	1.65	18,420
Vendor	0.59	0.43	15.7	6.42	0.12	0.22	4.21	4.43	0.22	1.16	1.38	_	15,047	15,047	0.03	1.99	0.90	15,642
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Worker	4.78	4.26	5.02	55.9	0.00	0.00	13.5	13.5	0.00	3.17	3.17	_	13,378	13,378	0.21	0.52	19.7	13,558
Vendor	0.44	0.32	11.2	4.52	0.09	0.16	2.99	3.14	0.16	0.83	0.98	_	10,741	10,741	0.02	1.42	10.7	11,176
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Worker	0.87	0.78	0.92	10.2	0.00	0.00	2.47	2.47	0.00	0.58	0.58	_	2,215	2,215	0.03	0.09	3.27	2,245
Vendor	0.08	0.06	2.04	0.83	0.02	0.03	0.55	0.57	0.03	0.15	0.18	_	1,778	1,778	< 0.005	0.24	1.77	1,850
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00

3.11. Building Construction (2028) - Unmitigated

Location	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Off-Roa d Equipm ent	2.37	1.98	17.8	25.1	0.05	0.60	_	0.60	0.55	_	0.55	_	4,818	4,818	0.20	0.04	_	4,834

Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	_	_	_	-	-	_	_	_	_	_	-	_	_	_	_	_	_	_
Off-Roa d Equipm ent	2.37	1.98	17.8	25.1	0.05	0.60	_	0.60	0.55	_	0.55	_	4,818	4,818	0.20	0.04	_	4,834
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	_	-	-	_	_	_	_	-	_	-	_	_	_	_	_	_	_	-
Off-Roa d Equipm ent	1.70	1.42	12.7	18.0	0.03	0.43	_	0.43	0.40	_	0.40	_	3,451	3,451	0.14	0.03	_	3,462
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Off-Roa d Equipm ent	0.31	0.26	2.32	3.28	0.01	0.08	_	0.08	0.07	_	0.07	_	571	571	0.02	< 0.005	_	573
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Daily, Summer (Max)	_	_	_	-	-	_	_	_	_	_	-	-	_	_	_	_	_	_
Worker	7.11	6.41	5.11	97.0	0.00	0.00	19.1	19.1	0.00	4.48	4.48	_	20,153	20,153	0.23	0.69	57.6	20,423
Vendor	0.63	0.47	14.3	5.92	0.12	0.22	4.21	4.43	0.22	1.16	1.38	_	14,642	14,642	0.03	1.98	30.7	15,263
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

Worker	5.83	5.70	5.77	65.0	0.00	0.00	19.1	19.1	0.00	4.48	4.48		17,854	17,854	0.26	0.69	1.49	18,068
Vendor	0.58	0.43	15.2	6.02	0.12	0.22	4.21	4.43	0.22	1.16	1.38	_	14,659	14,659	0.03	1.98	0.80	15,250
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Worker	4.22	4.13	4.58	52.0	0.00	0.00	13.6	13.6	0.00	3.18	3.18	_	13,163	13,163	0.18	0.50	17.8	13,333
Vendor	0.44	0.32	10.8	4.25	0.09	0.16	2.99	3.15	0.16	0.83	0.99	_	10,492	10,492	0.02	1.42	9.47	10,925
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Worker	0.77	0.75	0.84	9.50	0.00	0.00	2.48	2.48	0.00	0.58	0.58	_	2,179	2,179	0.03	0.08	2.95	2,207
Vendor	0.08	0.06	1.97	0.78	0.02	0.03	0.55	0.58	0.03	0.15	0.18	_	1,737	1,737	< 0.005	0.23	1.57	1,809
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00

3.13. Building Construction (2029) - Unmitigated

Location	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Off-Roa d Equipm ent	2.31	1.93	17.1	25.0	0.05	0.55	_	0.55	0.51	_	0.51	_	4,816	4,816	0.20	0.04	_	4,833
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

Off-Roa d Equipm ent	2.31	1.93	17.1	25.0	0.05	0.55	_	0.55	0.51	_	0.51	_	4,816	4,816	0.20	0.04	_	4,833
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	-	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Off-Roa d Equipm ent	1.59	1.33	11.7	17.2	0.03	0.38	_	0.38	0.35	_	0.35	_	3,308	3,308	0.13	0.03	_	3,320
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Off-Roa d Equipm ent	0.29	0.24	2.14	3.14	0.01	0.07	-	0.07	0.06	_	0.06	-	548	548	0.02	< 0.005	-	550
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	_	_	_	<u> </u>	_	_	<u> </u>	_	_	_	_	_	_	_	_	_	_	_
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Worker	6.16	6.06	5.08	90.4	0.00	0.00	19.1	19.1	0.00	4.48	4.48	_	19,787	19,787	0.23	0.69	51.6	20,051
Vendor	0.63	0.47	13.8	5.64	0.12	0.22	4.21	4.43	0.22	1.16	1.38	_	14,233	14,233	0.03	1.87	26.9	14,817
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Worker	5.54	4.82	5.11	60.6	0.00	0.00	19.1	19.1	0.00	4.48	4.48	_	17,534	17,534	0.26	0.69	1.34	17,748
Vendor	0.57	0.41	14.7	5.86	0.12	0.22	4.21	4.43	0.22	1.16	1.38	_	14,250	14,250	0.03	1.87	0.70	14,808
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00

Average Daily	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Worker	3.85	3.76	3.94	46.5	0.00	0.00	13.0	13.0	0.00	3.05	3.05	_	12,396	12,396	0.18	0.48	15.3	12,557
Vendor	0.41	0.30	10.0	3.96	0.08	0.15	2.87	3.02	0.15	0.79	0.95	_	9,781	9,781	0.02	1.28	7.98	10,172
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Worker	0.70	0.69	0.72	8.48	0.00	0.00	2.38	2.38	0.00	0.56	0.56	_	2,052	2,052	0.03	0.08	2.53	2,079
Vendor	0.07	0.05	1.83	0.72	0.02	0.03	0.52	0.55	0.03	0.14	0.17	_	1,619	1,619	< 0.005	0.21	1.32	1,684
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00

3.15. Paving (2028) - Unmitigated

										,		/					_	
Location	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Off-Roa d Equipm ent	0.82	0.69	6.63	9.91	0.01	0.26	_	0.26	0.24	_	0.24	_	1,511	1,511	0.06	0.01	_	1,516
Paving	1.15	1.15	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Off-Roa d Equipm ent	0.82	0.69	6.63	9.91	0.01	0.26	_	0.26	0.24	_	0.24	_	1,511	1,511	0.06	0.01	_	1,516
Paving	1.15	1.15	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	_	_	_	_	_	_	_	_	_	-	_	_	_	_	_	_	_	_
Off-Roa d Equipm ent	0.18	0.15	1.44	2.15	< 0.005	0.06	_	0.06	0.05	_	0.05	_	328	328	0.01	< 0.005	_	329
Paving	0.25	0.25	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Off-Roa d Equipm ent	0.03	0.03	0.26	0.39	< 0.005	0.01	_	0.01	0.01	_	0.01	_	54.3	54.3	< 0.005	< 0.005	_	54.5
Paving	0.05	0.05	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Daily, Summer (Max)	_	_	_	_	_	-	_	_	_	_	_		_	_	_	-	_	_
Worker	0.07	0.07	0.05	1.00	0.00	0.00	0.20	0.20	0.00	0.05	0.05	_	207	207	< 0.005	0.01	0.59	210
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	_	_	_	-	_	-	_	_	_	_	_	-	_	-	_	-	_	_
Worker	0.06	0.06	0.06	0.67	0.00	0.00	0.20	0.20	0.00	0.05	0.05	_	183	183	< 0.005	0.01	0.02	185
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	_	-	_	_	_	_	-	_	-	-	_	_	_	_	_	_	_	_

Worker	0.01	0.01	0.01	0.16	0.00	0.00	0.04	0.04	0.00	0.01	0.01	_	41.0	41.0	< 0.005	< 0.005	0.06	41.5
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Worker	< 0.005	< 0.005	< 0.005	0.03	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	_	6.78	6.78	< 0.005	< 0.005	0.01	6.87
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00

3.17. Paving (2029) - Unmitigated

												2000		000=	0111			000
Location	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	_	_	_	_	_	_	_	_	_	_		_	_	_	_	_		_
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Off-Roa d Equipm ent	0.80	0.67	6.46	9.92	0.01	0.24	_	0.24	0.22	_	0.22	_	1,511	1,511	0.06	0.01	_	1,516
Paving	1.15	1.15	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Off-Roa d Equipm ent	0.80	0.67	6.46	9.92	0.01	0.24	_	0.24	0.22	_	0.22	_	1,511	1,511	0.06	0.01	_	1,516
Paving	1.15	1.15	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00

Average	_	_	_	_	_	_	_	-	-	_	-	_	-	-	-	_	_	-
Daily Off-Roa d	0.55	0.46	4.44	6.81	0.01	0.16	_	0.16	0.15	_	0.15	_	1,038	1,038	0.04	0.01	_	1,041
Equipm ent																		
Paving	0.79	0.79	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Off-Roa d Equipm ent	0.10	0.08	0.81	1.24	< 0.005	0.03	_	0.03	0.03	_	0.03	_	172	172	0.01	< 0.005	_	172
Paving	0.14	0.14	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	-	_	_	_	_	-	-
Worker	0.06	0.06	0.05	0.93	0.00	0.00	0.20	0.20	0.00	0.05	0.05	_	203	203	< 0.005	0.01	0.53	206
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Worker	0.06	0.05	0.05	0.62	0.00	0.00	0.20	0.20	0.00	0.05	0.05	_	180	180	< 0.005	0.01	0.01	182
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Worker	0.04	0.04	0.04	0.48	0.00	0.00	0.13	0.13	0.00	0.03	0.03	_	127	127	< 0.005	< 0.005	0.16	129
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00

Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Worker	0.01	0.01	0.01	0.09	0.00	0.00	0.02	0.02	0.00	0.01	0.01	_	21.1	21.1	< 0.005	< 0.005	0.03	21.3
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00

3.19. Architectural Coating (2027) - Unmitigated

Location	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	всо2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Daily, Summer (Max)		_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Off-Roa d Equipm ent	0.18	0.15	1.11	1.50	< 0.005	0.03	_	0.03	0.02	_	0.02	_	178	178	0.01	< 0.005	_	179
Architect ural Coating s	27.1	27.1	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)		_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Off-Roa d Equipm ent	0.18	0.15	1.11	1.50	< 0.005	0.03	_	0.03	0.02	_	0.02	_	178	178	0.01	< 0.005	_	179
Architect ural Coating s	27.1	27.1	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Off-Roa d Equipm ent	0.07	0.06	0.45	0.61	< 0.005	0.01	_	0.01	0.01	_	0.01	_	72.1	72.1	< 0.005	< 0.005	_	72.4
Architect ural Coating s	11.0	11.0	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Off-Roa d Equipm ent	0.01	0.01	0.08	0.11	< 0.005	< 0.005	_	< 0.005	< 0.005	_	< 0.005	_	11.9	11.9	< 0.005	< 0.005	_	12.0
Architect ural Coating s	2.00	2.00	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Worker	1.46	1.33	1.15	20.8	0.00	0.00	3.82	3.82	0.00	0.89	0.89	_	4,103	4,103	0.05	0.14	12.8	4,158
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Worker	1.34	1.19	1.28	14.0	0.00	0.00	3.82	3.82	0.00	0.89	0.89	_	3,634	3,634	0.06	0.14	0.33	3,679

Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	_	-	_	_	_	_	_	_	-	_	_	_	_	_	_	_	_	_
Worker	0.54	0.48	0.57	6.34	0.00	0.00	1.53	1.53	0.00	0.36	0.36	_	1,515	1,515	0.02	0.06	2.24	1,536
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Worker	0.10	0.09	0.10	1.16	0.00	0.00	0.28	0.28	0.00	0.07	0.07	_	251	251	< 0.005	0.01	0.37	254
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00

3.21. Architectural Coating (2028) - Unmitigated

Location	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Off-Roa d Equipm ent	0.17	0.14	1.08	1.49	< 0.005	0.02	_	0.02	0.02	_	0.02	_	178	178	0.01	< 0.005	_	179
Architect ural Coating s	27.1	27.1	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

Off-Roa Equipmer		0.14	1.08	1.49	< 0.005	0.02	_	0.02	0.02	_	0.02	_	178	178	0.01	< 0.005	_	179
Architect ural Coating s	27.1	27.1	_	_	_	_	_	_	_	_	_	_	-	_	_	_	_	_
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Off-Roa d Equipm ent	0.12	0.10	0.77	1.07	< 0.005	0.01	_	0.01	0.01	_	0.01	_	128	128	0.01	< 0.005	_	128
Architect ural Coating s	19.4	19.4	_	_	_	_	_	_	_	_	_	_	-	_	-	_	_	_
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	Ī—	_	_	_	_
Off-Roa d Equipm ent	0.02	0.02	0.14	0.19	< 0.005	< 0.005	_	< 0.005	< 0.005	_	< 0.005	_	21.1	21.1	< 0.005	< 0.005	_	21.2
Architect ural Coating	3.54	3.54	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Worker	1.42	1.28	1.02	19.4	0.00	0.00	3.82	3.82	0.00	0.89	0.89	_	4,025	4,025	0.05	0.14	11.5	4,079
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00

28 / 44

Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	_	-	-	-	-	_	_	_	_	_	-	_	_	_	_	_	-	_
Worker	1.17	1.14	1.15	13.0	0.00	0.00	3.82	3.82	0.00	0.89	0.89	_	3,566	3,566	0.05	0.14	0.30	3,609
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Worker	0.84	0.83	0.92	10.4	0.00	0.00	2.71	2.71	0.00	0.64	0.64	_	2,629	2,629	0.04	0.10	3.56	2,663
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Worker	0.15	0.15	0.17	1.90	0.00	0.00	0.49	0.49	0.00	0.12	0.12	_	435	435	0.01	0.02	0.59	441
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00

3.23. Architectural Coating (2029) - Unmitigated

Location	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_		_
Off-Roa d Equipm ent	0.17	0.14	1.06	1.48	< 0.005	0.02	_	0.02	0.02	_	0.02	_	178	178	0.01	< 0.005	_	179
Architect ural Coating s	27.1	27.1	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	-	_	_	_
Off-Roa d Equipm ent	0.17	0.14	1.06	1.48	< 0.005	0.02	_	0.02	0.02	_	0.02	_	178	178	0.01	< 0.005	_	179
Architect ural Coating s	27.1	27.1	_	_	_	_	_	_	_	_	_	_	_	_	-	_	_	_
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	_	-	_	_	_	-	_	_	_	_	-	-	_	_	_	_	-	-
Off-Roa d Equipm ent	0.11	0.09	0.73	1.02	< 0.005	0.01	_	0.01	0.01	_	0.01	_	122	122	< 0.005	< 0.005	_	123
Architect ural Coating s	18.6	18.6	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Off-Roa d Equipm ent	0.02	0.02	0.13	0.19	< 0.005	< 0.005	_	< 0.005	< 0.005	_	< 0.005	_	20.2	20.2	< 0.005	< 0.005	_	20.3
Architect ural Coating s	3.40	3.40	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00

Offsite	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Worker	1.23	1.21	1.01	18.0	0.00	0.00	3.82	3.82	0.00	0.89	0.89	_	3,952	3,952	0.05	0.14	10.3	4,005
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Worker	1.11	0.96	1.02	12.1	0.00	0.00	3.82	3.82	0.00	0.89	0.89	_	3,502	3,502	0.05	0.14	0.27	3,545
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Worker	0.77	0.75	0.79	9.28	0.00	0.00	2.60	2.60	0.00	0.61	0.61	_	2,476	2,476	0.04	0.10	3.05	2,508
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Worker	0.14	0.14	0.14	1.69	0.00	0.00	0.47	0.47	0.00	0.11	0.11	_	410	410	0.01	0.02	0.51	415
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00

4. Operations Emissions Details

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

Vegetati	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
on																		

Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_		_	_	_	_	_		_	_		_	_	_
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_		_	_	_	_		_	_	_		_	_	_
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	со	SO2	PM10E	PM10D		PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

		, , ,	.,	J ,	J	, ,		(,	<i>J</i> , .		/						
Species	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily,	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Summer																		
(Max)																		

Avoided	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Subtotal	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Sequest ered	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Subtotal	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Remove d	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Subtotal	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Avoided	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Subtotal	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Sequest ered	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Subtotal	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Remove d	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Subtotal	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Avoided	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Subtotal	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Sequest ered	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Subtotal	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Remove d	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Subtotal	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

5. Activity Data

5.1. Construction Schedule

Phase Name	Phase Type	Start Date	End Date	Days Per Week	Work Days per Phase	Phase Description
Site Preparation	Site Preparation	3/4/2025	5/12/2025	5.00	50.0	_
Grading	Grading	5/13/2025	10/27/2025	5.00	120	_
Building Construction	Building Construction	10/28/2025	12/17/2029	5.00	1,080	_
Paving	Paving	9/12/2028	12/17/2029	5.00	330	_
Architectural Coating	Architectural Coating	6/8/2027	12/17/2029	5.00	660	_

5.2. Off-Road Equipment

5.2.1. Unmitigated

Phase Name	Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
Site Preparation	Rubber Tired Dozers	Diesel	Average	5.00	8.00	367	0.40
Site Preparation	Crawler Tractors	Diesel	Average	6.00	8.00	87.0	0.43
Grading	Graders	Diesel	Average	2.00	8.00	148	0.41
Grading	Excavators	Diesel	Average	3.00	8.00	36.0	0.38
Grading	Scrapers	Diesel	Average	3.00	8.00	423	0.48
Grading	Rubber Tired Dozers	Diesel	Average	2.00	8.00	367	0.40
Grading	Crawler Tractors	Diesel	Average	3.00	8.00	87.0	0.43
Building Construction	Forklifts	Diesel	Average	5.00	8.00	82.0	0.20
Building Construction	Generator Sets	Diesel	Average	2.00	8.00	14.0	0.74
Building Construction	Cranes	Diesel	Average	2.00	8.00	367	0.29
Building Construction	Welders	Diesel	Average	2.00	8.00	46.0	0.45
Building Construction	Tractors/Loaders/Back hoes	Diesel	Average	5.00	8.00	84.0	0.37
Paving	Pavers	Diesel	Average	2.00	8.00	81.0	0.42

Paving	Paving Equipment	Diesel	Average	2.00	8.00	89.0	0.36
Paving	Rollers	Diesel	Average	2.00	8.00	36.0	0.38
Architectural Coating	Air Compressors	Diesel	Average	1.00	8.00	37.0	0.48

5.3. Construction Vehicles

5.3.1. Unmitigated

Phase Name	Trip Type	One-Way Trips per Day	Miles per Trip	Vehicle Mix
Site Preparation	_	_	_	_
Site Preparation	Worker	28.0	18.5	LDA,LDT1,LDT2
Site Preparation	Vendor	23.0	10.2	HHDT,MHDT
Site Preparation	Hauling	0.00	20.0	ННОТ
Site Preparation	Onsite truck	_	_	ННОТ
Grading	_	_	_	_
Grading	Worker	33.0	18.5	LDA,LDT1,LDT2
Grading	Vendor	55.0	10.2	HHDT,MHDT
Grading	Hauling	0.00	20.0	ННОТ
Grading	Onsite truck	_	_	ННОТ
Building Construction	_	_	_	_
Building Construction	Worker	1,462	18.5	LDA,LDT1,LDT2
Building Construction	Vendor	492	10.2	HHDT,MHDT
Building Construction	Hauling	0.00	20.0	ННОТ
Building Construction	Onsite truck	_	_	ННОТ
Paving	_	_	_	_
Paving	Worker	15.0	18.5	LDA,LDT1,LDT2
Paving	Vendor	_	10.2	HHDT,MHDT
Paving	Hauling	0.00	20.0	ННОТ
Paving	Onsite truck	_	_	ННОТ

Architectural Coating	_	_	_	_
Architectural Coating	Worker	292	18.5	LDA,LDT1,LDT2
Architectural Coating	Vendor	_	10.2	HHDT,MHDT
Architectural Coating	Hauling	0.00	20.0	HHDT
Architectural Coating	Onsite truck	_	_	HHDT

5.4. Vehicles

5.4.1. Construction Vehicle Control Strategies

Non-applicable. No control strategies activated by user.

5.5. Architectural Coatings

Phase Name	Residential Interior Area Coated (sq ft)	Residential Exterior Area Coated (sq ft)	Non-Residential Interior Area Coated (sq ft)	Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)
Architectural Coating	0.00	0.00	5,221,104	1,740,368	377,465

5.6. Dust Mitigation

5.6.1. Construction Earthmoving Activities

Phase Name	Material Imported (cy)	Material Exported (cy)	Acres Graded (acres)	Material Demolished (sq. ft.)	Acres Paved (acres)
Site Preparation	_	_	275	0.00	_
Grading	_	_	780	0.00	_
Paving	0.00	0.00	0.00	0.00	144

5.6.2. Construction Earthmoving Control Strategies

Control Strategies Applied	Frequency (per day)	PM10 Reduction	PM2.5 Reduction
Water Exposed Area	3	74%	74%

5.7. Construction Paving

Land Use	Area Paved (acres)	% Asphalt
General Heavy Industry	0.00	0%
Refrigerated Warehouse-No Rail	0.00	0%
Unrefrigerated Warehouse-No Rail	0.00	0%
Parking Lot	31.7	100%
Other Asphalt Surfaces	113	100%

5.8. Construction Electricity Consumption and Emissions Factors

kWh per Year and Emission Factor (lb/MWh)

Year	kWh per Year	CO2	CH4	N2O
2025	0.00	532	0.03	< 0.005
2026	0.00	532	0.03	< 0.005
2027	0.00	532	0.03	< 0.005
2028	0.00	532	0.03	< 0.005
2029	0.00	532	0.03	< 0.005

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

Vegetation Land Use Type	Vegetation Soil Type	Initial Acres	Final Acres
3	3		

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

Biomass Cover Type	Initial Acres	Final Acres

5.18.2. Sequestration

5.18.2.1. Unmitigated

Tree Type Number Electricity Saved (kWh/year) Natural Gas Saved (btu/year)
--

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

Cal-Adapt midcentury 2040–2059 average projections for four hazards are reported below for your project location. These are under Representation Concentration Pathway (RCP) 8.5 which assumes GHG emissions will continue to rise strongly through 2050 and then plateau around 2100.

Climate Hazard	Result for Project Location	Unit
Temperature and Extreme Heat	34.9	annual days of extreme heat
Extreme Precipitation	1.05	annual days with precipitation above 20 mm
Sea Level Rise	_	meters of inundation depth
Wildfire	0.99	annual hectares burned

Temperature and Extreme Heat data are for grid cell in which your project are located. The projection is based on the 98th historical percentile of daily maximum/minimum temperatures from observed historical data (32 climate model ensemble from Cal-Adapt, 2040–2059 average under RCP 8.5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi. Extreme Precipitation data are for the grid cell in which your project are located. The threshold of 20 mm is equivalent to about ¾ an inch of rain, which would be light to moderate rainfall if received over a full day or heavy rain if received over a period of 2 to 4 hours. Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Sea Level Rise data are for the grid cell in which your project are located. The projections are from Radke et al. (2017), as reported in Cal-Adapt (Radke et al., 2017, CEC-500-2017-008), and consider inundation location and depth for the San Francisco Bay, the Sacramento-San Joaquin River Delta and California coast resulting different increments of sea level rise coupled with extreme storm events. Users may select from four scenarios to view the range in potential inundation depth for the grid cell. The four scenarios are: No rise, 0.5 meter, 1.0 meter, 1.41 meters Wildfire data are for the grid cell in which your project are located. The projections are from UC Davis, as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider historical data of climate, vegetation, population density, and large (> 400 ha) fire history. Users may select from four model simulations to view the range in potential wildfire probabilities for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

6.2. Initial Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	N/A	N/A	N/A	N/A

Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	N/A	N/A	N/A	N/A
Wildfire	N/A	N/A	N/A	N/A
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	N/A	N/A	N/A	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores do not include implementation of climate risk reduction measures.

6.3. Adjusted Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	N/A	N/A	N/A	N/A
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	N/A	N/A	N/A	N/A
Wildfire	N/A	N/A	N/A	N/A
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	N/A	N/A	N/A	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores include implementation of climate risk reduction measures.

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher	
Indicator	Result for Project Census Tract
Exposure Indicators	_
AQ-Ozone	80.0
AQ-PM	7.52
AQ-DPM	21.9
Drinking Water	34.9
Lead Risk Housing	27.7
Pesticides	0.00
Toxic Releases	37.1
Traffic	59.7
Effect Indicators	_
CleanUp Sites	52.1
Groundwater	44.8
Haz Waste Facilities/Generators	16.6
Impaired Water Bodies	51.2
Solid Waste	84.7
Sensitive Population	_
Asthma	88.0
Cardio-vascular	89.5
Low Birth Weights	91.9
Socioeconomic Factor Indicators	_
Education	26.9
Housing	11.6
Linguistic	_

Poverty	52.5
Unemployment	90.6

7.2. Healthy Places Index Scores

The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Economic	_
Above Poverty	44.97626075
Employed	30.46323624
Median HI	35.0442705
Education	_
Bachelor's or higher	42.93596818
High school enrollment	100
Preschool enrollment	39.79212113
Transportation	_
Auto Access	85.40998332
Active commuting	24.00872578
Social	_
2-parent households	51.18696266
Voting	75.34967278
Neighborhood	_
Alcohol availability	88.37418196
Park access	16.65597331
Retail density	8.469138971
Supermarket access	2.399589375
Tree canopy	0.71859361
Housing	_
Homeownership	62.60746824

Housing habitability	64.39112024
Low-inc homeowner severe housing cost burden	17.8108559
Low-inc renter severe housing cost burden	77.19748492
Uncrowded housing	68.66418581
Health Outcomes	_
Insured adults	64.22430386
Arthritis	4.4
Asthma ER Admissions	7.6
High Blood Pressure	8.9
Cancer (excluding skin)	9.1
Asthma	30.0
Coronary Heart Disease	6.8
Chronic Obstructive Pulmonary Disease	13.3
Diagnosed Diabetes	35.6
Life Expectancy at Birth	34.2
Cognitively Disabled	41.3
Physically Disabled	11.3
Heart Attack ER Admissions	2.7
Mental Health Not Good	48.5
Chronic Kidney Disease	20.1
Obesity	46.5
Pedestrian Injuries	48.3
Physical Health Not Good	39.9
Stroke	15.1
Health Risk Behaviors	_
Binge Drinking	57.0
Current Smoker	46.7
No Leisure Time for Physical Activity	58.0

Climate Change Exposures	_
Wildfire Risk	0.0
SLR Inundation Area	0.0
Children	58.1
Elderly	16.8
English Speaking	81.5
Foreign-born	11.0
Outdoor Workers	47.0
Climate Change Adaptive Capacity	_
Impervious Surface Cover	90.2
Traffic Density	37.9
Traffic Access	23.0
Other Indices	
Hardship	32.7
Other Decision Support	_
2016 Voting	75.3

7.3. Overall Health & Equity Scores

Metric	Result for Project Census Tract
CalEnviroScreen 4.0 Score for Project Location (a)	65.0
Healthy Places Index Score for Project Location (b)	46.0
Project Located in a Designated Disadvantaged Community (Senate Bill 535)	No
Project Located in a Low-Income Community (Assembly Bill 1550)	No
Project Located in a Community Air Protection Program Community (Assembly Bill 617)	No

a: The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

7.4. Health & Equity Measures

b: The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

No Health & Equity Measures selected.

7.5. Evaluation Scorecard

Health & Equity Evaluation Scorecard not completed.

7.6. Health & Equity Custom Measures

No Health & Equity Custom Measures created.

8. User Changes to Default Data

Screen	Justification
Land Use	Total Project area is 224.90 acres
Construction: Construction Phases	Construction schedule adjusted based on the 2029 Opening Year
Construction: Off-Road Equipment	Construction equipment adjusted based on changes made to the schedule
Construction: Trips and VMT	Vendor Trips adjusted based on CalEEMod defaults for Building Construction and number of days for Site Preparation, Grading, and Building Construction

This page intentionally left blank



APPENDIX 3.2:

CALEEMOD OPERATIONAL EMISSIONS MODEL OUTPUTS



Lake Creek Logistics Center (Operations - Unmitigated) Detailed Report

Table of Contents

- 1. Basic Project Information
 - 1.1. Basic Project Information
 - 1.2. Land Use Types
 - 1.3. User-Selected Emission Reduction Measures by Emissions Sector
- 2. Emissions Summary
 - 2.4. Operations Emissions Compared Against Thresholds
 - 2.5. Operations Emissions by Sector, Unmitigated
- 4. Operations Emissions Details
 - 4.1. Mobile Emissions by Land Use
 - 4.1.1. Unmitigated
 - 4.2. Energy
 - 4.2.1. Electricity Emissions By Land Use Unmitigated
 - 4.2.3. Natural Gas Emissions By Land Use Unmitigated
 - 4.3. Area Emissions by Source
 - 4.3.1. Unmitigated

- 4.4. Water Emissions by Land Use
 - 4.4.1. Unmitigated
- 4.5. Waste Emissions by Land Use
 - 4.5.1. Unmitigated
- 4.6. Refrigerant Emissions by Land Use
 - 4.6.1. Unmitigated
- 4.7. Offroad Emissions By Equipment Type
 - 4.7.1. Unmitigated
- 4.8. Stationary Emissions By Equipment Type
 - 4.8.1. Unmitigated
- 4.9. User Defined Emissions By Equipment Type
 - 4.9.1. Unmitigated
- 4.10. Soil Carbon Accumulation By Vegetation Type
 - 4.10.1. Soil Carbon Accumulation By Vegetation Type Unmitigated
 - 4.10.2. Above and Belowground Carbon Accumulation by Land Use Type Unmitigated
 - 4.10.3. Avoided and Sequestered Emissions by Species Unmitigated
- 5. Activity Data
 - 5.9. Operational Mobile Sources

- 5.9.1. Unmitigated
- 5.10. Operational Area Sources
 - 5.10.1. Hearths
 - 5.10.1.1. Unmitigated
 - 5.10.2. Architectural Coatings
 - 5.10.3. Landscape Equipment
- 5.11. Operational Energy Consumption
 - 5.11.1. Unmitigated
- 5.12. Operational Water and Wastewater Consumption
 - 5.12.1. Unmitigated
- 5.13. Operational Waste Generation
 - 5.13.1. Unmitigated
- 5.14. Operational Refrigeration and Air Conditioning Equipment
 - 5.14.1. Unmitigated
- 5.15. Operational Off-Road Equipment
 - 5.15.1. Unmitigated
- 5.16. Stationary Sources
 - 5.16.1. Emergency Generators and Fire Pumps

- 5.16.2. Process Boilers
- 5.17. User Defined
- 5.18. Vegetation
 - 5.18.1. Land Use Change
 - 5.18.1.1. Unmitigated
 - 5.18.1. Biomass Cover Type
 - 5.18.1.1. Unmitigated
 - 5.18.2. Sequestration
 - 5.18.2.1. Unmitigated
- 6. Climate Risk Detailed Report
 - 6.1. Climate Risk Summary
 - 6.2. Initial Climate Risk Scores
 - 6.3. Adjusted Climate Risk Scores
 - 6.4. Climate Risk Reduction Measures
- 7. Health and Equity Details
 - 7.1. CalEnviroScreen 4.0 Scores
 - 7.2. Healthy Places Index Scores
 - 7.3. Overall Health & Equity Scores

- 7.4. Health & Equity Measures
- 7.5. Evaluation Scorecard
- 7.6. Health & Equity Custom Measures
- 8. User Changes to Default Data

1. Basic Project Information

1.1. Basic Project Information

Data Field	Value
Project Name	Lake Creek Logistics Center (Operations - Unmitigated)
Operational Year	2029
Lead Agency	_
Land Use Scale	Project/site
Analysis Level for Defaults	County
Windspeed (m/s)	5.00
Precipitation (days)	12.4
Location	34.57509227224038, -117.17721847885088
County	San Bernardino-Mojave Desert
City	Apple Valley
Air District	Mojave Desert AQMD
Air Basin	Mojave Desert
TAZ	5160
EDFZ	10
Electric Utility	Southern California Edison
Gas Utility	Southwest Gas Corp.
App Version	2022.1.1.29

1.2. Land Use Types

Land Use Subtype	Size	Unit	Lot Acreage	Building Area (sq ft)	Landscape Area (sq ft)	Special Landscape Area (sq ft)	Population	Description
General Heavy Industry	348	1000sqft	7.99	348,074	0.00	_	_	General Light Industrial PC

User Defined Industrial	348	User Defined Unit	0.00	0.00	0.00	_	_	General Light Industrial Trucks
Refrigerated Warehouse-No Rail	348	1000sqft	7.99	348,074	0.00	_	_	High Cube Cold PO
User Defined Industrial	348	User Defined Unit	0.00	0.00	0.00	_	_	High Cube Cold Trucks
Unrefrigerated Warehouse-No Rail	2,785	1000sqft	64.5	2,784,588	24,966	_	_	High Cube Fulfillment PC
User Defined Industrial	2,785	User Defined Unit	0.00	0.00	0.00	_	_	High Cube Fulfillment Trucks
Parking Lot	4,597	Space	31.7	0.00	0.00	_	_	_
Other Asphalt Surfaces	4,911	1000sqft	113	0.00	0.00	_	_	_

1.3. User-Selected Emission Reduction Measures by Emissions Sector

No measures selected

2. Emissions Summary

2.4. Operations Emissions Compared Against Thresholds

Un/Mit.	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	СО2Т	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Unmit.	144	138	154	516	2.10	3.68	121	125	3.47	31.2	34.7	3,362	246,095	249,457	345	26.0	9,887	275,720
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Unmit.	114	111	162	285	2.02	3.42	121	124	3.27	31.2	34.5	3,362	237,619	240,981	345	26.1	9,380	266,778
Average Daily (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

Unmit.	117	114	118	297	1.49	2.50	87.8	90.3	2.36	22.7	25.0	3,362	182,460	185,822	345	20.2	9,531	209,999
Annual (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Unmit.	21.4	20.8	21.5	54.1	0.27	0.46	16.0	16.5	0.43	4.14	4.57	557	30,208	30,765	57.1	3.35	1,578	34,768

2.5. Operations Emissions by Sector, Unmitigated

			,	aan, to	,	,			,		<i>j</i>	,						
Sector	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Mobile	35.1	31.8	149	361	2.09	3.20	121	124	3.05	31.2	34.3	_	216,596	216,596	2.68	21.9	521	223,70
Area	107	105	1.27	151	0.01	0.27	_	0.27	0.20	_	0.20	_	623	623	0.03	0.01	_	625
Energy	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	23,723	23,723	2.26	0.27	_	23,861
Water	_	_	_	_	_	_	_	_	_	_	_	1,542	4,398	5,941	159	3.81	_	11,040
Waste	_	_	_	_	_	_	_	_	_	_	_	1,820	0.00	1,820	182	0.00	_	6,366
Refrig.	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	9,367	9,367
Stationa ry	1.62	1.48	4.13	3.77	0.01	0.22	0.00	0.22	0.22	0.00	0.22	0.00	756	756	0.03	0.01	0.00	758
Total	144	138	154	516	2.10	3.68	121	125	3.47	31.2	34.7	3,362	246,095	249,457	345	26.0	9,887	275,72
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Mobile	32.5	29.3	158	281	2.01	3.20	121	124	3.05	31.2	34.3	_	208,742	208,742	2.76	22.0	13.5	215,38
Area	79.9	79.9	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Energy	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	23,723	23,723	2.26	0.27	_	23,861
Water	_	_	_	_	_	_	_	_	_	_	_	1,542	4,398	5,941	159	3.81	_	11,040
Waste	_	_	_	_	_	_	_	_	_	_	_	1,820	0.00	1,820	182	0.00	_	6,366
Refrig.	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	9,367	9,367
Stationa ry	1.62	1.48	4.13	3.77	0.01	0.22	0.00	0.22	0.22	0.00	0.22	0.00	756	756	0.03	0.01	0.00	758

Total	114	111	162	285	2.02	3.42	121	124	3.27	31.2	34.5	3,362	237,619	240,981	345	26.1	9,380	266,778
Average Daily	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Mobile	23.9	21.5	117	221	1.48	2.34	87.8	90.2	2.23	22.7	24.9	_	153,928	153,928	2.04	16.1	164	158,953
Area	93.2	92.1	0.63	74.7	< 0.005	0.13	_	0.13	0.10	_	0.10	_	307	307	0.01	< 0.005	_	308
Energy	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	23,723	23,723	2.26	0.27	_	23,861
Water	_	_	_	_	_	_	_	_	_	_	_	1,542	4,398	5,941	159	3.81	_	11,040
Waste	_	_	_	_	_	_	_	_	_	_	_	1,820	0.00	1,820	182	0.00	_	6,366
Refrig.	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	9,367	9,367
Stationa ry	0.22	0.20	0.57	0.52	< 0.005	0.03	0.00	0.03	0.03	0.00	0.03	0.00	104	104	< 0.005	< 0.005	0.00	104
Total	117	114	118	297	1.49	2.50	87.8	90.3	2.36	22.7	25.0	3,362	182,460	185,822	345	20.2	9,531	209,999
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Mobile	4.37	3.93	21.3	40.4	0.27	0.43	16.0	16.5	0.41	4.14	4.54	_	25,485	25,485	0.34	2.67	27.2	26,316
Area	17.0	16.8	0.11	13.6	< 0.005	0.02	_	0.02	0.02	_	0.02	_	50.8	50.8	< 0.005	< 0.005	_	51.0
Energy	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	3,928	3,928	0.37	0.05	_	3,950
Water	_	_	_	_	_	_	_	_	_	_	_	255	728	984	26.3	0.63	_	1,828
Waste	_	_	_	_	_	_	_	_	_	_	_	301	0.00	301	30.1	0.00	_	1,054
Refrig.	_	_	_	_	_	_	_	_	_	_	_		_	_	_	_	1,551	1,551
Stationa ry	0.04	0.04	0.10	0.09	< 0.005	0.01	0.00	0.01	0.01	0.00	0.01	0.00	17.1	17.1	< 0.005	< 0.005	0.00	17.2
Total	21.4	20.8	21.5	54.1	0.27	0.46	16.0	16.5	0.43	4.14	4.57	557	30,208	30,765	57.1	3.35	1,578	34,768

4. Operations Emissions Details

4.1. Mobile Emissions by Land Use

4.1.1. Unmitigated

Land Use	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	-	_	-	-	-	-	-	-	_	_	-	_	_	_	_	-	_
General Heavy Industry	7.12	6.53	3.45	74.8	0.17	0.06	16.6	16.7	0.06	4.19	4.25	_	16,844	16,844	0.54	0.37	40.1	17,008
User Defined Industrial	4.26	3.56	134	37.6	1.37	2.93	49.0	51.9	2.81	13.1	15.9	_	143,691	143,691	0.34	20.3	347	150,087
Refriger ated Wareho use-No Rail	2.12	1.94	1.03	22.2	0.05	0.02	4.95	4.96	0.02	1.25	1.26	_	5,007	5,007	0.16	0.11	11.9	5,056
Unrefrig erated Wareho use-No Rail	21.6	19.8	10.5	227	0.50	0.19	50.4	50.6	0.17	12.7	12.9	_	51,054	51,054	1.64	1.13	122	51,552
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Total	35.1	31.8	149	361	2.09	3.20	121	124	3.05	31.2	34.3	_	216,596	216,596	2.68	21.9	521	223,703
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
General Heavy Industry	6.57	5.98	3.83	56.3	0.15	0.06	16.6	16.7	0.06	4.19	4.25	_	15,017	15,017	0.56	0.40	1.04	15,150
User Defined Industrial	4.07	3.40	141	37.8	1.37	2.93	49.0	51.9	2.81	13.1	15.9	_	143,747	143,747	0.33	20.3	9.01	149,811

Refriger	1.95	1.78	1.14	16.7	0.04	0.02	4.95	4.96	0.02	1.25	1.26	_	4,464	4,464	0.17	0.12	0.31	4,504
ated Wareho Rail																		
Unrefrig erated Wareho use-No Rail	19.9	18.1	11.6	171	0.45	0.19	50.4	50.6	0.17	12.7	12.9	_	45,515	45,515	1.70	1.21	3.15	45,921
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Total	32.5	29.3	158	281	2.01	3.20	121	124	3.05	31.2	34.3	_	208,742	208,742	2.76	22.0	13.5	215,386
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
General Heavy Industry	0.88	0.80	0.53	8.18	0.02	0.01	2.20	2.21	0.01	0.55	0.56	_	1,868	1,868	0.07	0.05	2.10	1,887
User Defined Industrial	0.55	0.46	19.0	5.00	0.18	0.39	6.50	6.89	0.37	1.74	2.11	_	17,398	17,398	0.04	2.46	18.1	18,149
Refriger ated Wareho use-No Rail	0.26	0.24	0.16	2.43	0.01	< 0.005	0.65	0.66	< 0.005	0.16	0.17	_	555	555	0.02	0.01	0.62	561
Unrefrig erated Wareho use-No Rail	2.67	2.43	1.62	24.8	0.06	0.02	6.67	6.70	0.02	1.68	1.70	_	5,663	5,663	0.21	0.15	6.35	5,719
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Total	4.37	3.93	21.3	40.4	0.27	0.43	16.0	16.5	0.41	4.14	4.54	_	25,485	25,485	0.34	2.67	27.2	26,316

4.2. Energy

4.2.1. Electricity Emissions By Land Use - Unmitigated

Land Use	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
General Heavy Industry	_	_	_	_	_	_	_	_	_	_	_	_	3,149	3,149	0.30	0.04	_	3,167
User Defined Industrial	_	_	_	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	_	0.00
Refriger ated Wareho use-No Rail	_	_	_	_	_	_	_	_	_	_	_	_	7,229	7,229	0.69	0.08	_	7,271
Unrefrig erated Wareho use-No Rail	_	_	_	_	_	_	_	_	_	_	_	_	12,199	12,199	1.16	0.14	_	12,270
Parking Lot	_	_	-	_	_	_	_	_	_	_	_	_	1,147	1,147	0.11	0.01	_	1,153
Other Asphalt Surfaces	_	_	_	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	_	0.00
Total	_	_	_	_	_	_	_	_	_	_	_	_	23,723	23,723	2.26	0.27	_	23,861
Daily, Winter (Max)	_	_	_	-	_	_	_	_	_	_	_	_	_	_	_	_	_	_

General Heavy Industry	_	_	_	_	_	_		_		_		_	3,149	3,149	0.30	0.04	_	3,167
User Defined Industrial	_	_	_	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	_	0.00
Refriger ated Wareho use-No Rail	_	_	_	_	_	_	_		_	_		_	7,229	7,229	0.69	0.08	_	7,271
Unrefrig erated Wareho use-No Rail	_	_	_	_	_	_	_	_	_	_	_	_	12,199	12,199	1.16	0.14	_	12,270
Parking Lot	_	_	_	_	_	_	_	_	_	_	_	_	1,147	1,147	0.11	0.01	_	1,153
Other Asphalt Surfaces	_	_	_	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	_	0.00
Total	_	_	_	_	_	_	_	_	_	_	_	_	23,723	23,723	2.26	0.27	_	23,861
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
General Heavy Industry	_	_	_	_	_	_	_	_	_	_	_	_	521	521	0.05	0.01	_	524
User Defined Industrial	_	_	_	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	_	0.00
Refriger ated Wareho use-No Rail	_	_	_	_	_	_	_	_	_	_		_	1,197	1,197	0.11	0.01	_	1,204

Unrefrig erated Wareho use-No Rail	_	_	_	_	_	_	_	_	_	_	_	_	2,020	2,020	0.19	0.02	_	2,031
Parking Lot	_	_	_	_	_	-	_	_	_	_	_	_	190	190	0.02	< 0.005	_	191
Other Asphalt Surfaces	_	_	_	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	_	0.00
Total	_	_	_	_	_	_	_	_	_	_	_	_	3,928	3,928	0.37	0.05	_	3,950

4.2.3. Natural Gas Emissions By Land Use - Unmitigated

Land Use	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	СО2Т	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
General Heavy Industry	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00
User Defined Industrial	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00
Refriger ated Wareho use-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00
Unrefrig erated Wareho use-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00

Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00
Daily, Winter (Max)	_	_	_	_	-	-	_	_	_	_		_	_	-	-	-	_	_
General Heavy Industry	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00
User Defined Industrial	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00
Refriger ated Wareho use-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00
Unrefrig erated Wareho use-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	-	0.00	-	0.00	0.00	0.00	0.00	_	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
General Heavy Industry	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00
User Defined Industrial	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00

Refriger ated	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00
Unrefrig erated Wareho use-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00

4.3. Area Emissions by Source

4.3.1. Unmitigated

Source	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Consum er Product s	75.0	75.0	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Architect ural Coating s	4.90	4.90		_	_	_	_	_	_	_		_	_	_	_	_		_
Landsca pe Equipm ent	26.9	24.9	1.27	151	0.01	0.27		0.27	0.20	_	0.20	_	623	623	0.03	0.01	_	625
Total	107	105	1.27	151	0.01	0.27	_	0.27	0.20	_	0.20	_	623	623	0.03	0.01	_	625

Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Consum er Product s	75.0	75.0	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Architect ural Coating s	4.90	4.90	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	79.9	79.9	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Consum er Product s	13.7	13.7	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Architect ural Coating s	0.89	0.89	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Landsca pe Equipm ent	2.43	2.24	0.11	13.6	< 0.005	0.02	_	0.02	0.02	_	0.02	_	50.8	50.8	< 0.005	< 0.005	_	51.0
Total	17.0	16.8	0.11	13.6	< 0.005	0.02	_	0.02	0.02	_	0.02	_	50.8	50.8	< 0.005	< 0.005	_	51.0

4.4. Water Emissions by Land Use

4.4.1. Unmitigated

			.,	J /						<i>J</i> .								
Land	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Use																		
Daily,	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Summer																		
(Max)																		

General Heavy Industry	_	_	_	_	_	_	_	_	_	_	_	154	440	594	15.9	0.38	_	1,104
User Defined Industrial	_	_	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Refriger ated Wareho use-No Rail	_	_	_	_	_	_	_	_	_	_	_	154	440	594	15.9	0.38	_	1,104
Unrefrig erated Wareho use-No Rail	_	_	_	_	_	_	_	_	_	_	_	1,234	3,519	4,753	127	3.05	_	8,832
Parking Lot	_	_	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Other Asphalt Surfaces	_	_	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Total	_	_	_	_	_	_	_	_	_	_	_	1,542	4,398	5,941	159	3.81	_	11,040
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
General Heavy Industry	_	_	_	_	_	_	_	_	_	_	_	154	440	594	15.9	0.38	_	1,104
User Defined Industrial	_	_	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Refriger ated Wareho use-No Rail		_	_	_	_	_	_			_		154	440	594	15.9	0.38	_	1,104

Unrefrig erated Wareho Rail	_	_	_	_	_	_	_			_	_	1,234	3,519	4,753	127	3.05	_	8,832
Parking Lot	_	-	-	-	-	_	_	_	-	-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Other Asphalt Surfaces	_	-	_	_	_	_	-	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Total	_	_	_	_	_	_	_	_	_	_	_	1,542	4,398	5,941	159	3.81	_	11,040
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
General Heavy Industry	_	_	_	_	_	_	_	_	_	_	_	25.5	72.8	98.3	2.63	0.06	_	183
User Defined Industrial	_	-	_	-	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Refriger ated Wareho use-No Rail	_	_	_	_	_	_	_	_	_	_	_	25.5	72.8	98.3	2.63	0.06	_	183
Unrefrig erated Wareho use-No Rail	_	_	_	_	_	_	_	_	_	_	_	204	583	787	21.0	0.50	_	1,462
Parking Lot	_	_	-	_	_	-	-	_	-	-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Other Asphalt Surfaces	_	_	_	_	_	-	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Total	_	_	_	_	_	_	_	_	_	_	_	255	728	984	26.3	0.63	_	1,828

4.5. Waste Emissions by Land Use

4.5.1. Unmitigated

Land Use	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
General Heavy Industry	_	_	-	_	_	_	_	_	_	_	_	233	0.00	233	23.2	0.00	_	814
User Defined Industrial	_	_	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Refriger ated Wareho use-No Rail	_	_	_	_	_	_	_	_	_	_	_	176	0.00	176	17.6	0.00	_	617
Unrefrig erated Wareho use-No Rail	_	_	_	_	_	_	_	_	_	_	_	1,411	0.00	1,411	141	0.00	_	4,935
Parking Lot	_	_	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Other Asphalt Surfaces	_	_	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Total	_	_	_	_	_	_	_	_	_	_	_	1,820	0.00	1,820	182	0.00	_	6,366
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
General Heavy Industry	_	_	_	_	_	_	_	_	_	_	_	233	0.00	233	23.2	0.00	_	814

User Defined Industrial	_	_	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Refriger ated Wareho use-No Rail	_	_	_	_	_	_	_	_	_	_	_	176	0.00	176	17.6	0.00	_	617
Unrefrig erated Wareho use-No Rail	_	_	_	_	_	_	_	_	_	_	_	1,411	0.00	1,411	141	0.00	_	4,935
Parking Lot	_	_	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Other Asphalt Surfaces	_	_	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Total	_	_	_	_	_	_	_	_	_	_	_	1,820	0.00	1,820	182	0.00	_	6,366
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
General Heavy Industry	_	_	_	_	_	_	_	_	_	_	_	38.5	0.00	38.5	3.85	0.00	_	135
User Defined Industrial	_	_	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Refriger ated Wareho use-No Rail	_	_	_	_	_	_	_	_	_	_	_	29.2	0.00	29.2	2.92	0.00	_	102
Unrefrig erated Wareho use-No Rail	_	_		_	_	_	_	_		_	_	234	0.00	234	23.3	0.00	_	817
Parking Lot	_	_	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00

Other Asphalt Surfaces	_	_	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Total	_	_	_	_	_	_	_	_	_	_	_	301	0.00	301	30.1	0.00	_	1,054

4.6. Refrigerant Emissions by Land Use

4.6.1. Unmitigated

		_								J.						_		_
Land Use	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
General Heavy Industry	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	90.6	90.6
Refriger ated Wareho use-No Rail	_		_	_	_	_	_	_	_	_	_	_	_	_	_	_	9,276	9,276
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	9,367	9,367
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
General Heavy Industry	_	_	-	_	_	_	_	_	_	_	_	_	_	_	_	_	90.6	90.6
Refriger ated Wareho use-No Rail	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	9,276	9,276
Total	_	_	_	_	-	-	_	_	_	_	_	_	_	_	_	_	9,367	9,367

Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
General Heavy Industry	_	_	_	_	_	_	_		_	_	_	_	_	_	_	_	15.0	15.0
Refriger ated Wareho use-No Rail	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	1,536	1,536
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	1,551	1,551

4.7. Offroad Emissions By Equipment Type

4.7.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

										<u></u>								
Equipm ent Type	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

4.8. Stationary Emissions By Equipment Type

4.8.1. Unmitigated

Equipm Type	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_	_	_	-	-	_	_	_	_	_	_	_	_	-	-	-
Emerge ncy Generat or	1.62	1.48	4.13	3.77	0.01	0.22	0.00	0.22	0.22	0.00	0.22	0.00	756	756	0.03	0.01	0.00	758
Total	1.62	1.48	4.13	3.77	0.01	0.22	0.00	0.22	0.22	0.00	0.22	0.00	756	756	0.03	0.01	0.00	758
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	-
Emerge ncy Generat or	1.62	1.48	4.13	3.77	0.01	0.22	0.00	0.22	0.22	0.00	0.22	0.00	756	756	0.03	0.01	0.00	758
Total	1.62	1.48	4.13	3.77	0.01	0.22	0.00	0.22	0.22	0.00	0.22	0.00	756	756	0.03	0.01	0.00	758
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Emerge ncy Generat or	0.04	0.04	0.10	0.09	< 0.005	0.01	0.00	0.01	0.01	0.00	0.01	0.00	17.1	17.1	< 0.005	< 0.005	0.00	17.2
Total	0.04	0.04	0.10	0.09	< 0.005	0.01	0.00	0.01	0.01	0.00	0.01	0.00	17.1	17.1	< 0.005	< 0.005	0.00	17.2

4.9. User Defined Emissions By Equipment Type

4.9.1. Unmitigated

Equipm ent Type	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Vegetati on			NOx	СО			PM10D	PM10T		PM2.5D			NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

Land Use	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

		(,		· j,	,	,		(,		··· J , ·····,	(
Species	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Avoided	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Subtotal	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Sequest ered	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Subtotal	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Remove d	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Subtotal	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Avoided	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Subtotal	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Sequest ered	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Subtotal	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

Remove	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Subtotal	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Avoided	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Subtotal	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Sequest ered	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Subtotal	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Remove d	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Subtotal	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
_	_	_	_	_	_	_	_	_	_			_	_	_	_	_	_	

5. Activity Data

5.9. Operational Mobile Sources

5.9.1. Unmitigated

Land Use Type	Trips/Weekday	Trips/Saturday	Trips/Sunday	Trips/Year	VMT/Weekday	VMT/Saturday	VMT/Sunday	VMT/Year
General Heavy Industry	1,608	136	54.4	429,158	24,008	2,031	812	6,407,471
User Defined Industrial	90.0	7.62	3.06	24,025	3,600	305	123	960,984
Refrigerated Warehouse-No Rail	478	40.4	16.2	127,577	7,137	604	242	1,904,769
User Defined Industrial	264	22.3	8.95	70,464	10,561	894	358	2,818,556
Unrefrigerated Warehouse-No Rail	4,874	412	165	1,300,785	72,768	6,157	2,461	19,421,177

User Defined Industrial	1,056	89.4	35.6	281,812	42,237	3,575	1,426	11,272,466
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

5.10. Operational Area Sources

5.10.1. Hearths

5.10.1.1. Unmitigated

5.10.2. Architectural Coatings

Residential Interior Area Coated (sq ft)	Residential Exterior Area Coated (sq ft)	Non-Residential Interior Area Coated (sq ft)	Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)
0	0.00	5,221,104	1,740,368	377,465

5.10.3. Landscape Equipment

Season	Unit	Value
Snow Days	day/yr	0.00
Summer Days	day/yr	180

5.11. Operational Energy Consumption

5.11.1. Unmitigated

Electricity (kWh/yr) and CO2 and CH4 and N2O and Natural Gas (kBTU/yr)

Land Use	Electricity (kWh/yr)	CO2	CH4	N2O	Natural Gas (kBTU/yr)
General Heavy Industry	3,319,833	346	0.0330	0.0040	0.00
User Defined Industrial	0.00	346	0.0330	0.0040	0.00

Refrigerated Warehouse-No Rail	7,621,233	346	0.0330	0.0040	0.00
User Defined Industrial	0.00	346	0.0330	0.0040	0.00
Unrefrigerated Warehouse-No Rail	12,861,185	346	0.0330	0.0040	0.00
User Defined Industrial	0.00	346	0.0330	0.0040	0.00
Parking Lot	1,208,863	346	0.0330	0.0040	0.00
Other Asphalt Surfaces	0.00	346	0.0330	0.0040	0.00

5.12. Operational Water and Wastewater Consumption

5.12.1. Unmitigated

Land Use	Indoor Water (gal/year)	Outdoor Water (gal/year)
General Heavy Industry	80,492,113	0.00
User Defined Industrial	0.00	0.00
Refrigerated Warehouse-No Rail	80,492,113	0.00
User Defined Industrial	0.00	0.00
Unrefrigerated Warehouse-No Rail	643,935,975	552,711
User Defined Industrial	0.00	0.00
Parking Lot	0.00	0.00
Other Asphalt Surfaces	0.00	0.00

5.13. Operational Waste Generation

5.13.1. Unmitigated

Land Use	Waste (ton/year)	Cogeneration (kWh/year)
General Heavy Industry	432	_
User Defined Industrial	0.00	_
Refrigerated Warehouse-No Rail	327	_

User Defined Industrial	0.00	_
Unrefrigerated Warehouse-No Rail	2,618	_
User Defined Industrial	0.00	_
Parking Lot	0.00	_
Other Asphalt Surfaces	0.00	_

5.14. Operational Refrigeration and Air Conditioning Equipment

5.14.1. Unmitigated

Land Use Type	Equipment Type	Refrigerant	GWP	Quantity (kg)	Operations Leak Rate	Service Leak Rate	Times Serviced
General Heavy Industry	Other commercial A/C and heat pumps	R-410A	2,088	0.30	4.00	4.00	18.0
Refrigerated Warehouse-No Rail	Cold storage	R-404A	3,922	7.50	7.50	7.50	25.0

5.15. Operational Off-Road Equipment

5.15.1. Unmitigated

Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
* * * * * * * * * * * * * * * * * * * *	**************************************				· ·	

5.16. Stationary Sources

5.16.1. Emergency Generators and Fire Pumps

Equipment Type	Fuel Type	Number per Day	Hours per Day	Hours per Year	Horsepower	Load Factor
Emergency Generator	Diesel	1.00	1.00	50.0	300	0.73
Emergency Generator	Diesel	1.00	1.00	50.0	300	0.73
Emergency Generator	Diesel	1.00	1.00	50.0	300	0.73

5.16.2. Process Boilers

Equipment Type Fuel Type Number Boiler Rating (MMBtu/hr) Daily Heat Input (MMBtu/day) Annual Heat Input (MMBtu/yr)

5.17. User Defined

Equipment Type Fuel Type

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

Vegetation Land Use Type Vegetation Soil Type Initial Acres Final Acres

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

Biomass Cover Type Initial Acres Final Acres

5.18.2. Sequestration

5.18.2.1. Unmitigated

Tree Type Number Electricity Saved (kWh/year) Natural Gas Saved (btu/year)

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

Cal-Adapt midcentury 2040–2059 average projections for four hazards are reported below for your project location. These are under Representation Concentration Pathway (RCP) 8.5 which assumes GHG emissions will continue to rise strongly through 2050 and then plateau around 2100.

Climate Hazard	Result for Project Location	Unit
Temperature and Extreme Heat	34.9	annual days of extreme heat
Extreme Precipitation	1.05	annual days with precipitation above 20 mm
Sea Level Rise	_	meters of inundation depth
Wildfire	0.99	annual hectares burned

observed historical data (32 climate model ensemble from Cal-Adapt, 2040–2059 average under RCP 8.5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi. Extreme Precipitation data are for the grid cell in which your project are located. The threshold of 20 mm is equivalent to about ¾ an inch of rain, which would be light to moderate rainfall if received over a full day or heavy rain if received over a period of 2 to 4 hours. Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi. Sea Level Rise data are for the grid cell in which your project are located. The projections are from Radke et al. (2017), as reported in Cal-Adapt (Radke et al., 2017, CEC-500-2017-008), and consider inundation location and depth for the San Francisco Bay, the Sacramento-San Joaquin River Delta and California coast resulting different increments of sea level rise coupled with extreme storm events. Users may select from four scenarios to view the range in potential inundation depth for the grid cell. The four scenarios are: No rise, 0.5 meter, 1.0 meter, 1.41 meters Wildfire data are for the grid cell in which your project are located. The projections are from UC Davis, as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider historical data of climate, vegetation, population density, and large (> 400 ha) fire history. Users may select from four model simulations to view the range in potential wildfire probabilities for the grid cell. The

four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of

different rainfall and temperature possibilities (MIROC5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Temperature and Extreme Heat data are for grid cell in which your project are located. The projection is based on the 98th historical percentile of daily maximum/minimum temperatures from

6.2. Initial Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	N/A	N/A	N/A	N/A
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	N/A	N/A	N/A	N/A
Wildfire	N/A	N/A	N/A	N/A
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	N/A	N/A	N/A	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores do not include implementation of climate risk reduction measures.

6.3. Adjusted Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	N/A	N/A	N/A	N/A
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	N/A	N/A	N/A	N/A
Wildfire	N/A	N/A	N/A	N/A
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	N/A	N/A	N/A	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores include implementation of climate risk reduction measures

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

(, g. cancer cancer can give	F
Indicator	Result for Project Census Tract
Exposure Indicators	_
AQ-Ozone	80.0
AQ-PM	7.52
AQ-DPM	21.9
Drinking Water	34.9
Lead Risk Housing	27.7

Pesticides	0.00
Toxic Releases	37.1
Traffic	59.7
Effect Indicators	_
CleanUp Sites	52.1
Groundwater	44.8
Haz Waste Facilities/Generators	16.6
Impaired Water Bodies	51.2
Solid Waste	84.7
Sensitive Population	_
Asthma	88.0
Cardio-vascular	89.5
Low Birth Weights	91.9
Socioeconomic Factor Indicators	_
Education	26.9
Housing	11.6
Linguistic	_
Poverty	52.5
Unemployment	90.6

7.2. Healthy Places Index Scores

The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Economic	_
Above Poverty	44.97626075
Employed	30.46323624
Median HI	35.0442705
Education	_

Pachalaria ar highar	42.93596818
Bachelor's or higher	
High school enrollment	100
Preschool enrollment	39.79212113
Transportation	_
Auto Access	85.40998332
Active commuting	24.00872578
Social	_
2-parent households	51.18696266
Voting	75.34967278
Neighborhood	_
Alcohol availability	88.37418196
Park access	16.65597331
Retail density	8.469138971
Supermarket access	2.399589375
Tree canopy	0.71859361
Housing	_
Homeownership	62.60746824
Housing habitability	64.39112024
Low-inc homeowner severe housing cost burden	17.8108559
Low-inc renter severe housing cost burden	77.19748492
Uncrowded housing	68.66418581
Health Outcomes	_
Insured adults	64.22430386
Arthritis	4.4
Asthma ER Admissions	7.6
High Blood Pressure	8.9
Cancer (excluding skin)	9.1
Asthma	30.0

Coronary Heart Disease	6.8
Chronic Obstructive Pulmonary Disease	13.3
Diagnosed Diabetes	35.6
Life Expectancy at Birth	34.2
Cognitively Disabled	41.3
Physically Disabled	11.3
Heart Attack ER Admissions	2.7
Mental Health Not Good	48.5
Chronic Kidney Disease	20.1
Obesity	46.5
Pedestrian Injuries	48.3
Physical Health Not Good	39.9
Stroke	15.1
Health Risk Behaviors	_
Binge Drinking	57.0
Current Smoker	46.7
No Leisure Time for Physical Activity	58.0
Climate Change Exposures	_
Wildfire Risk	0.0
SLR Inundation Area	0.0
Children	58.1
Elderly	16.8
English Speaking	81.5
Foreign-born	11.0
Outdoor Workers	47.0
Climate Change Adaptive Capacity	
Impervious Surface Cover	90.2
Traffic Density	37.9

Traffic Access	23.0
Other Indices	_
Hardship	32.7
Other Decision Support	_
2016 Voting	75.3

7.3. Overall Health & Equity Scores

Metric	Result for Project Census Tract
CalEnviroScreen 4.0 Score for Project Location (a)	65.0
Healthy Places Index Score for Project Location (b)	46.0
Project Located in a Designated Disadvantaged Community (Senate Bill 535)	No
Project Located in a Low-Income Community (Assembly Bill 1550)	No
Project Located in a Community Air Protection Program Community (Assembly Bill 617)	No

a: The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

b: The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

7.4. Health & Equity Measures

No Health & Equity Measures selected.

7.5. Evaluation Scorecard

Health & Equity Evaluation Scorecard not completed.

7.6. Health & Equity Custom Measures

No Health & Equity Custom Measures created.

8. User Changes to Default Data

Screen	Justification
Land Use	Total Project area is 224.90 acres
Construction: Construction Phases	Construction schedule adjusted based on the 2029 Opening Year
Construction: Off-Road Equipment	Construction equipment adjusted based on changes made to the schedule

Lake Creek Logistics Center (Operations - Unmitigated) Detailed Report, 2/21/2025

Construction: Trips and VMT	Vendor Trips adjusted based on CalEEMod defaults for Building Construction and number of days for Site Preparation, Grading, and Building Construction
Operations: Vehicle Data	Trip characteristics based on information provided in the Traffic analysis
Operations: Fleet Mix	Passenger Car Mix estimated based on the CalEEMod default fleet mix and the ratio of the vehicle classes (LDA, LDT1, LDT2, MDV, & MCY). Truck Mix based on information in the Traffic analysis
Operations: Energy Use	No natural gas for building envelope

Lake Creek Logistics Center (Operations - Mitigated) Detailed Report

Table of Contents

- 1. Basic Project Information
 - 1.1. Basic Project Information
 - 1.2. Land Use Types
 - 1.3. User-Selected Emission Reduction Measures by Emissions Sector
- 2. Emissions Summary
 - 2.4. Operations Emissions Compared Against Thresholds
 - 2.5. Operations Emissions by Sector, Unmitigated
 - 2.6. Operations Emissions by Sector, Mitigated
- 4. Operations Emissions Details
 - 4.1. Mobile Emissions by Land Use
 - 4.1.1. Unmitigated
 - 4.1.2. Mitigated
 - 4.2. Energy
 - 4.2.1. Electricity Emissions By Land Use Unmitigated
 - 4.2.2. Electricity Emissions By Land Use Mitigated

- 4.2.3. Natural Gas Emissions By Land Use Unmitigated
- 4.2.4. Natural Gas Emissions By Land Use Mitigated
- 4.3. Area Emissions by Source
 - 4.3.1. Unmitigated
 - 4.3.2. Mitigated
- 4.4. Water Emissions by Land Use
 - 4.4.1. Unmitigated
 - 4.4.2. Mitigated
- 4.5. Waste Emissions by Land Use
 - 4.5.1. Unmitigated
 - 4.5.2. Mitigated
- 4.6. Refrigerant Emissions by Land Use
 - 4.6.1. Unmitigated
 - 4.6.2. Mitigated
- 4.7. Offroad Emissions By Equipment Type
 - 4.7.1. Unmitigated
 - 4.7.2. Mitigated
- 4.8. Stationary Emissions By Equipment Type

- 4.8.1. Unmitigated
- 4.8.2. Mitigated
- 4.9. User Defined Emissions By Equipment Type
 - 4.9.1. Unmitigated
 - 4.9.2. Mitigated
- 4.10. Soil Carbon Accumulation By Vegetation Type
 - 4.10.1. Soil Carbon Accumulation By Vegetation Type Unmitigated
 - 4.10.2. Above and Belowground Carbon Accumulation by Land Use Type Unmitigated
 - 4.10.3. Avoided and Sequestered Emissions by Species Unmitigated
 - 4.10.4. Soil Carbon Accumulation By Vegetation Type Mitigated
 - 4.10.5. Above and Belowground Carbon Accumulation by Land Use Type Mitigated
 - 4.10.6. Avoided and Sequestered Emissions by Species Mitigated
- 5. Activity Data
 - 5.9. Operational Mobile Sources
 - 5.9.1. Unmitigated
 - 5.9.2. Mitigated
 - 5.10. Operational Area Sources
 - 5.10.1. Hearths

- 5.10.1.1. Unmitigated
- 5.10.1.2. Mitigated
- 5.10.2. Architectural Coatings
- 5.10.3. Landscape Equipment
- 5.10.4. Landscape Equipment Mitigated
- 5.11. Operational Energy Consumption
 - 5.11.1. Unmitigated
 - 5.11.2. Mitigated
- 5.12. Operational Water and Wastewater Consumption
 - 5.12.1. Unmitigated
 - 5.12.2. Mitigated
- 5.13. Operational Waste Generation
 - 5.13.1. Unmitigated
 - 5.13.2. Mitigated
- 5.14. Operational Refrigeration and Air Conditioning Equipment
 - 5.14.1. Unmitigated
 - 5.14.2. Mitigated
- 5.15. Operational Off-Road Equipment

- 5.15.1. Unmitigated
- 5.15.2. Mitigated
- 5.16. Stationary Sources
 - 5.16.1. Emergency Generators and Fire Pumps
 - 5.16.2. Process Boilers
- 5.17. User Defined
- 5.18. Vegetation
 - 5.18.1. Land Use Change
 - 5.18.1.1. Unmitigated
 - 5.18.1.2. Mitigated
 - 5.18.1. Biomass Cover Type
 - 5.18.1.1. Unmitigated
 - 5.18.1.2. Mitigated
 - 5.18.2. Sequestration
 - 5.18.2.1. Unmitigated
 - 5.18.2.2. Mitigated
- 6. Climate Risk Detailed Report
 - 6.1. Climate Risk Summary

- 6.2. Initial Climate Risk Scores
- 6.3. Adjusted Climate Risk Scores
- 6.4. Climate Risk Reduction Measures
- 7. Health and Equity Details
 - 7.1. CalEnviroScreen 4.0 Scores
 - 7.2. Healthy Places Index Scores
 - 7.3. Overall Health & Equity Scores
 - 7.4. Health & Equity Measures
 - 7.5. Evaluation Scorecard
 - 7.6. Health & Equity Custom Measures
- 8. User Changes to Default Data

1. Basic Project Information

1.1. Basic Project Information

Data Field	Value
Project Name	Lake Creek Logistics Center (Operations - Mitigated)
Operational Year	2029
Lead Agency	_
Land Use Scale	Project/site
Analysis Level for Defaults	County
Windspeed (m/s)	5.00
Precipitation (days)	12.4
Location	34.57509227224038, -117.17721847885088
County	San Bernardino-Mojave Desert
City	Apple Valley
Air District	Mojave Desert AQMD
Air Basin	Mojave Desert
TAZ	5160
EDFZ	10
Electric Utility	Southern California Edison
Gas Utility	Southwest Gas Corp.
App Version	2022.1.1.29

1.2. Land Use Types

Land Use Subtype	Size	Unit	Lot Acreage	Building Area (sq ft)	Landscape Area (sq ft)	Special Landscape Area (sq ft)	Population	Description
General Heavy Industry	348	1000sqft	7.99	348,074	0.00	_	_	General Light Industrial PC

User Defined Industrial	348	User Defined Unit	0.00	0.00	0.00	_	_	General Light Industrial Trucks
Refrigerated Warehouse-No Rail	348	1000sqft	7.99	348,074	0.00	_	_	High Cube Cold Po
User Defined Industrial	348	User Defined Unit	0.00	0.00	0.00	_	_	High Cube Cold Trucks
Unrefrigerated Warehouse-No Rail	2,785	1000sqft	64.5	2,784,588	24,966	_	_	High Cube Fulfillment PC
User Defined Industrial	2,785	User Defined Unit	0.00	0.00	0.00	_	_	High Cube Fulfillment Trucks
Parking Lot	4,597	Space	31.7	0.00	0.00	_	_	_
Other Asphalt Surfaces	4,911	1000sqft	113	0.00	0.00	_	_	_

1.3. User-Selected Emission Reduction Measures by Emissions Sector

Sector	#	Measure Title
Energy	E-2	Require Energy Efficient Appliances
Energy	E-10-B	Establish Onsite Renewable Energy Systems: Solar Power
Water	W-4	Require Low-Flow Water Fixtures
Water	W-5	Design Water-Efficient Landscapes

2. Emissions Summary

2.4. Operations Emissions Compared Against Thresholds

				,						_,								
Un/Mit.	тос	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Unmit.	144	138	154	516	2.10	3.68	121	125	3.47	31.2	34.7	3,362	246,894	250,256	346	26.0	9,887	276,523

Mit.	144	138	154	516	2.10	3.68	121	125	3.47	31.2	34.7	3,210	240,880	244,090	329	25.5	9,887	269,822
% Reduced	_	_	_	_	_	_	_	_	_	_	_	5%	2%	2%	5%	2%	_	2%
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Unmit.	114	111	162	285	2.02	3.42	121	124	3.27	31.2	34.5	3,362	238,417	241,779	346	26.1	9,380	267,581
Mit.	114	111	162	285	2.02	3.42	121	124	3.27	31.2	34.5	3,210	232,403	235,613	329	25.7	9,380	260,880
% Reduced	_	_	_	_	_	_	_	_	_	_	_	5%	3%	3%	5%	2%	_	3%
Average Daily (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Unmit.	117	114	118	297	1.49	2.50	87.8	90.3	2.36	22.7	25.0	3,362	183,258	186,620	345	20.2	9,531	210,802
Mit.	117	114	118	297	1.49	2.50	87.8	90.3	2.36	22.7	25.0	3,210	177,244	180,455	329	19.8	9,531	204,101
% Reduced	_	_	_	_	_	_	_	_	_	_	_	5%	3%	3%	5%	2%	_	3%
Annual (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Unmit.	21.4	20.8	21.5	54.1	0.27	0.46	16.0	16.5	0.43	4.14	4.57	557	30,341	30,897	57.1	3.35	1,578	34,901
Mit.	21.4	20.8	21.5	54.1	0.27	0.46	16.0	16.5	0.43	4.14	4.57	531	29,345	29,876	54.4	3.28	1,578	33,791
% Reduced	_	_	_	-	_	_	_	_	_	_	_	5%	3%	3%	5%	2%	_	3%

2.5. Operations Emissions by Sector, Unmitigated

Sector	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Mobile	35.1	31.8	149	361	2.09	3.20	121	124	3.05	31.2	34.3	_	216,596	216,596	2.68	21.9	521	223,703
Area	107	105	1.27	151	0.01	0.27	_	0.27	0.20	_	0.20	_	623	623	0.03	0.01	_	625

Energy	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	24,521	24,521	2.34	0.28	_	24,664
Water	_	_	_	_	_	_	_	_	_	_	_	1,542	4,398	5,941	159	3.81	_	11,040
Waste	_	_	_	_	_	_	_	_	_	_	_	1,820	0.00	1,820	182	0.00	_	6,366
Refrig.	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	9,367	9,367
Stationa ry	1.62	1.48	4.13	3.77	0.01	0.22	0.00	0.22	0.22	0.00	0.22	0.00	756	756	0.03	0.01	0.00	758
Total	144	138	154	516	2.10	3.68	121	125	3.47	31.2	34.7	3,362	246,894	250,256	346	26.0	9,887	276,523
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Mobile	32.5	29.3	158	281	2.01	3.20	121	124	3.05	31.2	34.3	_	208,742	208,742	2.76	22.0	13.5	215,386
Area	79.9	79.9	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Energy	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	24,521	24,521	2.34	0.28	_	24,664
Water	_	_	_	_	_	_	_	_	_	_	_	1,542	4,398	5,941	159	3.81	_	11,040
Waste	_	_	_	_	_	_	_	_	_	_	_	1,820	0.00	1,820	182	0.00	_	6,366
Refrig.	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	9,367	9,367
Stationa ry	1.62	1.48	4.13	3.77	0.01	0.22	0.00	0.22	0.22	0.00	0.22	0.00	756	756	0.03	0.01	0.00	758
Total	114	111	162	285	2.02	3.42	121	124	3.27	31.2	34.5	3,362	238,417	241,779	346	26.1	9,380	267,581
Average Daily	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Mobile	23.9	21.5	117	221	1.48	2.34	87.8	90.2	2.23	22.7	24.9	_	153,928	153,928	2.04	16.1	164	158,953
Area	93.2	92.1	0.63	74.7	< 0.005	0.13	_	0.13	0.10	_	0.10	_	307	307	0.01	< 0.005	_	308
Energy	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	24,521	24,521	2.34	0.28	_	24,664
Water	_	_	_	_	_	_	_	_	_	_	_	1,542	4,398	5,941	159	3.81	_	11,040
Waste	_	_	_	_	_	_	_	_	_	_	_	1,820	0.00	1,820	182	0.00	_	6,366
Refrig.	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	9,367	9,367
Stationa ry	0.22	0.20	0.57	0.52	< 0.005	0.03	0.00	0.03	0.03	0.00	0.03	0.00	104	104	< 0.005	< 0.005	0.00	104
Total	117	114	118	297	1.49	2.50	87.8	90.3	2.36	22.7	25.0	3,362	183,258	186,620	345	20.2	9,531	210,802
Annual	_	-	-	-	_	_	_	-	-	_	-	-	-	_	_	-	_	-

Mobile	4.37	3.93	21.3	40.4	0.27	0.43	16.0	16.5	0.41	4.14	4.54	_	25,485	25,485	0.34	2.67	27.2	26,316
Area	17.0	16.8	0.11	13.6	< 0.005	0.02	_	0.02	0.02	_	0.02	_	50.8	50.8	< 0.005	< 0.005	_	51.0
Energy	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	4,060	4,060	0.39	0.05	_	4,083
Water	_	_	_	_	_	_	_	_	_	_	_	255	728	984	26.3	0.63	_	1,828
Waste	_	_	_	_	_	_	_	_	_	_	_	301	0.00	301	30.1	0.00	_	1,054
Refrig.	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	1,551	1,551
Stationa ry	0.04	0.04	0.10	0.09	< 0.005	0.01	0.00	0.01	0.01	0.00	0.01	0.00	17.1	17.1	< 0.005	< 0.005	0.00	17.2
Total	21.4	20.8	21.5	54.1	0.27	0.46	16.0	16.5	0.43	4.14	4.57	557	30,341	30,897	57.1	3.35	1,578	34,901

2.6. Operations Emissions by Sector, Mitigated

									_									
Sector	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Mobile	35.1	31.8	149	361	2.09	3.20	121	124	3.05	31.2	34.3	_	216,596	216,596	2.68	21.9	521	223,703
Area	107	105	1.27	151	0.01	0.27	_	0.27	0.20	_	0.20	_	623	623	0.03	0.01	_	625
Energy	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	18,942	18,942	1.81	0.22	_	19,052
Water	_	_	_	_	_	_	_	_	_	_	_	1,390	3,964	5,354	143	3.43	_	9,951
Waste	_	_	_	_	<u> </u>	_	_	_	_	_	_	1,820	0.00	1,820	182	0.00	_	6,366
Refrig.	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	9,367	9,367
Stationa ry	1.62	1.48	4.13	3.77	0.01	0.22	0.00	0.22	0.22	0.00	0.22	0.00	756	756	0.03	0.01	0.00	758
Total	144	138	154	516	2.10	3.68	121	125	3.47	31.2	34.7	3,210	240,880	244,090	329	25.5	9,887	269,822
Daily, Winter (Max)	_	_	_	_	-	_	_	_	-	_	_	_	_	_	_	-	_	_
Mobile	32.5	29.3	158	281	2.01	3.20	121	124	3.05	31.2	34.3	_	208,742	208,742	2.76	22.0	13.5	215,386
Area	79.9	79.9	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

Energy	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00		0.00	_	18,942	18,942	1.81	0.22	_	19,052
Water	_	_	_	_	_	_	_	_	_	_	_	1,390	3,964	5,354	143	3.43	_	9,951
Waste	_	_	_	_	_	_	_	_	_	_	_	1,820	0.00	1,820	182	0.00	_	6,366
Refrig.	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	9,367	9,367
Stationa ry	1.62	1.48	4.13	3.77	0.01	0.22	0.00	0.22	0.22	0.00	0.22	0.00	756	756	0.03	0.01	0.00	758
Total	114	111	162	285	2.02	3.42	121	124	3.27	31.2	34.5	3,210	232,403	235,613	329	25.7	9,380	260,880
Average Daily	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Mobile	23.9	21.5	117	221	1.48	2.34	87.8	90.2	2.23	22.7	24.9	_	153,928	153,928	2.04	16.1	164	158,953
Area	93.2	92.1	0.63	74.7	< 0.005	0.13	_	0.13	0.10	_	0.10	_	307	307	0.01	< 0.005	_	308
Energy	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	18,942	18,942	1.81	0.22	_	19,052
Water	_	_	_	_	_	_	_	_	_	_	_	1,390	3,964	5,354	143	3.43	_	9,951
Waste	_	_	_	_	_	_	_	_	_	_	_	1,820	0.00	1,820	182	0.00	_	6,366
Refrig.	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	9,367	9,367
Stationa ry	0.22	0.20	0.57	0.52	< 0.005	0.03	0.00	0.03	0.03	0.00	0.03	0.00	104	104	< 0.005	< 0.005	0.00	104
Total	117	114	118	297	1.49	2.50	87.8	90.3	2.36	22.7	25.0	3,210	177,244	180,455	329	19.8	9,531	204,101
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Mobile	4.37	3.93	21.3	40.4	0.27	0.43	16.0	16.5	0.41	4.14	4.54	_	25,485	25,485	0.34	2.67	27.2	26,316
Area	17.0	16.8	0.11	13.6	< 0.005	0.02	_	0.02	0.02	_	0.02	_	50.8	50.8	< 0.005	< 0.005	_	51.0
Energy	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	3,136	3,136	0.30	0.04	_	3,154
Water	_	_	_	_	_	_	_	_	_	_	_	230	656	886	23.7	0.57	_	1,648
Waste	_	_	_	_	_	_	_	_	_	_	_	301	0.00	301	30.1	0.00	_	1,054
Refrig.	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	1,551	1,551
Stationa ry	0.04	0.04	0.10	0.09	< 0.005	0.01	0.00	0.01	0.01	0.00	0.01	0.00	17.1	17.1	< 0.005	< 0.005	0.00	17.2
Total	21.4	20.8	21.5	54.1	0.27	0.46	16.0	16.5	0.43	4.14	4.57	531	29,345	29,876	54.4	3.28	1,578	33,791

4. Operations Emissions Details

4.1. Mobile Emissions by Land Use

4.1.1. Unmitigated

Land Use	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_	_	_	_	-	-	-	_	_	_	_	_	_	_	_	_
General Heavy Industry	7.12	6.53	3.45	74.8	0.17	0.06	16.6	16.7	0.06	4.19	4.25	_	16,844	16,844	0.54	0.37	40.1	17,008
User Defined Industrial	4.26	3.56	134	37.6	1.37	2.93	49.0	51.9	2.81	13.1	15.9	_	143,691	143,691	0.34	20.3	347	150,087
Refriger ated Wareho use-No Rail	2.12	1.94	1.03	22.2	0.05	0.02	4.95	4.96	0.02	1.25	1.26	_	5,007	5,007	0.16	0.11	11.9	5,056
Unrefrig erated Wareho use-No Rail	21.6	19.8	10.5	227	0.50	0.19	50.4	50.6	0.17	12.7	12.9	_	51,054	51,054	1.64	1.13	122	51,552
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Total	35.1	31.8	149	361	2.09	3.20	121	124	3.05	31.2	34.3	_	216,596	216,596	2.68	21.9	521	223,703
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

General Heavy Industry	6.57	5.98	3.83	56.3	0.15	0.06	16.6	16.7	0.06	4.19	4.25	_	15,017	15,017	0.56	0.40	1.04	15,150
User Defined Industrial	4.07	3.40	141	37.8	1.37	2.93	49.0	51.9	2.81	13.1	15.9	_	143,747	143,747	0.33	20.3	9.01	149,811
Refriger ated Wareho use-No Rail	1.95	1.78	1.14	16.7	0.04	0.02	4.95	4.96	0.02	1.25	1.26	_	4,464	4,464	0.17	0.12	0.31	4,504
Unrefrig erated Wareho use-No Rail	19.9	18.1	11.6	171	0.45	0.19	50.4	50.6	0.17	12.7	12.9	_	45,515	45,515	1.70	1.21	3.15	45,921
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00
Total	32.5	29.3	158	281	2.01	3.20	121	124	3.05	31.2	34.3	_	208,742	208,742	2.76	22.0	13.5	215,386
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
General Heavy Industry	0.88	0.80	0.53	8.18	0.02	0.01	2.20	2.21	0.01	0.55	0.56	_	1,868	1,868	0.07	0.05	2.10	1,887
User Defined Industrial	0.55	0.46	19.0	5.00	0.18	0.39	6.50	6.89	0.37	1.74	2.11	_	17,398	17,398	0.04	2.46	18.1	18,149
Refriger ated Wareho use-No Rail	0.26	0.24	0.16	2.43	0.01	< 0.005	0.65	0.66	< 0.005	0.16	0.17	_	555	555	0.02	0.01	0.62	561

Unrefrig erated Wareho use-No Rail	2.67	2.43	1.62	24.8	0.06	0.02	6.67	6.70	0.02	1.68	1.70	_	5,663	5,663	0.21	0.15	6.35	5,719
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Total	4.37	3.93	21.3	40.4	0.27	0.43	16.0	16.5	0.41	4.14	4.54	_	25,485	25,485	0.34	2.67	27.2	26,316

4.1.2. Mitigated

Land Use	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	СО2Т	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	-	_	_
General Heavy Industry	7.12	6.53	3.45	74.8	0.17	0.06	16.6	16.7	0.06	4.19	4.25	_	16,844	16,844	0.54	0.37	40.1	17,008
User Defined Industrial	4.26	3.56	134	37.6	1.37	2.93	49.0	51.9	2.81	13.1	15.9	_	143,691	143,691	0.34	20.3	347	150,087
Refriger ated Wareho use-No Rail	2.12	1.94	1.03	22.2	0.05	0.02	4.95	4.96	0.02	1.25	1.26	_	5,007	5,007	0.16	0.11	11.9	5,056
Unrefrig erated Wareho use-No Rail	21.6	19.8	10.5	227	0.50	0.19	50.4	50.6	0.17	12.7	12.9	_	51,054	51,054	1.64	1.13	122	51,552
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00

Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Total	35.1	31.8	149	361	2.09	3.20	121	124	3.05	31.2	34.3	_	216,596	216,596	2.68	21.9	521	223,703
Daily, Winter (Max)	_	_	_	-	_	-	-	-	_	-	_	_	-	_	_	-	_	_
General Heavy Industry	6.57	5.98	3.83	56.3	0.15	0.06	16.6	16.7	0.06	4.19	4.25	_	15,017	15,017	0.56	0.40	1.04	15,150
User Defined Industrial	4.07	3.40	141	37.8	1.37	2.93	49.0	51.9	2.81	13.1	15.9	_	143,747	143,747	0.33	20.3	9.01	149,811
Refriger ated Wareho use-No Rail	1.95	1.78	1.14	16.7	0.04	0.02	4.95	4.96	0.02	1.25	1.26	_	4,464	4,464	0.17	0.12	0.31	4,504
Unrefrig erated Wareho use-No Rail	19.9	18.1	11.6	171	0.45	0.19	50.4	50.6	0.17	12.7	12.9	_	45,515	45,515	1.70	1.21	3.15	45,921
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Total	32.5	29.3	158	281	2.01	3.20	121	124	3.05	31.2	34.3	_	208,742	208,742	2.76	22.0	13.5	215,386
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
General Heavy Industry	0.88	0.80	0.53	8.18	0.02	0.01	2.20	2.21	0.01	0.55	0.56	_	1,868	1,868	0.07	0.05	2.10	1,887
User Defined Industrial	0.55	0.46	19.0	5.00	0.18	0.39	6.50	6.89	0.37	1.74	2.11	_	17,398	17,398	0.04	2.46	18.1	18,149

Refriger ated	0.26	0.24	0.16	2.43	0.01	< 0.005	0.65	0.66	< 0.005	0.16	0.17	_	555	555	0.02	0.01	0.62	561
Unrefrig erated Wareho use-No Rail	2.67	2.43	1.62	24.8	0.06	0.02	6.67	6.70	0.02	1.68	1.70	_	5,663	5,663	0.21	0.15	6.35	5,719
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	0.00	0.00	0.00	0.00
Total	4.37	3.93	21.3	40.4	0.27	0.43	16.0	16.5	0.41	4.14	4.54	_	25,485	25,485	0.34	2.67	27.2	26,316

4.2. Energy

4.2.1. Electricity Emissions By Land Use - Unmitigated

Land Use	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
General Heavy Industry	_	_	_	_	_	_	_	_	_	_	_	_	3,948	3,948	0.38	0.05	_	3,971
User Defined Industrial	_	_	_	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	_	0.00
Refriger ated Wareho use-No Rail	_	_	_	_	_	_	_	_	_	_	_	_	7,229	7,229	0.69	0.08	_	7,271

Unrefrig erated Wareho	_	_	_	_	_	_	_	_	_	_	_	_	12,199	12,199	1.16	0.14	_	12,270
Rail Parking Lot	_	_	_	_	_	_	_	_	_	_	_	_	1,147	1,147	0.11	0.01	_	1,153
Other Asphalt Surfaces	_	_	_	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	_	0.00
Total	_	_	_	_	_	_	_	_	_	_	_	_	24,521	24,521	2.34	0.28	_	24,664
Daily, Winter (Max)	_	-	-	-	_	_	_	_	_	_	_	_	_	_	_	_	_	_
General Heavy Industry	_	_	_	_	_	_	_	_	_	_	_	_	3,948	3,948	0.38	0.05	_	3,971
User Defined Industrial	_	-	_	-	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	_	0.00
Refriger ated Wareho use-No Rail	_	_	_	_	_	_	_	_	_	_	_	_	7,229	7,229	0.69	0.08	_	7,271
Unrefrig erated Wareho use-No Rail		_	_	_	_	_	_	_	_	_	_	_	12,199	12,199	1.16	0.14	_	12,270
Parking Lot	_	_	-	_	_	_	_	_	_	_	_	_	1,147	1,147	0.11	0.01	_	1,153
Other Asphalt Surfaces	_	_	_	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	_	0.00
Total	_	_	_	_	_	_	_	_	_	_	_	_	24,521	24,521	2.34	0.28	_	24,664
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

General Heavy Industry	_	_	_	_	_	_	_	_	_	_	_	_	654	654	0.06	0.01	_	657
User Defined Industrial	_	_	-	-	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	_	0.00
Refriger ated Wareho use-No Rail	_	_	_	_	_	_	_	_	_	_	_	_	1,197	1,197	0.11	0.01	_	1,204
Unrefrig erated Wareho use-No Rail	_	_	_	_	_	_	_	_	_	_	_	_	2,020	2,020	0.19	0.02	_	2,031
Parking Lot	_	_	_	_	_	_	_	_	_	_	_	_	190	190	0.02	< 0.005	_	191
Other Asphalt Surfaces	_	_	_	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	_	0.00
Total	_	_	_	_	_	_	_	_	_	_	_	_	4,060	4,060	0.39	0.05	_	4,083

4.2.2. Electricity Emissions By Land Use - Mitigated

Land Use	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
General Heavy Industry	_	_	_	_	_	_	_		_	_		_	3,541	3,541	0.34	0.04	_	3,561
User Defined Industrial	_	_	_	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	_	0.00

Refriger Warehous Rail	— se-No	_	_	_	_	_	_	_	_	_	_	_	3,276	3,276	0.31	0.04	_	3,295
Unrefrig erated Wareho use-No Rail		_	_	_	_	_	_	_	_	_	_		10,979	10,979	1.05	0.13	_	11,043
Parking Lot	_	_	_	_	-	_	_	_	_	_	_	-	1,147	1,147	0.11	0.01	_	1,153
Other Asphalt Surfaces	-	-	-		_	_	_	-	_	_		_	0.00	0.00	0.00	0.00	-	0.00
Total	_	_	_	_	_	_	_	_	_	_	_	_	18,942	18,942	1.81	0.22	_	19,052
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
General Heavy Industry	_	_	_	_	_	_	_	_	_	_	_	_	3,541	3,541	0.34	0.04	_	3,561
User Defined Industrial	_	_	_	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	_	0.00
Refriger ated Wareho use-No Rail	_	-	_	_	-	_	_	_	-	_	_	-	3,276	3,276	0.31	0.04	_	3,295
Unrefrig erated Wareho use-No Rail	_	-	_	_	-	_	_	_	_	_	_	-	10,979	10,979	1.05	0.13	_	11,043
Parking Lot	_	_	-	-	-	_	_	-	-	-	_	-	1,147	1,147	0.11	0.01	-	1,153
Other Asphalt Surfaces	_	_	-	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	_	0.00

Total	_	_	_	_	_	_	_	_	_	_	_	_	18,942	18,942	1.81	0.22	_	19,052
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
General Heavy Industry	_	_	_	_	_	_	_	_	_	_	_	_	586	586	0.06	0.01	_	590
User Defined Industrial	_	_	_	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	_	0.00
Refriger ated Wareho use-No Rail	_	_	-	-	_	_	_	_	_	_	_	_	542	542	0.05	0.01	_	545
Unrefrig erated Wareho use-No Rail	_	_	_	_	_	_	_	_	_	_	_	_	1,818	1,818	0.17	0.02	_	1,828
Parking Lot	_	_	_	_	-	_	_	_	_	_	_	_	190	190	0.02	< 0.005	_	191
Other Asphalt Surfaces	_	_	_	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	_	0.00
Total	_	_	_	_	_	_	_	_	_	_	_	_	3,136	3,136	0.30	0.04	_	3,154

4.2.3. Natural Gas Emissions By Land Use - Unmitigated

Land Use	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
General Heavy Industry	0.00	0.00	0.00	0.00	0.00	0.00		0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00

User Defined Industrial	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00
Refriger ated Wareho use-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00
Unrefrig erated Wareho use-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00
Daily, Winter (Max)	_	_	_	-	-	_	_	_	_	_	-	_	_	_	-	-	-	-
General Heavy Industry	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	-	0.00
User Defined Industrial	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	-	0.00
Refriger ated Wareho use-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00
Unrefrig erated Wareho use-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00

Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	-	0.00	_	0.00	0.00	0.00	0.00	_	0.00
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
General Heavy Industry	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00
User Defined Industrial	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00
Refriger ated Wareho use-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00
Unrefrig erated Wareho use-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	-	0.00	-	0.00	0.00	0.00	0.00	-	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00

4.2.4. Natural Gas Emissions By Land Use - Mitigated

		(,	, ,	J	,		- (.,	,,	,							
Land	TOG	ROG	NOx	CO	SO2	PM10F	PM10D	PM10T	PM2.5F	PM2 5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Land	1.00	Itoo	I VOX		1002	I WITCE	I WITOD	1 101101	I IVIZ.OL	1 1012.00	1 1012.01	D002	NDOOZ	0021	0117	1420	'`	0020
Use																		

Daily, Summer (Max)	_	_	_	-	-	_	_	-	_	_	_	_	_	_	_	_	_	_
General Heavy Industry	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	-	0.00
User Defined Industrial	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	-	0.00
Refriger ated Wareho use-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00
Unrefrig erated Wareho use-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	-	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00
Daily, Winter (Max)	_	_	_	-	_	_	_	-	_	_	_	_	_	_	_	_	-	
General Heavy Industry	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00
User Defined Industrial	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00

Refriger ated Wareho use-No	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00
Rail																		
Unrefrig erated Wareho use-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	-	0.00	_	0.00	0.00	0.00	0.00	_	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
General Heavy Industry	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00
User Defined Industrial	0.00	0.00	0.00	0.00	0.00	0.00		0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00		0.00
Refriger ated Wareho use-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00
Unrefrig erated Wareho use-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	-	0.00	0.00	0.00	0.00	_	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	-	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	-	0.00

Total	0.00	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	 0.00
iotai	0.00	0.00	0.00	0.00	0.00	0.00		0.00	0.00		0.00		0.00	0.00	0.00	0.00	0.00

4.3. Area Emissions by Source

4.3.1. Unmitigated

Source	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Consum er Product s	75.0	75.0	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Architect ural Coating s	4.90	4.90	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Landsca pe Equipm ent	26.9	24.9	1.27	151	0.01	0.27	_	0.27	0.20	_	0.20	_	623	623	0.03	0.01	_	625
Total	107	105	1.27	151	0.01	0.27	_	0.27	0.20	_	0.20	_	623	623	0.03	0.01	_	625
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Consum er Product s	75.0	75.0	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Architect ural Coating s	4.90	4.90	_	_	_	_	_	_	_		_	_	_	_	_	_	_	_
Total	79.9	79.9	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Consum er Product s	13.7	13.7	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Architect ural Coating s	0.89	0.89	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Landsca pe Equipm ent	2.43	2.24	0.11	13.6	< 0.005	0.02	_	0.02	0.02	_	0.02	_	50.8	50.8	< 0.005	< 0.005	_	51.0
Total	17.0	16.8	0.11	13.6	< 0.005	0.02	_	0.02	0.02	_	0.02	_	50.8	50.8	< 0.005	< 0.005	_	51.0

4.3.2. Mitigated

Source	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Consum er Product s	75.0	75.0	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Architect ural Coating s	4.90	4.90	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Landsca pe Equipm ent	26.9	24.9	1.27	151	0.01	0.27	_	0.27	0.20	_	0.20	_	623	623	0.03	0.01	_	625
Total	107	105	1.27	151	0.01	0.27	_	0.27	0.20	_	0.20	_	623	623	0.03	0.01	_	625

Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Consum er Product s	75.0	75.0	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Architect ural Coating s	4.90	4.90	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	79.9	79.9	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Consum er Product s	13.7	13.7	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Architect ural Coating s	0.89	0.89	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Landsca pe Equipm ent	2.43	2.24	0.11	13.6	< 0.005	0.02	_	0.02	0.02	_	0.02	_	50.8	50.8	< 0.005	< 0.005	_	51.0
Total	17.0	16.8	0.11	13.6	< 0.005	0.02	_	0.02	0.02	_	0.02	_	50.8	50.8	< 0.005	< 0.005	_	51.0

4.4. Water Emissions by Land Use

4.4.1. Unmitigated

• • • • • • • • • • • • • • • • • • • •			a, a	ay,	y a.	raai, a		0.10, 0.0	.,	,,	,							
Land Use	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	СО2Т	CH4	N2O	R	CO2e
Daily,	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Summer (Max)																		

General Heavy Industry	_	_	_	_	_	_		_	_	_	_	154	440	594	15.9	0.38	_	1,104
User Defined Industrial	_	_	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Refriger ated Wareho use-No Rail		_	_	_	_	_	_	_	_	_	_	154	440	594	15.9	0.38	_	1,104
Unrefrig erated Wareho use-No Rail	_	_	_	_	_	_	_	_	_	_	_	1,234	3,519	4,753	127	3.05	_	8,832
Parking Lot	_	_	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Other Asphalt Surfaces	_	_	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Total	_	_	_	_	_	_	_	_	_	_	_	1,542	4,398	5,941	159	3.81	_	11,040
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
General Heavy Industry	_	_	_	_	_	_	_	_	_	_	_	154	440	594	15.9	0.38	_	1,104
User Defined Industrial	_	_	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Refriger ated Wareho use-No Rail	_	_		_	_	_	_	_	_	_	_	154	440	594	15.9	0.38	_	1,104

Unrefrig erated Wareho Rail	_	_	_	_	_	_	_			_	_	1,234	3,519	4,753	127	3.05	_	8,832
Parking Lot	_	-	-	-	-	_	_	_	-	-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Other Asphalt Surfaces	_	-	_	_	_	_	-	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Total	_	_	_	_	_	_	_	_	_	_	_	1,542	4,398	5,941	159	3.81	_	11,040
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
General Heavy Industry	_	_	_	_	_	_	_	_	_	_	_	25.5	72.8	98.3	2.63	0.06	_	183
User Defined Industrial	_	-	_	-	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Refriger ated Wareho use-No Rail	_	_	_	_	_	_	_	_	_	_	_	25.5	72.8	98.3	2.63	0.06	_	183
Unrefrig erated Wareho use-No Rail	_	_	_	_	_	_	_	_	_	_	_	204	583	787	21.0	0.50	_	1,462
Parking Lot	_	_	-	_	_	-	-	_	-	-	-	0.00	0.00	0.00	0.00	0.00	-	0.00
Other Asphalt Surfaces	_	_	_	_	_	-	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Total	_	_	_	_	_	_	_	_	_	_	_	255	728	984	26.3	0.63	_	1,828

4.4.2. Mitigated

Land Use	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	-	-	-	-	-	-	-	-	-	_	_	_	-	-	_	_	-
General Heavy Industry	_	_	_	-	_	_	_	_	-	_	_	139	396	535	14.3	0.34	_	995
User Defined Industrial	_	_	_	-	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Refriger ated Wareho use-No Rail	_	_	-	_	_	_	_	_	_	_	_	139	396	535	14.3	0.34	_	995
Unrefrig erated Wareho use-No Rail	_	_	-	_	_	_	_	_	_	_	_	1,112	3,171	4,284	114	2.75	_	7,961
Parking Lot	_	_	_	-	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Other Asphalt Surfaces	_	_	_	-	_	_	-	-	-	-	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Total	_	_	_	_	-	_	_	_	_	_	_	1,390	3,964	5,354	143	3.43	_	9,951
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
General Heavy Industry	_	_	_	_	_	_	_	_	_	_	_	139	396	535	14.3	0.34	_	995
User Defined Industrial	_	_	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00

Refriger ated Wareho	_	_	_	_	_	_	_	_	_	_	_	139	396	535	14.3	0.34	_	995
Rail													0.474	1.004		0.75		7.004
Unrefrig erated Wareho use-No Rail	_	_	_	_	_					_		1,112	3,171	4,284	114	2.75		7,961
Parking Lot		_	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Other Asphalt Surfaces	_	_	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Total	_	_	_	_	_	_	_	_	_	_	_	1,390	3,964	5,354	143	3.43	_	9,951
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
General Heavy Industry	_	_	-	-	_	_	_	_	_	_	_	23.0	65.6	88.6	2.37	0.06	_	165
User Defined Industrial	_	_	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Refriger ated Wareho use-No Rail	_	_	_	_	_	_	_	_	_	_	_	23.0	65.6	88.6	2.37	0.06	_	165
Unrefrig erated Wareho use-No Rail	_	_	_	_	_	_	_	_	_	_	_	184	525	709	18.9	0.45	_	1,318
Parking Lot	_	_	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Other Asphalt Surfaces	_	_	_	_	-	_	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Total	_	_	_	_	_	_	_	_	_	_	_	230	656	886	23.7	0.57	_	1,648

4.5. Waste Emissions by Land Use

4.5.1. Unmitigated

Land Use	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	СО2Т	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_	_	_	-	_	_	_	_	_	_	_	_	_	_	_	_
General Heavy Industry	_	_	-	_	_	_	_	_	_	_	_	233	0.00	233	23.2	0.00	_	814
User Defined Industrial	_	_	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Refriger ated Wareho use-No Rail	_	_	_	_		_	_	_	_	_	_	176	0.00	176	17.6	0.00	_	617
Unrefrig erated Wareho use-No Rail	_	_	_	_	-	_	_	_	_	_	_	1,411	0.00	1,411	141	0.00	_	4,935
Parking Lot	_	-	_	-	-	_	-	-	-	-	_	0.00	0.00	0.00	0.00	0.00	-	0.00
Other Asphalt Surfaces	_	_	_	_	_	-	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Total	_	_	_	_	_	_	_	_	_	_	_	1,820	0.00	1,820	182	0.00	_	6,366
Daily, Winter (Max)	_	_	-	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

General Heavy Industry	_		_	_	_		_	_	_	_	_	233	0.00	233	23.2	0.00	_	814
User Defined Industrial	_	_	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Refriger ated Wareho use-No Rail	_	_	_	_	_	_	_	_	_	_	_	176	0.00	176	17.6	0.00	_	617
Unrefrig erated Wareho use-No Rail	_	_	_	_	_	_	_	_	_	_	_	1,411	0.00	1,411	141	0.00	_	4,935
Parking Lot	_	_	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Other Asphalt Surfaces	_	_	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Total	_	_	_	_	_	_	_	_	_	_	_	1,820	0.00	1,820	182	0.00	_	6,366
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
General Heavy Industry	_	_	_	_	_	_	_	_	_	_	_	38.5	0.00	38.5	3.85	0.00	_	135
User Defined Industrial	_	_	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Refriger ated Wareho use-No Rail	_	_	_	_	_	_	_	_	_	_	_	29.2	0.00	29.2	2.92	0.00	_	102

Unrefrig erated Wareho use-No Rail	_	_	_	_	_	_	_	_	_	_	_	234	0.00	234	23.3	0.00	_	817
Parking Lot	_	_	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Other Asphalt Surfaces		_	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Total	_	_	_	_	_	_	_	_	_	_	_	301	0.00	301	30.1	0.00	_	1,054

4.5.2. Mitigated

Land Use	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
General Heavy Industry	_	_	_	_	_	_	_	_	_	_	_	233	0.00	233	23.2	0.00	_	814
User Defined Industrial	_	_	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Refriger ated Wareho use-No Rail	_	_	_	_	_	_		_	_	_	_	176	0.00	176	17.6	0.00	_	617
Unrefrig erated Wareho use-No Rail	_	_	_	_	_	_			_	_	_	1,411	0.00	1,411	141	0.00		4,935
Parking Lot	_	_	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00

Other Asphalt Surfaces	_	_	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00		0.00
Total	_	_	_	_	_	_	_	_	_	_	_	1,820	0.00	1,820	182	0.00	_	6,366
Daily, Winter (Max)	_	_	_	-	_	_	_	_	_	-	_	_	_	_	-	-	_	
General Heavy Industry	_	-	_	_	_	_	_	_	_	-	_	233	0.00	233	23.2	0.00	_	814
User Defined Industrial	_	_	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Refriger ated Wareho use-No Rail	_	_	_	_	_	_	_	_	_	_	_	176	0.00	176	17.6	0.00	_	617
Unrefrig erated Wareho use-No Rail	_	_	_	_	_	_	_	_	_	_	_	1,411	0.00	1,411	141	0.00		4,935
Parking Lot	_	_	_	-	_	_	_	_	_	-	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Other Asphalt Surfaces	_	_	_	_	_	_	_	_	_	-	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Total	_	_	_	_	_	_	_	_	_	_	_	1,820	0.00	1,820	182	0.00	_	6,366
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
General Heavy Industry	_	_	_	_	_	_	_	_	_	_	_	38.5	0.00	38.5	3.85	0.00	_	135
User Defined Industrial	_	_	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00

Refriger ated	_	_	_	_	_	_	_	_	_	_	_	29.2	0.00	29.2	2.92	0.00	_	102
Unrefrig erated Wareho use-No Rail	_	_	_	_	_	_	_	_	_	_	_	234	0.00	234	23.3	0.00	_	817
Parking Lot	_	_	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Other Asphalt Surfaces	_	_	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Total	_	_	_	_	_	_	_	_	_	_	_	301	0.00	301	30.1	0.00	_	1,054

4.6. Refrigerant Emissions by Land Use

4.6.1. Unmitigated

Land Use	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
General Heavy Industry	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	90.6	90.6
Refriger ated Wareho use-No Rail	_	_		_	_		_	_	_	_	_	_	_	_	_	_	9,276	9,276
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	9,367	9,367
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

General Heavy Industry	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	90.6	90.6
Refriger ated Wareho use-No Rail	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	9,276	9,276
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	9,367	9,367
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
General Heavy Industry	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	15.0	15.0
Refriger ated Wareho use-No Rail	_	_			_	_	_	_	_	_	_	_	_	_	_	_	1,536	1,536
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	1,551	1,551

4.6.2. Mitigated

Land Use	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
General Heavy Industry	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	90.6	90.6
Refriger ated Wareho use-No Rail	_	_	_	_		_	_	_	_	_	_	_	_			_	9,276	9,276
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	9,367	9,367

Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
General Heavy Industry	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	90.6	90.6
Refriger ated Wareho use-No Rail	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	9,276	9,276
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	9,367	9,367
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
General Heavy Industry	_	_	_	_	_	-	_	_	_	_	_	_	_	_	_	_	15.0	15.0
Refriger ated Wareho use-No Rail	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	1,536	1,536
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	1,551	1,551

4.7. Offroad Emissions By Equipment Type

4.7.1. Unmitigated

Equipm ent Type	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_		_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

4.7.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipm ent Type	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_		_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

4.8. Stationary Emissions By Equipment Type

4.8.1. Unmitigated

Equipm ent	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Туре																		
Daily, Summer	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
(Max)																		

Emerge Generato	1.62 r	1.48	4.13	3.77	0.01	0.22	0.00	0.22	0.22	0.00	0.22	0.00	756	756	0.03	0.01	0.00	758
Total	1.62	1.48	4.13	3.77	0.01	0.22	0.00	0.22	0.22	0.00	0.22	0.00	756	756	0.03	0.01	0.00	758
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Emerge ncy Generat or	1.62	1.48	4.13	3.77	0.01	0.22	0.00	0.22	0.22	0.00	0.22	0.00	756	756	0.03	0.01	0.00	758
Total	1.62	1.48	4.13	3.77	0.01	0.22	0.00	0.22	0.22	0.00	0.22	0.00	756	756	0.03	0.01	0.00	758
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Emerge ncy Generat or	0.04	0.04	0.10	0.09	< 0.005	0.01	0.00	0.01	0.01	0.00	0.01	0.00	17.1	17.1	< 0.005	< 0.005	0.00	17.2
Total	0.04	0.04	0.10	0.09	< 0.005	0.01	0.00	0.01	0.01	0.00	0.01	0.00	17.1	17.1	< 0.005	< 0.005	0.00	17.2

4.8.2. Mitigated

Equipm ent Type	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Emerge ncy Generat or	1.62	1.48	4.13	3.77	0.01	0.22	0.00	0.22	0.22	0.00	0.22	0.00	756	756	0.03	0.01	0.00	758
Total	1.62	1.48	4.13	3.77	0.01	0.22	0.00	0.22	0.22	0.00	0.22	0.00	756	756	0.03	0.01	0.00	758
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

Emerge ncy	1.62	1.48	4.13	3.77	0.01	0.22	0.00	0.22	0.22	0.00	0.22	0.00	756	756	0.03	0.01	0.00	758
Total	1.62	1.48	4.13	3.77	0.01	0.22	0.00	0.22	0.22	0.00	0.22	0.00	756	756	0.03	0.01	0.00	758
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Emerge ncy Generat or	0.04	0.04	0.10	0.09	< 0.005	0.01	0.00	0.01	0.01	0.00	0.01	0.00	17.1	17.1	< 0.005	< 0.005	0.00	17.2
Total	0.04	0.04	0.10	0.09	< 0.005	0.01	0.00	0.01	0.01	0.00	0.01	0.00	17.1	17.1	< 0.005	< 0.005	0.00	17.2

4.9. User Defined Emissions By Equipment Type

4.9.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

										<u> </u>								
Equipm ent Type	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

4.9.2. Mitigated

E	Equipm	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
ϵ	ent																		
	Гуре																		

Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_		_	_
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Vegetati on	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_		_	_	_	_	_	_	_	_	_	_	_		_	_	_
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

			_		,	,			,									
Land	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Use																		

Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

Species	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D		BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	-	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Avoided	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Subtotal	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Sequest ered	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Subtotal	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Remove d	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Subtotal	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Avoided	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Subtotal	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

Sequest ered	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Subtotal	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Remove d	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Subtotal	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Avoided	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Subtotal	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Sequest ered	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Subtotal	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Remove d	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Subtotal	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

4.10.4. Soil Carbon Accumulation By Vegetation Type - Mitigated

Vegetati on	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

_																		
To	tal	_	_	_	I —	_	_	_	_	_	_	_	_	_	_	_	_	 _

4.10.5. Above and Belowground Carbon Accumulation by Land Use Type - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

4.10.6. Avoided and Sequestered Emissions by Species - Mitigated

Species	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Avoided	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Subtotal	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Sequest ered	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Subtotal	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Remove d	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Subtotal	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Daily, Winter (Max)	_	_	_	_		_	_	_	_	_	_	_	_	_	_	_	_	_
Avoided	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_		_	_
Subtotal	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Sequest ered	_		_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Subtotal	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Remove d	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Subtotal	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Avoided	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Subtotal	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Sequest ered	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Subtotal	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Remove d	_	_	_	_	_	_	_	_	_	_	_	_	_		_	_	_	_
Subtotal	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

5. Activity Data

5.9. Operational Mobile Sources

5.9.1. Unmitigated

Land Use Type Trips/Weekday	Trine/Saturday	Tring/Sunday	Trine/Vear	VMT/Meekday	VMT/Saturday	VMT/Sunday	\/MT/Vear
Land Ose Type Imps/ Weekday	mps/Gaturday	mps/ounday	Trips/ real	V W I / V V C C K day	V W I / Galuluay	V IVI I / Ouriday	VIVIT/TEAL

General Heavy Industry	1,608	136	54.4	429,158	24,008	2,031	812	6,407,471
User Defined Industrial	90.0	7.62	3.06	24,025	3,600	305	123	960,984
Refrigerated Warehouse-No Rail	478	40.4	16.2	127,577	7,137	604	242	1,904,769
User Defined Industrial	264	22.3	8.95	70,464	10,561	894	358	2,818,556
Unrefrigerated Warehouse-No Rail	4,874	412	165	1,300,785	72,768	6,157	2,461	19,421,177
User Defined Industrial	1,056	89.4	35.6	281,812	42,237	3,575	1,426	11,272,466
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

5.9.2. Mitigated

Land Use Type	Trips/Weekday	Trips/Saturday	Trips/Sunday	Trips/Year	VMT/Weekday	VMT/Saturday	VMT/Sunday	VMT/Year
General Heavy Industry	1,608	136	54.4	429,158	24,008	2,031	812	6,407,471
User Defined Industrial	90.0	7.62	3.06	24,025	3,600	305	123	960,984
Refrigerated Warehouse-No Rail	478	40.4	16.2	127,577	7,137	604	242	1,904,769
User Defined Industrial	264	22.3	8.95	70,464	10,561	894	358	2,818,556
Unrefrigerated Warehouse-No Rail	4,874	412	165	1,300,785	72,768	6,157	2,461	19,421,177
User Defined Industrial	1,056	89.4	35.6	281,812	42,237	3,575	1,426	11,272,466
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

5.10. Operational Area Sources

5.10.1. Hearths

5.10.1.1. Unmitigated

5.10.1.2. Mitigated

5.10.2. Architectural Coatings

Residential Interior Area Coated (sq ft)	Residential Exterior Area Coated (sq ft)		Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)
0	0.00	5,221,104	1,740,368	377,465

5.10.3. Landscape Equipment

Season	Unit	Value
Snow Days	day/yr	0.00
Summer Days	day/yr	180

5.10.4. Landscape Equipment - Mitigated

Season	Unit	Value
Snow Days	day/yr	0.00
Summer Days	day/yr	180

5.11. Operational Energy Consumption

5.11.1. Unmitigated

Electricity (kWh/yr) and CO2 and CH4 and N2O and Natural Gas (kBTU/yr)

inothing (Kitting), and o'd and the and the data to the forth					
Land Use	Electricity (kWh/yr)	CO2	CH4	N2O	Natural Gas (kBTU/yr)
General Heavy Industry	4,161,943	346	0.0330	0.0040	0.00

User Defined Industrial	0.00	346	0.0330	0.0040	0.00
Refrigerated Warehouse-No Rail	7,621,233	346	0.0330	0.0040	0.00
User Defined Industrial	0.00	346	0.0330	0.0040	0.00
Unrefrigerated Warehouse-No Rail	12,861,185	346	0.0330	0.0040	0.00
User Defined Industrial	0.00	346	0.0330	0.0040	0.00
Parking Lot	1,208,863	346	0.0330	0.0040	0.00
Other Asphalt Surfaces	0.00	346	0.0330	0.0040	0.00

5.11.2. Mitigated

Electricity (kWh/yr) and CO2 and CH4 and N2O and Natural Gas (kBTU/yr)

Land Use	Electricity (kWh/yr)	CO2	CH4	N2O	Natural Gas (kBTU/yr)
General Heavy Industry	3,732,975	346	0.0330	0.0040	0.00
User Defined Industrial	0.00	346	0.0330	0.0040	0.00
Refrigerated Warehouse-No Rail	3,453,489	346	0.0330	0.0040	0.00
User Defined Industrial	0.00	346	0.0330	0.0040	0.00
Unrefrigerated Warehouse-No Rail	11,575,067	346	0.0330	0.0040	0.00
User Defined Industrial	0.00	346	0.0330	0.0040	0.00
Parking Lot	1,208,863	346	0.0330	0.0040	0.00
Other Asphalt Surfaces	0.00	346	0.0330	0.0040	0.00

5.12. Operational Water and Wastewater Consumption

5.12.1. Unmitigated

Land Use	Indoor Water (gal/year)	Outdoor Water (gal/year)
General Heavy Industry	80,492,113	0.00

User Defined Industrial	0.00	0.00
Refrigerated Warehouse-No Rail	80,492,113	0.00
User Defined Industrial	0.00	0.00
Unrefrigerated Warehouse-No Rail	643,935,975	552,711
User Defined Industrial	0.00	0.00
Parking Lot	0.00	0.00
Other Asphalt Surfaces	0.00	0.00

5.12.2. Mitigated

Land Use	Indoor Water (gal/year)	Outdoor Water (gal/year)
General Heavy Industry	72,563,639	0.00
User Defined Industrial	0.00	0.00
Refrigerated Warehouse-No Rail	72,563,639	0.00
User Defined Industrial	0.00	0.00
Unrefrigerated Warehouse-No Rail	580,508,281	231,040
User Defined Industrial	0.00	0.00
Parking Lot	0.00	0.00
Other Asphalt Surfaces	0.00	0.00

5.13. Operational Waste Generation

5.13.1. Unmitigated

Land Use	Waste (ton/year)	Cogeneration (kWh/year)
General Heavy Industry	432	_
User Defined Industrial	0.00	_
Refrigerated Warehouse-No Rail	327	_
User Defined Industrial	0.00	_
Unrefrigerated Warehouse-No Rail	2,618	_

User Defined Industrial	0.00	_
Parking Lot	0.00	_
Other Asphalt Surfaces	0.00	_

5.13.2. Mitigated

Land Use	Waste (ton/year)	Cogeneration (kWh/year)
General Heavy Industry	432	_
User Defined Industrial	0.00	_
Refrigerated Warehouse-No Rail	327	_
User Defined Industrial	0.00	_
Unrefrigerated Warehouse-No Rail	2,618	_
User Defined Industrial	0.00	_
Parking Lot	0.00	_
Other Asphalt Surfaces	0.00	_

5.14. Operational Refrigeration and Air Conditioning Equipment

5.14.1. Unmitigated

Land Use Type	Equipment Type	Refrigerant	GWP	Quantity (kg)	Operations Leak Rate	Service Leak Rate	Times Serviced
General Heavy Industry	Other commercial A/C and heat pumps	R-410A	2,088	0.30	4.00	4.00	18.0
Refrigerated Warehouse-No Rail	Cold storage	R-404A	3,922	7.50	7.50	7.50	25.0

5.14.2. Mitigated

Land Use Type	Equipment Type	Refrigerant	GWP	Quantity (kg)	Operations Leak Rate	Service Leak Rate	Times Serviced
General Heavy Industry	Other commercial A/C and heat pumps	R-410A	2,088	0.30	4.00	4.00	18.0

Refrigerated	Cold storage	R-404A	3,922	7.50	7.50	7.50	25.0
Warehouse-No Rail							

5.15. Operational Off-Road Equipment

5.15.1. Unmitigated

Equipment Type	Fuel Typ	e Engine Tier	Number per Da	y Hours Per Day	/ Horsepower	Load Factor
----------------	----------	---------------	---------------	-----------------	--------------	-------------

5.15.2. Mitigated

Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor

5.16. Stationary Sources

5.16.1. Emergency Generators and Fire Pumps

Equipment Type	Fuel Type	Number per Day	Hours per Day	Hours per Year	Horsepower	Load Factor
Emergency Generator	Diesel	1.00	1.00	50.0	300	0.73
Emergency Generator	Diesel	1.00	1.00	50.0	300	0.73
Emergency Generator	Diesel	1.00	1.00	50.0	300	0.73

5.16.2. Process Boilers

Equipment Type	Fuel Type	Number	Boiler Rating (MMBtu/hr)	Daily Heat Input (MMBtu/day)	Annual Heat Input (MMBtu/yr)
----------------	-----------	--------	--------------------------	------------------------------	------------------------------

5.17. User Defined

Equipment Type	Fuel Type

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

 Vegetation Land Use Type
 Vegetation Soil Type
 Initial Acres
 Final Acres

5.18.1.2. Mitigated

Vegetation Land Use Type Vegetation Soil Type Initial Acres Final Acres

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

Biomass Cover Type Final Acres Final Acres

5.18.1.2. Mitigated

Biomass Cover Type Initial Acres Final Acres

5.18.2. Sequestration

5.18.2.1. Unmitigated

Tree Type Number Electricity Saved (kWh/year) Natural Gas Saved (btu/year)

5.18.2.2. Mitigated

Tree Type Number Electricity Saved (kWh/year) Natural Gas Saved (btu/year)

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

Cal-Adapt midcentury 2040–2059 average projections for four hazards are reported below for your project location. These are under Representation Concentration Pathway (RCP) 8.5 which assumes GHG emissions will continue to rise strongly through 2050 and then plateau around 2100.

Climate Hazard	Result for Project Location	Unit
Temperature and Extreme Heat	34.9	annual days of extreme heat
Extreme Precipitation	1.05	annual days with precipitation above 20 mm
Sea Level Rise	_	meters of inundation depth
Wildfire	0.99	annual hectares burned

Temperature and Extreme Heat data are for grid cell in which your project are located. The projection is based on the 98th historical percentile of daily maximum/minimum temperatures from observed historical data (32 climate model ensemble from Cal-Adapt, 2040–2059 average under RCP 8.5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi. Extreme Precipitation data are for the grid cell in which your project are located. The threshold of 20 mm is equivalent to about ¾ an inch of rain, which would be light to moderate rainfall if received over a full day or heavy rain if received over a period of 2 to 4 hours. Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Sea Level Rise data are for the grid cell in which your project are located. The projections are from Radke et al. (2017), as reported in Cal-Adapt (Radke et al., 2017, CEC-500-2017-008), and consider inundation location and depth for the San Francisco Bay, the Sacramento-San Joaquin River Delta and California coast resulting different increments of sea level rise coupled with extreme storm events. Users may select from four scenarios to view the range in potential inundation depth for the grid cell. The four scenarios are: No rise, 0.5 meter, 1.0 meter, 1.41 meters Wildfire data are for the grid cell in which your project are located. The projections are from UC Davis, as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider historical data

Wildfire data are for the grid cell in which your project are located. The projections are from UC Davis, as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider historical dat of climate, vegetation, population density, and large (> 400 ha) fire history. Users may select from four model simulations to view the range in potential wildfire probabilities for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

6.2. Initial Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	N/A	N/A	N/A	N/A
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	N/A	N/A	N/A	N/A
Wildfire	N/A	N/A	N/A	N/A
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	N/A	N/A	N/A	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores do not include implementation of climate risk reduction measures.

6.3. Adjusted Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	N/A	N/A	N/A	N/A
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	N/A	N/A	N/A	N/A
Wildfire	N/A	N/A	N/A	N/A
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	N/A	N/A	N/A	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores include implementation of climate risk reduction measures.

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Exposure Indicators	_
AQ-Ozone	80.0
AQ-PM	7.52

21.9
34.9
27.7
0.00
37.1
59.7
_
52.1
44.8
16.6
51.2
84.7
_
88.0
89.5
91.9
26.9
11.6
_
52.5
90.6

7.2. Healthy Places Index Scores

The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Economic	_
Above Poverty	44.97626075

Median HI 35.0442705 Education — Bachelor's or higher 42.93596818 High school enrollment 100 Preschool enrollment 39.7912113 Transportation — Auto Access 85.40998332 Active commuting 24.00872578 Social — 2-parent households 51.18696266 Voting 75.34967278 Neighborhood — Alcohol availability 88.7418196 Park access 18.65597331 Retail density 8.46913971 Supermarket access 2.399588375 Tree canopy 0.71859361 Housing — Housing habitability 6.20746824 Housing habitability 6.439112024 Low-inc homeowner severe housing cost burden 17.8108559 Low-inc rainer severe housing cost burden 77.19744842 Uncrowded housing — Housing dailuts 6.422430386 Arthritis 4.4		
Education — Backelor's or higher 42,93598818 High school enrollment 100 Preschool enrollment 39,79212113 Transportation — Auto Access 85,40988332 Active commuting 24,00872578 Social — 2-parent households 51,1896266 Voting 75,34967278 Naloghborhood — Alcohol availability 88,37418196 Park access 16,65597331 Retail density 8,499139871 Housing — Housing — Housing — Housing 4,499389375 Homeownership 62,60748824 Housing habitability 64,39112024 Low-inc homeowner severe housing cost burden 17,8108559 Low-inc homeowner severe housing cost burden 17,19748492 Low-inc homeowner severe housing cost burden 47,19748492 Low-inc homeowner severe housing cost burden 48,66418561 Herath Outcomes — Insured ad	Employed	30.46323624
Backelor's or higher 42,93596818 High school enrollment 100 Preschool enrollment 39,79212113 Transportation — Active commuting 24,00872578 Social — 22-parent households 51,18696266 Voting 75,34967278 Neighborhood — Alcohol availability 8,37418196 Park access 16,65597331 Retail density 8,469138971 Supermarket access 2,399589375 Tree canopy 0,71859361 Housing — Housing habitability 62,60746824 Housing habitability 63,9112024 Low-inc nearer severe housing cost burden 17,8108559 Low-inc renter severe housing cost burden 77,19748492 Low-inc renter severe housing cost burden 86,6641881 Health Outcomes — Insured adults 64,22430386	Median HI	35.0442705
High school enrollment 100 Preschool enrollment 39.7921213 Transportation — Auto Access 85.40998332 Active commuting 24.00872578 Social — 2-parent households 51.18696266 Voting 75.34967278 Neighborhood — Alcohol availability 88.37418196 Park access 16.65597331 Retail density 8.469138971 Supermarket access 2.399589375 Tree canopy 0.71859361 Housing — Housing habitability 62.60748824 Housing habitability 64.39112024 Low-inc homeowner severe housing cost burden 17.8108559 Low-inc renter severe housing cost burden 77.19748492 Low-incremet severe housing cost burden 77.19748492 Low-incremet severe housing cost burden 68.66418881 Health Outcomes — Insured adults 64.22430386	Education	_
Preschool enrollment 39.79212113 Transportation — Auto Access 85.4098332 Active commuting 24.00872578 Social — 2-parent households 51.8696266 Voting 75.34967278 Notinghorhood — Alcohol availability 88.37418196 Park access 16.6559731 Retail density 8.469138971 Supermarket access 2.399589375 Tree canopy 0.71859361 Housing — Homeownership 64.39112024 Low-inc merowner severe housing cost burden 17.8108559 Low-inc renter severe housing cost burden 77.19748492 Uncrowded housing 68.66418581 Health Outcomes — Instred adults 64.22430386 Arthritis 4.4	Bachelor's or higher	42.93596818
Transportation — Auto Access 85.40998332 Active commuting 24.00872578 Social — 2-parent households 51.18696266 Voting 75.34967278 Neighborhood — Alcohol availability 88.37418196 Park access 16.65597331 Retail density 8.469138971 Supermarket access 2.389589375 Tree canopy 0.71859361 Housing — Housing habitability 62.60746824 Housing habitability 64.39112024 Low-inc nether severe housing cost burden 17.8108559 Uncrowded housing 68.66418581 Health Outcomes — Insured adults 64.22430386 Arthritis 4.4	High school enrollment	100
Auto Access 85.40988332 Active commuting 24.00872578 Social — 2-parent households 51.18696266 Voting 75.34967278 Neighborhood — Alcohol availability 88.37418196 Park access 16.65597331 Retail density 8.469138971 Supermarket access 2.399589375 Tree canopy 0.71859361 Housing — Housing habitability 64.3911024 Low-inc nomeowner severe housing cost burden 17.8108559 Low-inc renter severe housing cost burden 77.19748492 Uncrowded housing 68.66418581 Health Outcomes — Insured adults 64.22430386 Arthritis 4.4	Preschool enrollment	39.79212113
Active commuting 24.00872578 Social — 2-parent households 51.18696266 Voting 75.34967278 Neighborhood — Alcohol availability 88.37418196 Park access 16.65597331 Retail density 8.469138971 Supermarket access 2.399589375 Tree canopy 0.71859361 Housing — Housing habitability 64.39112024 Low-inc renter severe housing cost burden 17.8108559 Low-inc renter severe housing cost burden 77.19748492 Uncrowded housing 68.66418581 Health Outcomes — Insured adults 64.22430386 Arthritis 4.4	Transportation	_
Social — 2-parent households 51.18696266 Voting 75.34967278 Neighborhood — Alcohol availability 88.37418196 Park access 16.65597331 Retail density 8.469138971 Supermarket access 2.399589375 Tree canopy 0.71859361 Housing — Homeownership 62.60746824 Housing habitability 64.39112024 Low-inc homeowner severe housing cost burden 17.8108559 Low-inc renter severe housing cost burden 77.19748492 Uncrowded housing 68.66418581 Health Outcomes — Insured adults 64.22430386 Arthritis 4.4	Auto Access	85.40998332
2-parent households 51.18696266 Voting 75.34967278 Neighborhood — Alcohol availability 88.37418196 Park access 16.65597331 Retail density 8.469138971 Supermarket access 2.399589375 Tree canopy 0.71859361 Housing — Howeownership 62.60746824 Housing habitability 64.39112024 Low-inc homeowner severe housing cost burden 17.8108559 Low-inc renter severe housing cost burden 77.19748492 Uncrowded housing 68.66418581 Health Outcomes — Insured adults 64.22430386 Arthritis 4.4	Active commuting	24.00872578
Voting 75.34967278 Neighborhood — Alcohol availability 88.37418196 Park access 16.65597331 Retail density 8.469138971 Supermarket access 2.399589375 Tree canopy 0.71859361 Housing — Homeownership 62.60746824 Housing habitability 64.39112024 Low-inc nemewner severe housing cost burden 17.8108559 Low-inc renter severe housing cost burden 77.19748492 Uncrowded housing 68.66418581 Health Outcomes — Insured adults 64.22430386 Arthritis 4.4	Social	_
Neighborhood — Alcohol availability 88.37418196 Park access 16.65597331 Retail density 8.469138971 Supermarket access 2.399589375 Tree canopy 0.71859361 Housing — Homeownership 62.60746824 Housing habitability 64.39112024 Low-inc homeowner severe housing cost burden 17.8108559 Low-inc renter severe housing cost burden 77.19748492 Uncrowded housing 68.66418581 Health Outcomes — Insured adults 64.22430386 Arthritis 4.4	2-parent households	51.18696266
Alcohol availability 88.37418196 Park access 16.65597331 Retail density 8.469138971 Supermarket access 2.399589375 Tree canopy 0.71859361 Housing — Homeownership 62.60746824 Housing habitability 64.39112024 Low-inc homeowner severe housing cost burden 17.8108559 Low-inc renter severe housing cost burden 77.19748492 Uncrowded housing 68.66418581 Health Outcomes — Insured adults 64.22430386 Arthritis 4.4	Voting	75.34967278
Park access 16.65597331 Retail density 8.469138971 Supermarket access 2.399589375 Tree canopy 0.71859361 Housing — Homeownership 62.60746824 Housing habitability 64.39112024 Low-inc homeowner severe housing cost burden 17.8108559 Low-inc renter severe housing cost burden 77.19748492 Uncrowded housing 68.66418581 Health Outcomes — Insured adults 64.22430386 Arthritis 4.4	Neighborhood	_
Retail density 8.469138971 Supermarket access 2.399589375 Tree canopy 0.71859361 Housing — Homeownership 62.60746824 Housing habitability 64.39112024 Low-inc homeowner severe housing cost burden 17.8108559 Low-inc renter severe housing cost burden 77.19748492 Uncrowded housing 68.66418581 Health Outcomes — Insured adults 64.22430386 Arthritis 4.4	Alcohol availability	88.37418196
Supermarket access 2.399589375 Tree canopy 0.71859361 Housing — Homeownership 62.60746824 Housing habitability 64.39112024 Low-inc homeowner severe housing cost burden 17.8108559 Low-inc renter severe housing cost burden 77.19748492 Uncrowded housing 68.66418581 Health Outcomes — Insured adults 64.22430386 Arthritis 4.4	Park access	16.65597331
Tree canopy Housing Homeownership 62.60746824 Housing habitability 64.39112024 Low-inc homeowner severe housing cost burden 17.8108559 Low-inc renter severe housing cost burden 77.19748492 Uncrowded housing 68.66418581 Health Outcomes Housing adults 64.22430386 Arthritis 4.4	Retail density	8.469138971
Housing — Homeownership 62.60746824 Housing habitability 64.39112024 Low-inc homeowner severe housing cost burden 17.8108559 Low-inc renter severe housing cost burden 77.19748492 Uncrowded housing 68.66418581 Health Outcomes — Insured adults 64.22430386 Arthritis 4.4	Supermarket access	2.399589375
Homeownership Housing habitability 64.39112024 Low-inc homeowner severe housing cost burden 17.8108559 Low-inc renter severe housing cost burden 77.19748492 Uncrowded housing 68.66418581 Health Outcomes	Tree canopy	0.71859361
Housing habitability Low-inc homeowner severe housing cost burden Low-inc renter severe housing cost burden T7.19748492 Uncrowded housing Health Outcomes Insured adults Arthritis 64.39112024 66.39112024 64.391659 67.19748492 68.66418581 — 68.66418581 — 4.4	Housing	_
Low-inc homeowner severe housing cost burden 17.8108559 Low-inc renter severe housing cost burden 77.19748492 Uncrowded housing 68.66418581 Health Outcomes — 64.22430386 Arthritis 4.4	Homeownership	62.60746824
Low-inc renter severe housing cost burden 77.19748492 Uncrowded housing 68.66418581 Health Outcomes — 64.22430386 Arthritis 4.4	Housing habitability	64.39112024
Uncrowded housing 68.66418581 Health Outcomes — Insured adults 64.22430386 Arthritis 4.4	Low-inc homeowner severe housing cost burden	17.8108559
Health Outcomes — Insured adults 64.22430386 Arthritis 4.4	Low-inc renter severe housing cost burden	77.19748492
Insured adults 64.22430386 Arthritis 4.4	Uncrowded housing	68.66418581
Arthritis 4.4	Health Outcomes	_
	Insured adults	64.22430386
Asthma ER Admissions 7.6	Arthritis	4.4
	Asthma ER Admissions	7.6

High Blood Pressure	8.9
Cancer (excluding skin)	9.1
Asthma	30.0
Coronary Heart Disease	6.8
Chronic Obstructive Pulmonary Disease	13.3
Diagnosed Diabetes	35.6
Life Expectancy at Birth	34.2
Cognitively Disabled	41.3
Physically Disabled	11.3
Heart Attack ER Admissions	2.7
Mental Health Not Good	48.5
Chronic Kidney Disease	20.1
Obesity	46.5
Pedestrian Injuries	48.3
Physical Health Not Good	39.9
Stroke	15.1
Health Risk Behaviors	_
Binge Drinking	57.0
Current Smoker	46.7
No Leisure Time for Physical Activity	58.0
Climate Change Exposures	_
Wildfire Risk	0.0
SLR Inundation Area	0.0
Children	58.1
Elderly	16.8
English Speaking	81.5
Foreign-born	11.0
Outdoor Workers	47.0

Climate Change Adaptive Capacity	_
Impervious Surface Cover	90.2
Traffic Density	37.9
Traffic Access	23.0
Other Indices	_
Hardship	32.7
Other Decision Support	_
2016 Voting	75.3

7.3. Overall Health & Equity Scores

Metric	Result for Project Census Tract
CalEnviroScreen 4.0 Score for Project Location (a)	65.0
Healthy Places Index Score for Project Location (b)	46.0
Project Located in a Designated Disadvantaged Community (Senate Bill 535)	No
Project Located in a Low-Income Community (Assembly Bill 1550)	No
Project Located in a Community Air Protection Program Community (Assembly Bill 617)	No

a: The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

7.4. Health & Equity Measures

No Health & Equity Measures selected.

7.5. Evaluation Scorecard

Health & Equity Evaluation Scorecard not completed.

7.6. Health & Equity Custom Measures

No Health & Equity Custom Measures created.

8. User Changes to Default Data

Screen Justification

b: The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

Lake Creek Logistics Center (Operations - Mitigated) Detailed Report, 2/21/2025

Land Use	Total Project area is 224.90 acres
Construction: Construction Phases	Construction schedule adjusted based on the 2029 Opening Year
Construction: Off-Road Equipment	Construction equipment adjusted based on changes made to the schedule
Construction: Trips and VMT	Vendor Trips adjusted based on CalEEMod defaults for Building Construction and number of days for Site Preparation, Grading, and Building Construction
Operations: Vehicle Data	Trip characteristics based on information provided in the Traffic analysis
Operations: Fleet Mix	Passenger Car Mix estimated based on the CalEEMod default fleet mix and the ratio of the vehicle classes (LDA, LDT1, LDT2, MDV, & MCY). Truck Mix based on information in the Traffic analysis
Operations: Energy Use	No natural gas for building envelope. Electricity usage for the General Heavy Industry land use was adjusted to account for electricity usage from on-site cargo handling equipment

This page intentionally left blank



APPENDIX 3.3:

TRU CALCUATIONS



TRU Emissions

2029	Year
San Bernardino (MD)	Region

Transport Refrigeration Unit - Instate Trailer

71	No. of Units
4	Hours/day

Transport Refrigeration Unit - Instate Truck

61	No. of Units
4	Hours/day

	Activity (hrs/year)
Transport Refrigeration Unit - Instate Trailer	2,377,676
Transport Refrigeration Unit - Instate Truck	38,856

Total Two-Way TRU Trips per day	
264	

Unit		Emission Factor							
		ROG	NO _X	СО	so _x	PM ₁₀	PM _{2.5}	CO ₂	
Transport Refrigeration Unit - Instate Trailer	neport Pofrigoration Unit Instate Trailer	Emissions (tons/day)	2.70E-01	2.02E-01	3.49E-02	0.00E+00	3.51E-03	3.23E-03	5.14E+01
	Emissions (lbs/hr)	8.30E-02	6.20E-02	1.07E-02	0.00E+00	1.08E-03	9.90E-04	1.58E+01	
Tra	Transport Refrigeration Unit - Instate Truck	Emissions (tons/day)	3.28E-03	4.14E-03	3.57E-04	0.00E+00	2.13E-04	1.96E-04	6.62E-01
Transport Kerngeration Onit - instate Truck	Emissions (lbs/hr)	6.16E-02	7.78E-02	6.70E-03	0.00E+00	4.00E-03	3.68E-03	1.24E+01	

Unit		Emissions (lbs/day)					MT/yr
		NO _x	СО	so _x	PM ₁₀	PM _{2.5}	CO ₂
Transport Refrigeration Unit - Instate Trailer	23.56	17.60	3.04	0.00	0.31	0.28	741.79
Transport Refrigeration Unit - Instate Truck	15.03	18.98	1.64	0.00	0.98	0.90	502.27
Total	38.58	36.58	4.68	0.00	1.28	1.18	1,244.06

This page intentionally left blank

