

Appendix A

CalEEMod Analysis

Lake Creek Logistics Center (Operations - Mitigated) v2 Detailed Report

Table of Contents

- 1. Basic Project Information
 - 1.1. Basic Project Information
 - 1.2. Land Use Types
 - 1.3. User-Selected Emission Reduction Measures by Emissions Sector
- 2. Emissions Summary
 - 2.4. Operations Emissions Compared Against Thresholds
 - 2.5. Operations Emissions by Sector, Unmitigated
 - 2.6. Operations Emissions by Sector, Mitigated
- 4. Operations Emissions Details
 - 4.1. Mobile Emissions by Land Use
 - 4.1.1. Unmitigated
 - 4.1.2. Mitigated
 - 4.2. Energy
 - 4.2.1. Electricity Emissions By Land Use - Unmitigated
 - 4.2.2. Electricity Emissions By Land Use - Mitigated

4.2.3. Natural Gas Emissions By Land Use - Unmitigated

4.2.4. Natural Gas Emissions By Land Use - Mitigated

4.3. Area Emissions by Source

4.3.1. Unmitigated

4.3.2. Mitigated

4.4. Water Emissions by Land Use

4.4.1. Unmitigated

4.4.2. Mitigated

4.5. Waste Emissions by Land Use

4.5.1. Unmitigated

4.5.2. Mitigated

4.6. Refrigerant Emissions by Land Use

4.6.1. Unmitigated

4.6.2. Mitigated

4.7. Offroad Emissions By Equipment Type

4.7.1. Unmitigated

4.7.2. Mitigated

4.8. Stationary Emissions By Equipment Type

4.8.1. Unmitigated

4.8.2. Mitigated

4.9. User Defined Emissions By Equipment Type

4.9.1. Unmitigated

4.9.2. Mitigated

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

4.10.4. Soil Carbon Accumulation By Vegetation Type - Mitigated

4.10.5. Above and Belowground Carbon Accumulation by Land Use Type - Mitigated

4.10.6. Avoided and Sequestered Emissions by Species - Mitigated

5. Activity Data

5.9. Operational Mobile Sources

5.9.1. Unmitigated

5.9.2. Mitigated

5.10. Operational Area Sources

5.10.1. Hearths

5.10.2. Architectural Coatings

5.10.3. Landscape Equipment

5.10.4. Landscape Equipment - Mitigated

5.11. Operational Energy Consumption

5.11.1. Unmitigated

5.11.2. Mitigated

5.12. Operational Water and Wastewater Consumption

5.12.1. Unmitigated

5.12.2. Mitigated

5.13. Operational Waste Generation

5.13.1. Unmitigated

5.13.2. Mitigated

5.14. Operational Refrigeration and Air Conditioning Equipment

5.14.1. Unmitigated

5.14.2. Mitigated

5.15. Operational Off-Road Equipment

5.15.1. Unmitigated

5.15.2. Mitigated

5.16. Stationary Sources

5.16.1. Emergency Generators and Fire Pumps

5.16.2. Process Boilers

5.17. User Defined

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

5.18.1.2. Mitigated

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

5.18.1.2. Mitigated

5.18.2. Sequestration

5.18.2.1. Unmitigated

5.18.2.2. Mitigated

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

6.2. Initial Climate Risk Scores

6.3. Adjusted Climate Risk Scores

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

7.2. Healthy Places Index Scores

7.3. Overall Health & Equity Scores

7.4. Health & Equity Measures

7.5. Evaluation Scorecard

7.6. Health & Equity Custom Measures

8. User Changes to Default Data

8.1. Justifications

1. Basic Project Information

1.1. Basic Project Information

Data Field	Value
Project Name	Lake Creek Logistics Center (Operations - Mitigated) v2
Operational Year	2029
Lead Agency	—
Land Use Scale	Project/site
Analysis Level for Defaults	County
Windspeed (m/s)	5.0
Precipitation (days)	12
Location	34.57509227224038, -117.17721847885088
County	San Bernardino-Mojave Desert
City	Apple Valley
Air District	Mojave Desert AQMD
Air Basin	Mojave Desert
TAZ	5160
EDFZ	10
Electric Utility	Southern California Edison
Gas Utility	Southwest Gas Corp.
App Version	2022.1.1.35

1.2. Land Use Types

Land Use Subtype	Size	Unit	Lot Acreage	Building Area (sq ft)	Landscape Area (sq ft)	Special Landscape Area (sq ft)	Population	Description
Refrigerated Warehouse-No Rail	348	1000sqft	0.00	0.00	—	—	—	General Light Industrial PC

User Defined Industrial	348	User Defined Unit	0.00	0.00	0.00	—	—	General Light Industrial Trucks
Refrigerated Warehouse-No Rail	348	1000sqft	8.0	348,074	0.00	—	—	High Cube Cold PC
User Defined Industrial	348	User Defined Unit	0.00	0.00	0.00	—	—	High Cube Cold Trucks
Refrigerated Warehouse-No Rail	2,785	1000sqft	0.00	0.00	—	—	—	High Cube Fulfillment PC
User Defined Industrial	2,785	User Defined Unit	0.00	0.00	0.00	—	—	High Cube Fulfillment Trucks
Parking Lot	4,597	Space	32	0.00	0.00	—	—	—
Other Asphalt Surfaces	4,911	1000sqft	113	0.00	0.00	—	—	—

1.3. User-Selected Emission Reduction Measures by Emissions Sector

Sector	#	Measure Title
Energy	E-2	Require Energy Efficient Appliances
Energy	E-10-B	Establish Onsite Renewable Energy Systems: Solar Power
Water	W-4	Require Low-Flow Water Fixtures
Water	W-5	Design Water-Efficient Landscapes

2. Emissions Summary

2.4. Operations Emissions Compared Against Thresholds

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Un/Mit.	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	48	45	153	380	2.1	3.4	121	124	3.3	31	35	3,306	246,331	249,637	340	26	9,797	275,671

Mit.	48	45	153	380	2.1	3.4	121	124	3.3	31	35	3,154	225,799	228,953	322	25	9,797	254,368
% Reduced	—	—	—	—	—	—	—	—	—	—	—	5%	8%	8%	5%	2%	—	8%
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	43	40	162	285	2.0	3.4	121	124	3.3	31	34	3,306	238,415	241,721	340	26	9,290	267,291
Mit.	43	40	162	285	2.0	3.4	121	124	3.3	31	34	3,154	217,883	221,037	322	26	9,290	245,988
% Reduced	—	—	—	—	—	—	—	—	—	—	—	5%	9%	9%	5%	2%	—	8%
Average Daily (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	34	32	117	229	1.5	2.4	88	90	2.3	23	25	3,306	182,980	186,286	339	20	9,441	210,235
Mit.	34	32	117	229	1.5	2.4	88	90	2.3	23	25	3,154	162,448	165,602	322	20	9,441	188,931
% Reduced	—	—	—	—	—	—	—	—	—	—	—	5%	11%	11%	5%	3%	—	10%
Annual (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	6.3	5.8	21	42	0.27	0.43	16	16	0.41	4.1	4.6	547	30,294	30,842	56	3.3	1,563	34,807
Mit.	6.3	5.8	21	42	0.27	0.43	16	16	0.41	4.1	4.6	522	26,895	27,417	53	3.2	1,563	31,280
% Reduced	—	—	—	—	—	—	—	—	—	—	—	5%	11%	11%	5%	3%	—	10%

2.5. Operations Emissions by Sector, Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Sector	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	35	32	149	361	2.1	3.2	121	124	3.0	31	34	—	216,596	216,596	2.7	22	521	223,703
Area	12	11	0.13	15	< 0.005	0.03	—	0.03	0.02	—	0.02	—	62	62	< 0.005	< 0.005	—	62

Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	24,521	24,521	2.3	0.28	—	24,664
Water	—	—	—	—	—	—	—	—	—	—	—	1,542	4,396	5,938	159	3.8	—	11,038
Waste	—	—	—	—	—	—	—	—	—	—	—	1,763	0.00	1,763	176	0.00	—	6,169
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9,276	9,276
Stationary	1.6	1.5	4.1	3.8	0.01	0.22	0.00	0.22	0.22	0.00	0.22	0.00	756	756	0.03	0.01	0.00	758
Total	48	45	153	380	2.1	3.4	121	124	3.3	31	35	3,306	246,331	249,637	340	26	9,797	275,671
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	33	29	158	281	2.0	3.2	121	124	3.1	31	34	—	208,742	208,742	2.8	22	14	215,386
Area	8.9	8.9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	24,521	24,521	2.3	0.28	—	24,664
Water	—	—	—	—	—	—	—	—	—	—	—	1,542	4,396	5,938	159	3.8	—	11,038
Waste	—	—	—	—	—	—	—	—	—	—	—	1,763	0.00	1,763	176	0.00	—	6,169
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9,276	9,276
Stationary	1.6	1.5	4.1	3.8	0.01	0.22	0.00	0.22	0.22	0.00	0.22	0.00	756	756	0.03	0.01	0.00	758
Total	43	40	162	285	2.0	3.4	121	124	3.3	31	34	3,306	238,415	241,721	340	26	9,290	267,291
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	24	22	117	221	1.5	2.3	88	90	2.2	23	25	—	153,928	153,928	2.0	16	164	158,953
Area	10	10	0.06	7.5	< 0.005	0.01	—	0.01	0.01	—	0.01	—	31	31	< 0.005	< 0.005	—	31
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	24,521	24,521	2.3	0.28	—	24,664
Water	—	—	—	—	—	—	—	—	—	—	—	1,542	4,396	5,938	159	3.8	—	11,038
Waste	—	—	—	—	—	—	—	—	—	—	—	1,763	0.00	1,763	176	0.00	—	6,169
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9,276	9,276
Stationary	0.22	0.20	0.57	0.52	< 0.005	0.03	0.00	0.03	0.03	0.00	0.03	0.00	104	104	< 0.005	< 0.005	0.00	104
Total	34	32	117	229	1.5	2.4	88	90	2.3	23	25	3,306	182,980	186,286	339	20	9,441	210,235
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Mobile	4.4	3.9	21	40	0.27	0.43	16	16	0.41	4.1	4.5	—	25,485	25,485	0.34	2.7	27	26,316
Area	1.9	1.8	0.01	1.4	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	5.1	5.1	< 0.005	< 0.005	—	5.1
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	4,060	4,060	0.39	0.05	—	4,083
Water	—	—	—	—	—	—	—	—	—	—	—	255	728	983	26	0.63	—	1,827
Waste	—	—	—	—	—	—	—	—	—	—	—	292	0.00	292	29	0.00	—	1,021
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1,536	1,536
Stationary	0.04	0.04	0.10	0.09	< 0.005	0.01	0.00	0.01	0.01	0.00	0.01	0.00	17	17	< 0.005	< 0.005	0.00	17
Total	6.3	5.8	21	42	0.27	0.43	16	16	0.41	4.1	4.6	547	30,294	30,842	56	3.3	1,563	34,807

2.6. Operations Emissions by Sector, Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Sector	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	35	32	149	361	2.1	3.2	121	124	3.0	31	34	—	216,596	216,596	2.7	22	521	223,703
Area	12	11	0.13	15	< 0.005	0.03	—	0.03	0.02	—	0.02	—	62	62	< 0.005	< 0.005	—	62
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	4,422	4,422	0.42	0.05	—	4,448
Water	—	—	—	—	—	—	—	—	—	—	—	1,390	3,963	5,353	143	3.4	—	9,950
Waste	—	—	—	—	—	—	—	—	—	—	—	1,763	0.00	1,763	176	0.00	—	6,169
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9,276	9,276
Stationary	1.6	1.5	4.1	3.8	0.01	0.22	0.00	0.22	0.22	0.00	0.22	0.00	756	756	0.03	0.01	0.00	758
Total	48	45	153	380	2.1	3.4	121	124	3.3	31	35	3,154	225,799	228,953	322	25	9,797	254,368
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	33	29	158	281	2.0	3.2	121	124	3.1	31	34	—	208,742	208,742	2.8	22	14	215,386
Area	8.9	8.9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Lake Creek Logistics Center (Operations - Mitigated) v2 Detailed Report, 12/15/2025

Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	4,422	4,422	0.42	0.05	—	4,448
Water	—	—	—	—	—	—	—	—	—	—	—	1,390	3,963	5,353	143	3.4	—	9,950
Waste	—	—	—	—	—	—	—	—	—	—	—	1,763	0.00	1,763	176	0.00	—	6,169
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9,276	9,276
Stationary	1.6	1.5	4.1	3.8	0.01	0.22	0.00	0.22	0.22	0.00	0.22	0.00	756	756	0.03	0.01	0.00	758
Total	43	40	162	285	2.0	3.4	121	124	3.3	31	34	3,154	217,883	221,037	322	26	9,290	245,988
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	24	22	117	221	1.5	2.3	88	90	2.2	23	25	—	153,928	153,928	2.0	16	164	158,953
Area	10	10	0.06	7.5	< 0.005	0.01	—	0.01	0.01	—	0.01	—	31	31	< 0.005	< 0.005	—	31
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	4,422	4,422	0.42	0.05	—	4,448
Water	—	—	—	—	—	—	—	—	—	—	—	1,390	3,963	5,353	143	3.4	—	9,950
Waste	—	—	—	—	—	—	—	—	—	—	—	1,763	0.00	1,763	176	0.00	—	6,169
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9,276	9,276
Stationary	0.22	0.20	0.57	0.52	< 0.005	0.03	0.00	0.03	0.03	0.00	0.03	0.00	104	104	< 0.005	< 0.005	0.00	104
Total	34	32	117	229	1.5	2.4	88	90	2.3	23	25	3,154	162,448	165,602	322	20	9,441	188,931
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	4.4	3.9	21	40	0.27	0.43	16	16	0.41	4.1	4.5	—	25,485	25,485	0.34	2.7	27	26,316
Area	1.9	1.8	0.01	1.4	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	5.1	5.1	< 0.005	< 0.005	—	5.1
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	732	732	0.07	0.01	—	736
Water	—	—	—	—	—	—	—	—	—	—	—	230	656	886	24	0.57	—	1,647
Waste	—	—	—	—	—	—	—	—	—	—	—	292	0.00	292	29	0.00	—	1,021
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1,536	1,536
Stationary	0.04	0.04	0.10	0.09	< 0.005	0.01	0.00	0.01	0.01	0.00	0.01	0.00	17	17	< 0.005	< 0.005	0.00	17
Total	6.3	5.8	21	42	0.27	0.43	16	16	0.41	4.1	4.6	522	26,895	27,417	53	3.2	1,563	31,280

4. Operations Emissions Details

4.1. Mobile Emissions by Land Use

4.1.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	31	28	15	324	0.72	0.26	72	72	0.24	18	18	—	72,905	72,905	2.3	1.6	174	73,616
User Defined Industrial	4.3	3.6	134	38	1.4	2.9	49	52	2.8	13	16	—	143,691	143,691	0.34	20	347	150,087
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Total	35	32	149	361	2.1	3.2	121	124	3.0	31	34	—	216,596	216,596	2.7	22	521	223,703
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	28	26	17	244	0.64	0.26	72	72	0.24	18	18	—	64,996	64,996	2.4	1.7	4.5	65,575
User Defined Industrial	4.1	3.4	141	38	1.4	2.9	49	52	2.8	13	16	—	143,747	143,747	0.33	20	9.0	149,811

Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Total	33	29	158	281	2.0	3.2	121	124	3.1	31	34	—	208,742	208,742	2.8	22	14	215,386
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	3.8	3.5	2.3	35	0.09	0.04	9.5	9.6	0.03	2.4	2.4	—	8,087	8,087	0.30	0.22	9.1	8,167
User Defined Industrial	0.55	0.46	19	5.0	0.18	0.39	6.5	6.9	0.37	1.7	2.1	—	17,398	17,398	0.04	2.5	18	18,149
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Total	4.4	3.9	21	40	0.27	0.43	16	16	0.41	4.1	4.5	—	25,485	25,485	0.34	2.7	27	26,316

4.1.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	31	28	15	324	0.72	0.26	72	72	0.24	18	18	—	72,905	72,905	2.3	1.6	174	73,616

User Defined Industrial	4.3	3.6	134	38	1.4	2.9	49	52	2.8	13	16	—	143,691	143,691	0.34	20	347	150,087
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Total	35	32	149	361	2.1	3.2	121	124	3.0	31	34	—	216,596	216,596	2.7	22	521	223,703
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	28	26	17	244	0.64	0.26	72	72	0.24	18	18	—	64,996	64,996	2.4	1.7	4.5	65,575
User Defined Industrial	4.1	3.4	141	38	1.4	2.9	49	52	2.8	13	16	—	143,747	143,747	0.33	20	9.0	149,811
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Total	33	29	158	281	2.0	3.2	121	124	3.1	31	34	—	208,742	208,742	2.8	22	14	215,386
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	3.8	3.5	2.3	35	0.09	0.04	9.5	9.6	0.03	2.4	2.4	—	8,087	8,087	0.30	0.22	9.1	8,167
User Defined Industrial	0.55	0.46	19	5.0	0.18	0.39	6.5	6.9	0.37	1.7	2.1	—	17,398	17,398	0.04	2.5	18	18,149
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Total	4.4	3.9	21	40	0.27	0.43	16	16	0.41	4.1	4.5	—	25,485	25,485	0.34	2.7	27	26,316

4.2. Energy

4.2.1. Electricity Emissions By Land Use - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	23,375	23,375	2.2	0.27	—	23,511
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	1,147	1,147	0.11	0.01	—	1,153
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	24,521	24,521	2.3	0.28	—	24,664
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	23,375	23,375	2.2	0.27	—	23,511

User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	1,147	1,147	0.11	0.01	—	1,153
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	24,521	24,521	2.3	0.28	—	24,664
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	3,870	3,870	0.37	0.04	—	3,893
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	190	190	0.02	< 0.005	—	191
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	4,060	4,060	0.39	0.05	—	4,083

4.2.2. Electricity Emissions By Land Use - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	3,276	3,276	0.31	0.04	—	3,295
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	1,147	1,147	0.11	0.01	—	1,153
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	4,422	4,422	0.42	0.05	—	4,448
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	3,276	3,276	0.31	0.04	—	3,295
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	1,147	1,147	0.11	0.01	—	1,153
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	4,422	4,422	0.42	0.05	—	4,448
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	542	542	0.05	0.01	—	545

User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	190	190	0.02	< 0.005	—	191
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	732	732	0.07	0.01	—	736

4.2.3. Natural Gas Emissions By Land Use - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Refrigerated Warehouse Rail	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00

4.2.4. Natural Gas Emissions By Land Use - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Refrigerated Warehouse-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00

User Defined Industrial	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00

4.3. Area Emissions by Source

4.3.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Source	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	7.9	7.9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	0.92	0.92	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Landscape Equipment	2.7	2.5	0.13	15	< 0.005	0.03	—	0.03	0.02	—	0.02	—	62	62	< 0.005	< 0.005	—	62
Total	12	11	0.13	15	< 0.005	0.03	—	0.03	0.02	—	0.02	—	62	62	< 0.005	< 0.005	—	62
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Consumer	7.9	7.9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	0.92	0.92	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	8.9	8.9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	1.4	1.4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	0.17	0.17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Landscape Equipment	0.24	0.22	0.01	1.4	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	5.1	5.1	< 0.005	< 0.005	—	5.1
Total	1.9	1.8	0.01	1.4	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	5.1	5.1	< 0.005	< 0.005	—	5.1

4.3.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Source	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	7.9	7.9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	0.92	0.92	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Landscape Equipment	2.7	2.5	0.13	15	< 0.005	0.03	—	0.03	0.02	—	0.02	—	62	62	< 0.005	< 0.005	—	62
Total	12	11	0.13	15	< 0.005	0.03	—	0.03	0.02	—	0.02	—	62	62	< 0.005	< 0.005	—	62
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	7.9	7.9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	0.92	0.92	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	8.9	8.9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	1.4	1.4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	0.17	0.17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Landscape Equipment	0.24	0.22	0.01	1.4	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	5.1	5.1	< 0.005	< 0.005	—	5.1
Total	1.9	1.8	0.01	1.4	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	5.1	5.1	< 0.005	< 0.005	—	5.1

4.4. Water Emissions by Land Use

4.4.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	1,542	4,396	5,938	159	3.8	—	11,038
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	1,542	4,396	5,938	159	3.8	—	11,038
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	1,542	4,396	5,938	159	3.8	—	11,038
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	1,542	4,396	5,938	159	3.8	—	11,038
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	255	728	983	26	0.63	—	1,827
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	255	728	983	26	0.63	—	1,827

4.4.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	1,390	3,963	5,353	143	3.4	—	9,950
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	1,390	3,963	5,353	143	3.4	—	9,950

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	1,390	3,963	5,353	143	3.4	—	9,950
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	1,390	3,963	5,353	143	3.4	—	9,950
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	230	656	886	24	0.57	—	1,647
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	230	656	886	24	0.57	—	1,647

4.5. Waste Emissions by Land Use

4.5.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	1,763	0.00	1,763	176	0.00	—	6,169
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	1,763	0.00	1,763	176	0.00	—	6,169
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	1,763	0.00	1,763	176	0.00	—	6,169
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	1,763	0.00	1,763	176	0.00	—	6,169

Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	292	0.00	292	29	0.00	—	1,021
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	292	0.00	292	29	0.00	—	1,021

4.5.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	1,763	0.00	1,763	176	0.00	—	6,169
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00

Total	—	—	—	—	—	—	—	—	—	—	—	1,763	0.00	1,763	176	0.00	—	6,169
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	1,763	0.00	1,763	176	0.00	—	6,169
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	1,763	0.00	1,763	176	0.00	—	6,169
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	292	0.00	292	29	0.00	—	1,021
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	292	0.00	292	29	0.00	—	1,021

4.6. Refrigerant Emissions by Land Use

4.6.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9,276	9,276
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9,276	9,276
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9,276	9,276
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9,276	9,276
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1,536	1,536
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1,536	1,536

4.6.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
----------	-----	-----	-----	----	-----	-------	-------	-------	--------	--------	--------	------	-------	------	-----	-----	---	------

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9,276	9,276
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9,276	9,276
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9,276	9,276
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9,276	9,276
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1,536	1,536
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1,536	1,536

4.7. Offroad Emissions By Equipment Type

4.7.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.7.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.8. Stationary Emissions By Equipment Type

4.8.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
----------------	-----	-----	-----	----	-----	-------	-------	-------	--------	--------	--------	------	-------	------	-----	-----	---	------

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Emergency Generator	1.6	1.5	4.1	3.8	0.01	0.22	0.00	0.22	0.22	0.00	0.22	0.00	756	756	0.03	0.01	0.00	758
Total	1.6	1.5	4.1	3.8	0.01	0.22	0.00	0.22	0.22	0.00	0.22	0.00	756	756	0.03	0.01	0.00	758
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Emergency Generator	1.6	1.5	4.1	3.8	0.01	0.22	0.00	0.22	0.22	0.00	0.22	0.00	756	756	0.03	0.01	0.00	758
Total	1.6	1.5	4.1	3.8	0.01	0.22	0.00	0.22	0.22	0.00	0.22	0.00	756	756	0.03	0.01	0.00	758
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Emergency Generator	0.04	0.04	0.10	0.09	< 0.005	0.01	0.00	0.01	0.01	0.00	0.01	0.00	17	17	< 0.005	< 0.005	0.00	17
Total	0.04	0.04	0.10	0.09	< 0.005	0.01	0.00	0.01	0.01	0.00	0.01	0.00	17	17	< 0.005	< 0.005	0.00	17

4.8.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Emergency Generator	1.6	1.5	4.1	3.8	0.01	0.22	0.00	0.22	0.22	0.00	0.22	0.00	756	756	0.03	0.01	0.00	758
Total	1.6	1.5	4.1	3.8	0.01	0.22	0.00	0.22	0.22	0.00	0.22	0.00	756	756	0.03	0.01	0.00	758

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Emergency Generator	1.6	1.5	4.1	3.8	0.01	0.22	0.00	0.22	0.22	0.00	0.22	0.00	756	756	0.03	0.01	0.00	758
Total	1.6	1.5	4.1	3.8	0.01	0.22	0.00	0.22	0.22	0.00	0.22	0.00	756	756	0.03	0.01	0.00	758
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Emergency Generator	0.04	0.04	0.10	0.09	< 0.005	0.01	0.00	0.01	0.01	0.00	0.01	0.00	17	17	< 0.005	< 0.005	0.00	17
Total	0.04	0.04	0.10	0.09	< 0.005	0.01	0.00	0.01	0.01	0.00	0.01	0.00	17	17	< 0.005	< 0.005	0.00	17

4.9. User Defined Emissions By Equipment Type

4.9.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.9.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipm ent Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Vegetati on	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Species	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.4. Soil Carbon Accumulation By Vegetation Type - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Vegetation	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.5. Above and Belowground Carbon Accumulation by Land Use Type - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.6. Avoided and Sequestered Emissions by Species - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Species	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

5. Activity Data

5.9. Operational Mobile Sources

5.9.1. Unmitigated

Land Use Type	Trips/Weekday	Trips/Saturday	Trips/Sunday	Trips/Year	VMT/Weekday	VMT/Saturday	VMT/Sunday	VMT/Year
Refrigerated Warehouse-No Rail	1,608	136	54	429,158	24,008	2,031	812	6,407,471
User Defined Industrial	90	7.6	3.1	24,025	3,600	305	123	960,984
Refrigerated Warehouse-No Rail	478	40	16	127,577	7,137	604	242	1,904,769
User Defined Industrial	264	22	8.9	70,464	10,561	894	358	2,818,556
Refrigerated Warehouse-No Rail	4,874	412	165	1,300,785	72,768	6,157	2,461	19,421,177
User Defined Industrial	1,056	89	36	281,812	42,237	3,575	1,426	11,272,466
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

5.9.2. Mitigated

Land Use Type	Trips/Weekday	Trips/Saturday	Trips/Sunday	Trips/Year	VMT/Weekday	VMT/Saturday	VMT/Sunday	VMT/Year
Refrigerated Warehouse-No Rail	1,608	136	54	429,158	24,008	2,031	812	6,407,471
User Defined Industrial	90	7.6	3.1	24,025	3,600	305	123	960,984
Refrigerated Warehouse-No Rail	478	40	16	127,577	7,137	604	242	1,904,769
User Defined Industrial	264	22	8.9	70,464	10,561	894	358	2,818,556
Refrigerated Warehouse-No Rail	4,874	412	165	1,300,785	72,768	6,157	2,461	19,421,177

User Defined Industrial	1,056	89	36	281,812	42,237	3,575	1,426	11,272,466
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

5.10. Operational Area Sources

5.10.1. Hearths

Land Use	Hearth Type	Unmitigated (number)	Mitigated (number)
Refrigerated Warehouse-No Rail	Wood Fireplaces	0	0
Refrigerated Warehouse-No Rail	Gas Fireplaces	0	0
Refrigerated Warehouse-No Rail	Propane Fireplaces	0	0
Refrigerated Warehouse-No Rail	Electric Fireplaces	0	0
Refrigerated Warehouse-No Rail	No Fireplaces	0	0
Refrigerated Warehouse-No Rail	Conventional Wood Stoves	0	0
Refrigerated Warehouse-No Rail	Catalytic Wood Stoves	0	0
Refrigerated Warehouse-No Rail	Non-Catalytic Wood Stoves	0	0
Refrigerated Warehouse-No Rail	Pellet Wood Stoves	0	0
User Defined Industrial	Wood Fireplaces	0	0
User Defined Industrial	Gas Fireplaces	0	0
User Defined Industrial	Propane Fireplaces	0	0
User Defined Industrial	Electric Fireplaces	0	0
User Defined Industrial	No Fireplaces	0	0
User Defined Industrial	Conventional Wood Stoves	0	0
User Defined Industrial	Catalytic Wood Stoves	0	0
User Defined Industrial	Non-Catalytic Wood Stoves	0	0
User Defined Industrial	Pellet Wood Stoves	0	0
Refrigerated Warehouse-No Rail	Wood Fireplaces	0	0

Refrigerated Warehouse-No Rail	Gas Fireplaces	0	0
Refrigerated Warehouse-No Rail	Propane Fireplaces	0	0
Refrigerated Warehouse-No Rail	Electric Fireplaces	0	0
Refrigerated Warehouse-No Rail	No Fireplaces	0	0
Refrigerated Warehouse-No Rail	Conventional Wood Stoves	0	0
Refrigerated Warehouse-No Rail	Catalytic Wood Stoves	0	0
Refrigerated Warehouse-No Rail	Non-Catalytic Wood Stoves	0	0
Refrigerated Warehouse-No Rail	Pellet Wood Stoves	0	0
User Defined Industrial	Wood Fireplaces	0	0
User Defined Industrial	Gas Fireplaces	0	0
User Defined Industrial	Propane Fireplaces	0	0
User Defined Industrial	Electric Fireplaces	0	0
User Defined Industrial	No Fireplaces	0	0
User Defined Industrial	Conventional Wood Stoves	0	0
User Defined Industrial	Catalytic Wood Stoves	0	0
User Defined Industrial	Non-Catalytic Wood Stoves	0	0
User Defined Industrial	Pellet Wood Stoves	0	0
Refrigerated Warehouse-No Rail	Wood Fireplaces	0	0
Refrigerated Warehouse-No Rail	Gas Fireplaces	0	0
Refrigerated Warehouse-No Rail	Propane Fireplaces	0	0
Refrigerated Warehouse-No Rail	Electric Fireplaces	0	0
Refrigerated Warehouse-No Rail	No Fireplaces	0	0
Refrigerated Warehouse-No Rail	Conventional Wood Stoves	0	0
Refrigerated Warehouse-No Rail	Catalytic Wood Stoves	0	0
Refrigerated Warehouse-No Rail	Non-Catalytic Wood Stoves	0	0
Refrigerated Warehouse-No Rail	Pellet Wood Stoves	0	0
User Defined Industrial	Wood Fireplaces	0	0
User Defined Industrial	Gas Fireplaces	0	0

User Defined Industrial	Propane Fireplaces	0	0
User Defined Industrial	Electric Fireplaces	0	0
User Defined Industrial	No Fireplaces	0	0
User Defined Industrial	Conventional Wood Stoves	0	0
User Defined Industrial	Catalytic Wood Stoves	0	0
User Defined Industrial	Non-Catalytic Wood Stoves	0	0
User Defined Industrial	Pellet Wood Stoves	0	0
Parking Lot	Wood Fireplaces	0	0
Parking Lot	Gas Fireplaces	0	0
Parking Lot	Propane Fireplaces	0	0
Parking Lot	Electric Fireplaces	0	0
Parking Lot	No Fireplaces	0	0
Parking Lot	Conventional Wood Stoves	0	0
Parking Lot	Catalytic Wood Stoves	0	0
Parking Lot	Non-Catalytic Wood Stoves	0	0
Parking Lot	Pellet Wood Stoves	0	0
Other Asphalt Surfaces	Wood Fireplaces	0	0
Other Asphalt Surfaces	Gas Fireplaces	0	0
Other Asphalt Surfaces	Propane Fireplaces	0	0
Other Asphalt Surfaces	Electric Fireplaces	0	0
Other Asphalt Surfaces	No Fireplaces	0	0
Other Asphalt Surfaces	Conventional Wood Stoves	0	0
Other Asphalt Surfaces	Catalytic Wood Stoves	0	0
Other Asphalt Surfaces	Non-Catalytic Wood Stoves	0	0
Other Asphalt Surfaces	Pellet Wood Stoves	0	0

5.10.2. Architectural Coatings

—	Residential Interior Area Coated (sq ft)	Residential Exterior Area Coated (sq ft)	Non-Residential Interior Area Coated (sq ft)	Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)
undefined	0.00	0.00	522,111	174,037	377,465

5.10.3. Landscape Equipment

Season	Unit	Value
Snow Days	day/yr	0.00
Summer Days	day/yr	180

5.10.4. Landscape Equipment - Mitigated

Season	Unit	Value
Snow Days	day/yr	0.00
Summer Days	day/yr	180

5.11. Operational Energy Consumption

5.11.1. Unmitigated

Electricity (kWh/yr) and CO2 and CH4 and N2O and Natural Gas (kBtu/yr)

Land Use	Electricity (kWh/yr)	CO2	CH4	N2O	Natural Gas (kBtu/yr)
Refrigerated Warehouse-No Rail	4,161,943	346	0.0330	0.0040	0.00
User Defined Industrial	0.00	346	0.0330	0.0040	0.00
Refrigerated Warehouse-No Rail	7,621,233	346	0.0330	0.0040	0.00
User Defined Industrial	0.00	346	0.0330	0.0040	0.00
Refrigerated Warehouse-No Rail	12,861,185	346	0.0330	0.0040	0.00
User Defined Industrial	0.00	346	0.0330	0.0040	0.00
Parking Lot	1,208,863	346	0.0330	0.0040	0.00

Other Asphalt Surfaces	0.00	346	0.0330	0.0040	0.00
------------------------	------	-----	--------	--------	------

5.11.2. Mitigated

Electricity (kWh/yr) and CO2 and CH4 and N2O and Natural Gas (kBTU/yr)

Land Use	Electricity (kWh/yr)	CO2	CH4	N2O	Natural Gas (kBTU/yr)
Refrigerated Warehouse-No Rail	0.00	346	0.0330	0.0040	0.00
User Defined Industrial	0.00	346	0.0330	0.0040	0.00
Refrigerated Warehouse-No Rail	3,453,489	346	0.0330	0.0040	0.00
User Defined Industrial	0.00	346	0.0330	0.0040	0.00
Refrigerated Warehouse-No Rail	0.00	346	0.0330	0.0040	0.00
User Defined Industrial	0.00	346	0.0330	0.0040	0.00
Parking Lot	1,208,863	346	0.0330	0.0040	0.00
Other Asphalt Surfaces	0.00	346	0.0330	0.0040	0.00

5.12. Operational Water and Wastewater Consumption

5.12.1. Unmitigated

Land Use	Indoor Water (gal/year)	Outdoor Water (gal/year)
Refrigerated Warehouse-No Rail	80,492,113	0.00
User Defined Industrial	0.00	0.00
Refrigerated Warehouse-No Rail	80,492,113	0.00
User Defined Industrial	0.00	0.00
Refrigerated Warehouse-No Rail	643,935,975	0.00
User Defined Industrial	0.00	0.00
Parking Lot	0.00	0.00
Other Asphalt Surfaces	0.00	0.00

5.12.2. Mitigated

Land Use	Indoor Water (gal/year)	Outdoor Water (gal/year)
Refrigerated Warehouse-No Rail	72,563,639	0.00
User Defined Industrial	0.00	0.00
Refrigerated Warehouse-No Rail	72,563,639	0.00
User Defined Industrial	0.00	0.00
Refrigerated Warehouse-No Rail	580,508,281	0.00
User Defined Industrial	0.00	0.00
Parking Lot	0.00	0.00
Other Asphalt Surfaces	0.00	0.00

5.13. Operational Waste Generation

5.13.1. Unmitigated

Land Use	Waste (ton/year)	Cogeneration (kWh/year)
Refrigerated Warehouse-No Rail	327	0.00
User Defined Industrial	0.00	0.00
Refrigerated Warehouse-No Rail	327	0.00
User Defined Industrial	0.00	0.00
Refrigerated Warehouse-No Rail	2,618	0.00
User Defined Industrial	0.00	0.00
Parking Lot	0.00	0.00
Other Asphalt Surfaces	0.00	0.00

5.13.2. Mitigated

Land Use	Waste (ton/year)	Cogeneration (kWh/year)
Refrigerated Warehouse-No Rail	327	0.00

User Defined Industrial	0.00	0.00
Refrigerated Warehouse-No Rail	327	0.00
User Defined Industrial	0.00	0.00
Refrigerated Warehouse-No Rail	2,618	0.00
User Defined Industrial	0.00	0.00
Parking Lot	0.00	0.00
Other Asphalt Surfaces	0.00	0.00

5.14. Operational Refrigeration and Air Conditioning Equipment

5.14.1. Unmitigated

Land Use	Equipment Type	Refrigerant	GWP	Quantity (kg)	Operations Leak Rate	Service Leak Rate	Times Serviced
Refrigerated Warehouse-No Rail	Cold storage	R-404A	3,922	7.5	7.5	7.5	25
Refrigerated Warehouse-No Rail	Cold storage	R-404A	3,922	7.5	7.5	7.5	25
Refrigerated Warehouse-No Rail	Cold storage	R-404A	3,922	7.5	7.5	7.5	25

5.14.2. Mitigated

Land Use	Equipment Type	Refrigerant	GWP	Quantity (kg)	Operations Leak Rate	Service Leak Rate	Times Serviced
Refrigerated Warehouse-No Rail	Cold storage	R-404A	3,922	7.5	7.5	7.5	25
Refrigerated Warehouse-No Rail	Cold storage	R-404A	3,922	7.5	7.5	7.5	25
Refrigerated Warehouse-No Rail	Cold storage	R-404A	3,922	7.5	7.5	7.5	25

5.15. Operational Off-Road Equipment

5.15.1. Unmitigated

5.15.2. Mitigated

5.16. Stationary Sources

5.16.1. Emergency Generators and Fire Pumps

Equipment Type	Fuel Type	Number per Day	Hours per Day	Hours per Year	Horsepower	Load Factor
Emergency Generator	Diesel	1.00	1.00	50	300	0.73
Emergency Generator	Diesel	1.00	1.00	50	300	0.73
Emergency Generator	Diesel	1.00	1.00	50	300	0.73

5.16.2. Process Boilers

5.17. User Defined

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

Vegetation Land Use Type	Vegetation Soil Type	Initial Acres	Final Acres
--------------------------	----------------------	---------------	-------------

5.18.1.2. Mitigated

Vegetation Land Use Type	Vegetation Soil Type	Initial Acres	Final Acres
--------------------------	----------------------	---------------	-------------

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

Biomass Cover Type	Initial Acres	Final Acres
--------------------	---------------	-------------

5.18.1.2. Mitigated

Biomass Cover Type	Initial Acres	Final Acres
--------------------	---------------	-------------

5.18.2. Sequestration

5.18.2.1. Unmitigated

Tree Type	Number	Electricity Saved (kWh/year)	Natural Gas Saved (btu/year)
-----------	--------	------------------------------	------------------------------

5.18.2.2. Mitigated

Tree Type	Number	Electricity Saved (kWh/year)	Natural Gas Saved (btu/year)
-----------	--------	------------------------------	------------------------------

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

Cal-Adapt midcentury 2040–2059 average projections for four hazards are reported below for your project location. These are under Representation Concentration Pathway (RCP) 8.5 which assumes GHG emissions will continue to rise strongly through 2050 and then plateau around 2100.

Climate Hazard	Result for Project Location	Unit
Temperature and Extreme Heat	35	annual days of extreme heat
Extreme Precipitation	1.1	annual days with precipitation above 20 mm
Sea Level Rise	—	meters of inundation depth
Wildfire	0.99	annual hectares burned

Temperature and Extreme Heat data are for grid cell in which your project are located. The projection is based on the 98th historical percentile of daily maximum/minimum temperatures from observed historical data (32 climate model ensemble from Cal-Adapt, 2040–2059 average under RCP 8.5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi. Extreme Precipitation data are for the grid cell in which your project are located. The threshold of 20 mm is equivalent to about $\frac{3}{4}$ an inch of rain, which would be light to moderate rainfall if received over a full day or heavy rain if received over a period of 2 to 4 hours. Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Sea Level Rise data are for the grid cell in which your project are located. The projections are from Radke et al. (2017), as reported in Cal-Adapt (Radke et al., 2017, CEC-500-2017-008), and consider inundation location and depth for the San Francisco Bay, the Sacramento-San Joaquin River Delta and California coast resulting different increments of sea level rise coupled with extreme storm events. Users may select from four scenarios to view the range in potential inundation depth for the grid cell. The four scenarios are: No rise, 0.5 meter, 1.0 meter, 1.41 meters. Wildfire data are for the grid cell in which your project are located. The projections are from UC Davis, as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider historical data of climate, vegetation, population density, and large (> 400 ha) fire history. Users may select from four model simulations to view the range in potential wildfire probabilities for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

6.2. Initial Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	N/A	N/A	N/A	N/A
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	N/A	N/A	N/A	N/A
Wildfire	N/A	N/A	N/A	N/A
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	N/A	N/A	N/A	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores do not include implementation of climate risk reduction measures.

6.3. Adjusted Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	N/A	N/A	N/A	N/A
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	N/A	N/A	N/A	N/A
Wildfire	N/A	N/A	N/A	N/A
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A

Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	N/A	N/A	N/A	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores include implementation of climate risk reduction measures.

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Exposure Indicators	—
AQ-Ozone	80
AQ-PM	7.5
AQ-DPM	22
Drinking Water	35
Lead Risk Housing	28
Pesticides	0.00
Toxic Releases	37
Traffic	60
Effect Indicators	—
CleanUp Sites	52
Groundwater	45
Haz Waste Facilities/Generators	17
Impaired Water Bodies	51
Solid Waste	85

Sensitive Population	—
Asthma	88
Cardio-vascular	89
Low Birth Weights	92
Socioeconomic Factor Indicators	—
Education	27
Housing	12
Linguistic	—
Poverty	53
Unemployment	91

7.2. Healthy Places Index Scores

The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Economic	—
Above Poverty	44.97626075
Employed	30.46323624
Median HI	35.0442705
Education	—
Bachelor's or higher	42.93596818
High school enrollment	100
Preschool enrollment	39.79212113
Transportation	—
Auto Access	85.40998332
Active commuting	24.00872578
Social	—
2-parent households	51.18696266
Voting	75.34967278

Neighborhood	—
Alcohol availability	88.37418196
Park access	16.65597331
Retail density	8.469138971
Supermarket access	2.399589375
Tree canopy	0.71859361
Housing	—
Homeownership	62.60746824
Housing habitability	64.39112024
Low-inc homeowner severe housing cost burden	17.8108559
Low-inc renter severe housing cost burden	77.19748492
Uncrowded housing	68.66418581
Health Outcomes	—
Insured adults	64.22430386
Arthritis	4.4
Asthma ER Admissions	7.6
High Blood Pressure	8.9
Cancer (excluding skin)	9.1
Asthma	30.0
Coronary Heart Disease	6.8
Chronic Obstructive Pulmonary Disease	13.3
Diagnosed Diabetes	35.6
Life Expectancy at Birth	34.2
Cognitively Disabled	41.3
Physically Disabled	11.3
Heart Attack ER Admissions	2.7
Mental Health Not Good	48.5
Chronic Kidney Disease	20.1

Obesity	46.5
Pedestrian Injuries	48.3
Physical Health Not Good	39.9
Stroke	15.1
Health Risk Behaviors	—
Binge Drinking	57.0
Current Smoker	46.7
No Leisure Time for Physical Activity	58.0
Climate Change Exposures	—
Wildfire Risk	0.0
SLR Inundation Area	0.0
Children	58.1
Elderly	16.8
English Speaking	81.5
Foreign-born	11.0
Outdoor Workers	47.0
Climate Change Adaptive Capacity	—
Impervious Surface Cover	90.2
Traffic Density	37.9
Traffic Access	23.0
Other Indices	—
Hardship	32.7
Other Decision Support	—
2016 Voting	75.3

7.3. Overall Health & Equity Scores

Metric	Result for Project Census Tract
CalEnviroScreen 4.0 Score for Project Location (a)	65

Healthy Places Index Score for Project Location (b)	46
Project Located in a Designated Disadvantaged Community (Senate Bill 535)	No
Project Located in a Low-Income Community (Assembly Bill 1550)	No
Project Located in a Community Air Protection Program Community (Assembly Bill 617)	No

a: The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

b: The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

7.4. Health & Equity Measures

No Health & Equity Measures selected.

7.5. Evaluation Scorecard

Health & Equity Evaluation Scorecard not completed.


7.6. Health & Equity Custom Measures

No Health & Equity Custom Measures created.

8. User Changes to Default Data

8.1. Justifications

Screen	Justification
Land Use	Total Project area is 224.90 acres. Assume 100% Cold Storage
Construction: Construction Phases	Construction schedule adjusted based on the 2029 Opening Year
Construction: Off-Road Equipment	Construction equipment adjusted based on changes made to the schedule
Construction: Trips and VMT	Vendor Trips adjusted based on CalEEMod defaults for Building Construction and number of days for Site Preparation, Grading, and Building Construction
Operations: Vehicle Data	Trip characteristics based on information provided in the Traffic analysis
Operations: Fleet Mix	Passenger Car Mix estimated based on the CalEEMod default fleet mix and the ratio of the vehicle classes (LDA, LDT1, LDT2, MDV, & MCY). Truck Mix based on information in the Traffic analysis
Operations: Energy Use	No natural gas for building envelope. Electricity usage for the General Heavy Industry land use was adjusted to account for electricity usage from on-site cargo handling equipment



Clark & Associates
Environmental Consulting, Inc

OFFICE

12405 Venice Blvd.
Suite 331
Los Angeles, CA 90066

PHONE

310-907-6165

FAX

310-398-7626

EMAIL

jclark.assoc@gmail.com

James J. J. Clark, Ph.D.

Principal Toxicologist

Toxicology/Exposure Assessment Modeling

Risk Assessment/Analysis/Dispersion Modeling

Education:

Ph.D., Environmental Health Science, University of California, 1995

M.S., Environmental Health Science, University of California, 1993

B.S., Biophysical and Biochemical Sciences, University of Houston, 1987

Professional Experience:

Dr. Clark is a well recognized toxicologist, air modeler, and health scientist. He has 20 years of experience in researching the effects of environmental contaminants on human health including environmental fate and transport modeling (SCREEN3, AEROMOD, ISCST3, Johnson-Ettinger Vapor Intrusion Modeling); exposure assessment modeling (partitioning of contaminants in the environment as well as PBPK modeling); conducting and managing human health risk assessments for regulatory compliance and risk-based clean-up levels; and toxicological and medical literature research.

Significant projects performed by Dr. Clark include the following:

LITIGATION SUPPORT

Case: James Harold Caygle, et al, v. Drummond Company, Inc. Circuit Court for the Tenth Judicial Circuit, Jefferson County, Alabama. Civil Action. CV-2009

Client: Environmental Litigation Group, Birmingham, Alabama

Dr. Clark performed an air quality assessment of emissions from a coke factory located in Tarrant, Alabama. The assessment reviewed include a comprehensive review of air quality standards, measured concentrations of pollutants from factory, an inspection of the facility and detailed assessment of the impacts on the community. The results of the assessment and literature have been provided in a declaration to the court.

Case Result: Settlement in favor of plaintiff.

Case: Rose Roper V. Nissan North America, et al. Superior Court of the State Of California for the County Of Los Angeles – Central Civil West. Civil Action. NC041739

Client: Rose, Klein, Marias, LLP, Long Beach, California

Dr. Clark performed a toxicological assessment of an individual occupationally exposed to multiple chemicals, including benzene, who later developed a respiratory distress. A review of the individual's medical and occupational history was performed to prepare an exposure assessment. The exposure assessment was evaluated against the known outcomes in published literature to exposure to respiratory irritants. The results of the assessment and literature have been provided in a declaration to the court.

Case Result: Settlement in favor of plaintiff.

Case: O'Neil V. Sherwin Williams, et al. United States District Court Central District of California

Client: Rose, Klein, Marias, LLP, Long Beach, California

Dr. Clark performed a toxicological assessment of an individual occupationally exposed to petroleum distillates who later developed a bladder cancer. A review of the individual's medical and occupational history was performed to prepare a quantitative exposure assessment. The results of the assessment and literature have been provided in a declaration to the court.

Case Result: Summary judgment for defendants.

Case: Moore V., Shell Oil Company, et al. Superior Court of the State Of California for the County Of Los Angeles

Client: Rose, Klein, Marias, LLP, Long Beach, California

Dr. Clark performed a toxicological assessment of an individual occupationally exposed to chemicals while benzene who later developed a leukogenic disease. A review of the individual's medical and occupational history was performed to prepare a quantitative exposure assessment. The exposure assessment was evaluated against the known outcomes in published literature to exposure to refined petroleum hydrocarbons. The results of the assessment and literature have been provided in a declaration to the court.

Case Result: Settlement in favor of plaintiff.

Case: Raymond Saltonstall V. Fuller O'Brien, KILZ, and Zinsser, et al. United States District Court Central District of California

Client: Rose, Klein, Marias, LLP, Long Beach, California

Dr. Clark performed a toxicological assessment of an individual occupationally exposed to benzene who later developed a leukogenic disease. A review of the individual's medical and occupational history was performed to prepare a quantitative exposure assessment. The exposure assessment was evaluated against the known outcomes in published literature to exposure to refined petroleum hydrocarbons. The results of the assessment and literature have been provided in a declaration to the court.

Case Result: Settlement in favor of plaintiff.

Case: Richard Boyer and Elizabeth Boyer, husband and wife, V. DESCO Corporation, et al. Circuit Court of Brooke County, West Virginia. Civil Action Number 04-C-7G.

Client: Frankovitch, Anetakis, Colantonio & Simon, Morgantown, West Virginia.

Dr. Clark performed a toxicological assessment of a family exposed to chlorinated solvents released from the defendant's facility into local drinking water supplies. A review of the individual's medical and occupational history was performed to prepare a qualitative exposure assessment. The exposure assessment was evaluated against the known outcomes in published literature to exposure to chlorinated solvents. The results of the assessment and literature have been provided in a declaration to the court.

Case Result: Settlement in favor of plaintiff.

Case: JoAnne R. Cook, V. DESCO Corporation, et al. Circuit Court of Brooke County, West Virginia. Civil Action Number 04-C-9R

Client: Frankovitch, Anetakis, Colantonio & Simon, Morgantown, West Virginia.

Dr. Clark performed a toxicological assessment of an individual exposed to chlorinated solvents released from the defendant's facility into local drinking water supplies. A review of the individual's medical and occupational history was performed to prepare a qualitative exposure assessment. The exposure assessment was evaluated against the known outcomes in published literature to exposure to chlorinated solvents. The results of the assessment and literature have been provided in a declaration to the court.

Case Result: Settlement in favor of plaintiff.

Case: Patrick Allen And Susan Allen, husband and wife, and Andrew Allen, a minor, V. DESCO Corporation, et al. Circuit Court of Brooke County, West Virginia. Civil Action Number 04-C-W

Client: Frankovitch, Anetakis, Colantonio & Simon, Morgantown, West Virginia.

Dr. Clark performed a toxicological assessment of a family exposed to chlorinated solvents released from the defendant's facility into local drinking water supplies. A review of the individual's medical and occupational history was performed to prepare a qualitative exposure assessment. The exposure assessment was evaluated against the known outcomes in published literature to exposure to chlorinated solvents. The results of the assessment and literature have been provided in a declaration to the court.

Case Result: Settlement in favor of plaintiff.

Case: Michael Fahey, Susan Fahey V. Atlantic Richfield Company, et al. United States District Court Central District of California Civil Action Number CV-06 7109 JCL.

Client: Rose, Klein, Marias, LLP, Long Beach, California

Dr. Clark performed a toxicological assessment of an individual occupationally exposed to refined petroleum hydrocarbons who later developed a leukogenic disease. A review of the individual's medical and occupational history was performed to prepare a qualitative exposure assessment. The exposure assessment was evaluated against the known outcomes in published literature to exposure to refined petroleum hydrocarbons. The results of the assessment and literature have been provided in a declaration to the court.

Case Result: Settlement in favor of plaintiff.

Case: Constance Acevedo, et al., V. California Spray-Chemical Company, et al., Superior Court of the State Of California, County Of Santa Cruz. Case No. CV 146344

Dr. Clark performed a comprehensive exposure assessment of community members exposed to toxic metals from a former lead arsenate manufacturing facility. The former manufacturing site had undergone a DTSC mandated removal action/remediation for the presence of the toxic metals at the site. Opinions were presented regarding the elevated levels of arsenic and lead (in attic dust and soils) found throughout the community and the potential for harm to the plaintiffs in question.

Case Result: Settlement in favor of defendant.

Case: Michael Nawrocki V. The Coastal Corporation, Kurk Fuel Company, Pautler Oil Service, State of New York Supreme Court, County of Erie, Index Number I2001-11247

Client: Richard G. Berger Attorney At Law, Buffalo, New York

Dr. Clark performed a toxicological assessment of an individual occupationally exposed to refined petroleum hydrocarbons who later developed a leukogenic disease. A review of the individual's medical and occupational history was performed to prepare a qualitative exposure assessment. The exposure assessment was evaluated against the

known outcomes in published literature to exposure to refined petroleum hydrocarbons. The results of the assessment and literature have been provided in a declaration to the court.

Case Result: Judgement in favor of defendant.

SELECTED AIR MODELING RESEARCH/PROJECTS

Client – Confidential

Dr. Clark performed a comprehensive evaluation of criteria pollutants, air toxins, and particulate matter emissions from a carbon black production facility to determine the impacts on the surrounding communities. The results of the dispersion model will be used to estimate acute and chronic exposure concentrations to multiple contaminants and will be incorporated into a comprehensive risk evaluation.

Client – Confidential

Dr. Clark performed a comprehensive evaluation of air toxins and particulate matter emissions from a railroad tie manufacturing facility to determine the impacts on the surrounding communities. The results of the dispersion model have been used to estimate acute and chronic exposure concentrations to multiple contaminants and have been incorporated into a comprehensive risk evaluation.

Client – Los Angeles Alliance for a New Economy (LAANE), Los Angeles, California

Dr. Clark is advising the LAANE on air quality issues related to current flight operations at the Los Angeles International Airport (LAX) operated by the Los Angeles World Airport (LAWA) Authority. He is working with the LAANE and LAX staff to develop a comprehensive strategy for meeting local community concerns over emissions from flight operations and to engage federal agencies on the issue of local impacts of community airports.

Client – City of Santa Monica, Santa Monica, California

Dr. Clark is advising the City of Santa Monica on air quality issues related to current flight operations at the facility. He is working with the City staff to develop a comprehensive strategy for meeting local community concerns over emissions from flight operations and to engage federal agencies on the issue of local impacts of community airports.

Client: Omnitrans, San Bernardino, California

Dr. Clark managed a public health survey of three communities near transit fueling facilities in San Bernardino and Montclair California in compliance with California Senate Bill 1927. The survey included an epidemiological survey of the effected communities, emission surveys of local businesses, dispersion modeling to determine potential emission concentrations within the communities, and a comprehensive risk assessment of each community. The results of the study were presented to the Governor as mandated by Senate Bill 1927.

Client: Confidential, San Francisco, California

Summarized cancer types associated with exposure to metals and smoking. Researched the specific types of cancers associated with exposure to metals and smoking. Provided causation analysis of the association between cancer types and exposure for use by non-public health professionals.

Client: Confidential, Minneapolis, Minnesota

Prepared human health risk assessment of workers exposed to VOCs from neighboring petroleum storage/transport facility. Reviewed the systems in place for distribution of petroleum hydrocarbons to identify chemicals of concern (COCs), prepared comprehensive toxicological summaries of COCs, and quantified potential risks from carcinogens and non-carcinogens to receptors at or adjacent to site. This evaluation was used in the support of litigation.

Client – United Kingdom Environmental Agency

Dr. Clark is part of team that performed comprehensive evaluation of soil vapor intrusion of VOCs from former landfill adjacent residences for the United Kingdom's Environment

Agency. The evaluation included collection of liquid and soil vapor samples at site, modeling of vapor migration using the Johnson Ettinger Vapor Intrusion model, and calculation of site-specific health based vapor thresholds for chlorinated solvents, aromatic hydrocarbons, and semi-volatile organic compounds. The evaluation also included a detailed evaluation of the use, chemical characteristics, fate and transport, and toxicology of chemicals of concern (COC). The results of the evaluation have been used as a briefing tool for public health professionals.

EMERGING/PERSISTENT CONTAMINANT RESEARCH/PROJECTS

Client: Ameren Services, St. Louis, Missouri

Managed the preparation of a comprehensive human health risk assessment of workers and residents at or near an NPL site in Missouri. The former operations at the Property included the servicing and repair of electrical transformers, which resulted in soils and groundwater beneath the Property and adjacent land becoming impacted with PCB and chlorinated solvent compounds. The results were submitted to U.S. EPA for evaluation and will be used in the final ROD.

Client: City of Santa Clarita, Santa Clarita, California

Dr. Clark is managing the oversight of the characterization, remediation and development activities of a former 1,000 acre munitions manufacturing facility for the City of Santa Clarita. The site is impacted with a number of contaminants including perchlorate, unexploded ordinance, and volatile organic compounds (VOCs). The site is currently under a number of regulatory consent orders, including an Imminent and Substantial Endangerment Order. Dr. Clark is assisting the impacted municipality with the development of remediation strategies, interaction with the responsible parties and stakeholders, as well as interfacing with the regulatory agency responsible for oversight of the site cleanup.

Client: Confidential, Los Angeles, California

Prepared comprehensive evaluation of perchlorate in environment. Dr. Clark evaluated the production, use, chemical characteristics, fate and transport, toxicology, and remediation of perchlorate. Perchlorates form the basis of solid rocket fuels and have recently been detected in water supplies in the United States. The results of this research

were presented to the USEPA, National GroundWater, and ultimately published in a recent book entitled *Perchlorate in the Environment*.

Client – Confidential, Los Angeles, California

Dr. Clark is performing a comprehensive review of the potential for pharmaceuticals and their by-products to impact groundwater and surface water supplies. This evaluation will include a review if available data on the history of pharmaceutical production in the United States; the chemical characteristics of various pharmaceuticals; environmental fate and transport; uptake by xenobiotics; the potential effects of pharmaceuticals on water treatment systems; and the potential threat to public health. The results of the evaluation may be used as a briefing tool for non-public health professionals.

PUBLIC HEALTH/TOXICOLOGY

Client: Brayton Purcell, Novato, California

Dr. Clark performed a toxicological assessment of residents exposed to methyl-tertiary butyl ether (MTBE) from leaking underground storage tanks (LUSTs) adjacent to the subject property. The symptomology of residents and guests of the subject property were evaluated against the known outcomes in published literature to exposure to MTBE. The study found that residents had been exposed to MTBE in their drinking water; that concentrations of MTBE detected at the site were above regulatory guidelines; and, that the symptoms and outcomes expressed by residents and guests were consistent with symptoms and outcomes documented in published literature.

Client: Confidential, San Francisco, California

Identified and analyzed fifty years of epidemiological literature on workplace exposures to heavy metals. This research resulted in a summary of the types of cancer and non-cancer diseases associated with occupational exposure to chromium as well as the mortality and morbidity rates.

Client: Confidential, San Francisco, California

Summarized major public health research in United States. Identified major public health research efforts within United States over last twenty years. Results were used as a briefing tool for non-public health professionals.

Client: Confidential, San Francisco, California

Quantified the potential multi-pathway dose received by humans from a pesticide applied indoors. Part of team that developed exposure model and evaluated exposure concentrations in a comprehensive report on the plausible range of doses received by a specific person. This evaluation was used in the support of litigation.

Client: Covanta Energy, Westwood, California

Evaluated health risk from metals in biosolids applied as soil amendment on agricultural lands. The biosolids were created at a forest waste cogeneration facility using 96% whole tree wood chips and 4 percent green waste. Mass loading calculations were used to estimate Cr(VI) concentrations in agricultural soils based on a maximum loading rate of 40 tons of biomass per acre of agricultural soil. The results of the study were used by the Regulatory agency to determine that the application of biosolids did not constitute a health risk to workers applying the biosolids or to residences near the agricultural lands.

Client – United Kingdom Environmental Agency

Oversaw a comprehensive toxicological evaluation of methyl-*tertiary* butyl ether (MtBE) for the United Kingdom's Environment Agency. The evaluation included available data on the production, use, chemical characteristics, fate and transport, toxicology, and remediation of MtBE. The results of the evaluation have been used as a briefing tool for public health professionals.

Client – Confidential, Los Angeles, California

Prepared comprehensive evaluation of *tertiary* butyl alcohol (TBA) in municipal drinking water system. TBA is the primary breakdown product of MtBE, and is suspected to be the primary cause of MtBE toxicity. This evaluation will include available information on the production, use, chemical characteristics, fate and transport in the environment, absorption, distribution, routes of detoxification, metabolites, carcinogenic potential, and remediation of TBA. The results of the evaluation were used as a briefing tool for non-public health professionals.

Client – Confidential, Los Angeles, California

Prepared comprehensive evaluation of methyl *tertiary* butyl ether (MTBE) in municipal drinking water system. MTBE is a chemical added to gasoline to increase the octane

rating and to meet Federally mandated emission criteria. The evaluation included available data on the production, use, chemical characteristics, fate and transport, toxicology, and remediation of MTBE. The results of the evaluation have been used as a briefing tool for non-public health professionals.

Client – Ministry of Environment, Lands & Parks, British Columbia

Dr. Clark assisted in the development of water quality guidelines for methyl tertiary-butyl ether (MTBE) to protect water uses in British Columbia (BC). The water uses to be considered includes freshwater and marine life, wildlife, industrial, and agricultural (e.g., irrigation and livestock watering) water uses. Guidelines from other jurisdictions for the protection of drinking water, recreation and aesthetics were to be identified.

Client: Confidential, Los Angeles, California

Prepared physiologically based pharmacokinetic (PBPK) assessment of lead risk of receptors at middle school built over former industrial facility. This evaluation is being used to determine cleanup goals and will be basis for regulatory closure of site.

Client: Kaiser Venture Incorporated, Fontana, California

Prepared PBPK assessment of lead risk of receptors at a 1,100-acre former steel mill. This evaluation was used as the basis for granting closure of the site by lead regulatory agency.

RISK ASSESSMENTS/REMEDIAL INVESTIGATIONS

Client: Confidential, Atlanta, Georgia

Researched potential exposure and health risks to community members potentially exposed to creosote, polycyclic aromatic hydrocarbons, pentachlorophenol, and dioxin compounds used at a former wood treatment facility. Prepared a comprehensive toxicological summary of the chemicals of concern, including the chemical characteristics, absorption, distribution, and carcinogenic potential. Prepared risk characterization of the carcinogenic and non-carcinogenic chemicals based on the exposure assessment to quantify the potential risk to members of the surrounding community. This evaluation was used to help settle class-action tort.

Client: Confidential, Escondido, California

Prepared comprehensive Preliminary Endangerment Assessment (PEA) of dense non-aqueous liquid phase hydrocarbon (chlorinated solvents) contamination at a former printed circuit board manufacturing facility. This evaluation was used for litigation support and may be used as the basis for reaching closure of the site with the lead regulatory agency.

Client: Confidential, San Francisco, California

Summarized epidemiological evidence for connective tissue and autoimmune diseases for product liability litigation. Identified epidemiological research efforts on the health effects of medical prostheses. This research was used in a meta-analysis of the health effects and as a briefing tool for non-public health professionals.

Client: Confidential, Bogotá, Columbia

Prepared comprehensive evaluation of the potential health risks associated with the redevelopment of a 13.7 hectares plastic manufacturing facility in Bogotá, Colombia. The risk assessment was used as the basis for the remedial goals and closure of the site.

Client: Confidential, Los Angeles, California

Prepared comprehensive human health risk assessment of students, staff, and residents potentially exposed to heavy metals (principally cadmium) and VOCs from soil and soil vapor at 12-acre former crude oilfield and municipal landfill. The site is currently used as a middle school housing approximately 3,000 children. The evaluation determined that the site was safe for the current and future uses and was used as the basis for regulatory closure of site.

Client: Confidential, Los Angeles, California

Managed remedial investigation (RI) of heavy metals and volatile organic chemicals (VOCs) for a 15-acre former manufacturing facility. The RI investigation of the site included over 800 different sampling locations and the collection of soil, soil gas, and groundwater samples. The site is currently used as a year round school housing approximately 3,000 children. The Remedial Investigation was performed in a manner

that did not interrupt school activities and met the time restrictions placed on the project by the overseeing regulatory agency. The RI Report identified the off-site source of metals that impacted groundwater beneath the site and the sources of VOCs in soil gas and groundwater. The RI included a numerical model of vapor intrusion into the buildings at the site from the vadose zone to determine exposure concentrations and an air dispersion model of VOCs from the proposed soil vapor treatment system. The Feasibility Study for the Site is currently being drafted and may be used as the basis for granting closure of the site by DTSC.

Client: Confidential, Los Angeles, California

Prepared comprehensive human health risk assessment of students, staff, and residents potentially exposed to heavy metals (principally lead), VOCs, SVOCs, and PCBs from soil, soil vapor, and groundwater at 15-acre former manufacturing facility. The site is currently used as a year round school housing approximately 3,000 children. The evaluation determined that the site was safe for the current and future uses and will be basis for regulatory closure of site.

Client: Confidential, Los Angeles, California

Prepared comprehensive evaluation of VOC vapor intrusion into classrooms of middle school that was former 15-acre industrial facility. Using the Johnson-Ettinger Vapor Intrusion model, the evaluation determined acceptable soil gas concentrations at the site that did not pose health threat to students, staff, and residents. This evaluation is being used to determine cleanup goals and will be basis for regulatory closure of site.

Client –Dominguez Energy, Carson, California

Prepared comprehensive evaluation of the potential health risks associated with the redevelopment of 6-acre portion of a 500-acre oil and natural gas production facility in Carson, California. The risk assessment was used as the basis for closure of the site.

Kaiser Ventures Incorporated, Fontana, California

Prepared health risk assessment of semi-volatile organic chemicals and metals for a fifty-year old wastewater treatment facility used at a 1,100-acre former steel mill. This evaluation was used as the basis for granting closure of the site by lead regulatory agency.

ANR Freight - Los Angeles, California

Prepared a comprehensive Preliminary Endangerment Assessment (PEA) of petroleum hydrocarbon and metal contamination of a former freight depot. This evaluation was as the basis for reaching closure of the site with lead regulatory agency.

Kaiser Ventures Incorporated, Fontana, California

Prepared comprehensive health risk assessment of semi-volatile organic chemicals and metals for 23-acre parcel of a 1,100-acre former steel mill. The health risk assessment was used to determine clean up goals and as the basis for granting closure of the site by lead regulatory agency. Air dispersion modeling using ISCST3 was performed to determine downwind exposure point concentrations at sensitive receptors within a 1 kilometer radius of the site. The results of the health risk assessment were presented at a public meeting sponsored by the Department of Toxic Substances Control (DTSC) in the community potentially affected by the site.

Unocal Corporation - Los Angeles, California

Prepared comprehensive assessment of petroleum hydrocarbons and metals for a former petroleum service station located next to sensitive population center (elementary school). The assessment used a probabilistic approach to estimate risks to the community and was used as the basis for granting closure of the site by lead regulatory agency.

Client: Confidential, Los Angeles, California

Managed oversight of remedial investigation most contaminated heavy metal site in California. Lead concentrations in soil excess of 68,000,000 parts per billion (ppb) have been measured at the site. This State Superfund Site was a former hard chrome plating operation that operated for approximately 40-years.

Client: Confidential, San Francisco, California

Coordinator of regional monitoring program to determine background concentrations of metals in air. Acted as liaison with SCAQMD and CARB to perform co-location sampling and comparison of accepted regulatory method with ASTM methodology.

Client: Confidential, San Francisco, California

Analyzed historical air monitoring data for South Coast Air Basin in Southern California and potential health risks related to ambient concentrations of carcinogenic metals and volatile organic compounds. Identified and reviewed the available literature and calculated risks from toxins in South Coast Air Basin.

IT Corporation, North Carolina

Prepared comprehensive evaluation of potential exposure of workers to air-borne VOCs at hazardous waste storage facility under SUPERFUND cleanup decree. Assessment used in developing health based clean-up levels.

Professional Associations

American Public Health Association (APHA)

Association for Environmental Health and Sciences (AEHS)

American Chemical Society (ACS)

California Redevelopment Association (CRA)

International Society of Environmental Forensics (ISEF)

Society of Environmental Toxicology and Chemistry (SETAC)

Publications and Presentations:**Books and Book Chapters**

Sullivan, P., **J.J. J. Clark**, F.J. Agardy, and P.E. Rosenfeld. (2007). *Synthetic Toxins In The Food, Water and Air of American Cities*. Elsevier, Inc. Burlington, MA.

Sullivan, P. and **J.J. J. Clark**. 2006. *Choosing Safer Foods, A Guide To Minimizing Synthetic Chemicals In Your Diet*. Elsevier, Inc. Burlington, MA.

Sullivan, P., Agardy, F.J., and **J.J.J. Clark**. 2005. *The Environmental Science of Drinking Water*. Elsevier, Inc. Burlington, MA.

Sullivan, P.J., Agardy, F.J., **Clark, J.J.J.** 2002. *America's Threatened Drinking Water: Hazards and Solutions*. Trafford Publishing, Victoria B.C.

Clark, J.J.J. 2001. "TBA: Chemical Properties, Production & Use, Fate and Transport, Toxicology, Detection in Groundwater, and Regulatory Standards" in *Oxygenates in the Environment*. Art Diaz, Ed.. Oxford University Press: New York.

Clark, J.J.J. 2000. "Toxicology of Perchlorate" in *Perchlorate in the Environment*. Edward Urbansky, Ed. Kluwer/Plenum: New York.

Clark, J.J.J. 1995. Probabilistic Forecasting of Volatile Organic Compound Concentrations At The Soil Surface From Contaminated Groundwater. UMI.

Baker, J.; **Clark, J.J.J.**; Stanford, J.T. 1994. Ex Situ Remediation of Diesel Contaminated Railroad Sand by Soil Washing. Principles and Practices for Diesel Contaminated Soils, Volume III. P.T. Kostecki, E.J. Calabrese, and C.P.L. Barkan, eds. Amherst Scientific Publishers, Amherst, MA. pp 89-96.

Journal and Proceeding Articles

- Tam L. K., Wu C. D., Clark J. J. and **Rosenfeld, P.E.** (2008) A Statistical Analysis Of Attic Dust And Blood Lipid Concentrations Of Tetrachloro-p-Dibenzodioxin (TCDD) Toxicity Equivalency Quotients (TEQ) In Two Populations Near Wood Treatment Facilities. *Organohalogen Compounds*, Volume 70 (2008) page 002254.
- Tam L. K., Wu C. D., Clark J. J. and **Rosenfeld, P.E.** (2008) Methods For Collect Samples For Assessing Dioxins And Other Environmental Contaminants In Attic Dust: A Review. *Organohalogen Compounds*, Volume 70 (2008) page 000527
- Hensley A.R., Scott, A., Rosenfeld P.E., **Clark, J.J.J.** (2007). "Attic Dust And Human Blood Samples Collected Near A Former Wood Treatment Facility." *Environmental Research*. 105:194-199.
- Rosenfeld, P.E., **Clark, J. J.**, Hensley, A.R., and Suffet, I.H. 2007. "The Use Of An Odor Wheel Classification For The Evaluation of Human Health Risk Criteria For Compost Facilities" *Water Science & Technology*. 55(5): 345-357.
- Hensley A.R., Scott, A., Rosenfeld P.E., **Clark, J.J.J.** 2006. "Dioxin Containing Attic Dust And Human Blood Samples Collected Near A Former Wood Treatment Facility." The 26th International Symposium on Halogenated Persistent Organic Pollutants – DIOXIN2006, August 21 – 25, 2006. Radisson SAS Scandinavia Hotel in Oslo Norway.
- Rosenfeld, P.E., **Clark, J. J.** and Suffet, I.H. 2005. "The Value Of An Odor Quality Classification Scheme For Compost Facility Evaluations" The U.S. Composting Council's 13th Annual Conference January 23 - 26, 2005, Crowne Plaza Riverwalk, San Antonio, TX.
- Rosenfeld, P.E., **Clark, J. J.** and Suffet, I.H. 2004. "The Value Of An Odor Quality Classification Scheme For Urban Odor" WEFTEC 2004. 77th Annual Technical Exhibition & Conference October 2 - 6, 2004, Ernest N. Morial Convention Center, New Orleans, Louisiana.
- Clark, J.J.J.** 2003. "Manufacturing, Use, Regulation, and Occurrence of a Known Endocrine Disrupting Chemical (EDC), 2,4-Dichlorophenoxyacetic Acid (2,4-D) in California Drinking Water Supplies." National Groundwater Association Southwest Focus Conference: Water Supply and Emerging Contaminants. Minneapolis, MN. March 20, 2003.

- Rosenfeld, P. and **J.J.J. Clark**. 2003. "Understanding Historical Use, Chemical Properties, Toxicity, and Regulatory Guidance" National Groundwater Association Southwest Focus Conference: Water Supply and Emerging Contaminants. Phoenix, AZ. February 21, 2003.
- Clark, J.J.J.**, Brown A. 1999. Perchlorate Contamination: Fate in the Environment and Treatment Options. In Situ and On-Site Bioremediation, Fifth International Symposium. San Diego, CA, April, 1999.
- Clark, J.J.J.** 1998. Health Effects of Perchlorate and the New Reference Dose (RfD). Proceedings From the Groundwater Resource Association Seventh Annual Meeting, Walnut Creek, CA, October 23, 1998.
- Browne, T., **Clark, J.J.J.** 1998. Treatment Options For Perchlorate In Drinking Water. Proceedings From the Groundwater Resource Association Seventh Annual Meeting, Walnut Creek, CA, October 23, 1998.
- Clark, J.J.J.**, Brown, A., Rodriguez, R. 1998. The Public Health Implications of MtBE and Perchlorate in Water: Risk Management Decisions for Water Purveyors. Proceedings of the National Ground Water Association, Anaheim, CA, June 3-4, 1998.
- Clark J.J.J.**, Brown, A., Ulrey, A. 1997. Impacts of Perchlorate On Drinking Water In The Western United States. U.S. EPA Symposium on Biological and Chemical Reduction of Chlorate and Perchlorate, Cincinnati, OH, December 5, 1997.
- Clark, J.J.J.**; Corbett, G.E.; Kerger, B.D.; Finley, B.L.; Paustenbach, D.J. 1996. Dermal Uptake of Hexavalent Chromium In Human Volunteers: Measures of Systemic Uptake From Immersion in Water At 22 PPM. *Toxicologist*. 30(1):14.
- Dodge, D.G.; **Clark, J.J.J.**; Kerger, B.D.; Richter, R.O.; Finley, B.L.; Paustenbach, D.J. 1996. Assessment of Airborne Hexavalent Chromium In The Home Following Use of Contaminated Tapwater. *Toxicologist*. 30(1):117-118.
- Paulo, M.T.; Gong, H., Jr.; **Clark, J.J.J.** (1992). Effects of Pretreatment with Ipratropium Bromide in COPD Patients Exposed to Ozone. *American Review of Respiratory Disease*. 145(4):A96.
- Harber, P.H.; Gong, H., Jr.; Lachenbruch, A.; **Clark, J.**; Hsu, P. (1992). Respiratory Pattern Effect of Acute Sulfur Dioxide Exposure in Asthmatics. *American Review of Respiratory Disease*. 145(4):A88.
- McManus, M.S.; Gong, H., Jr.; Clements, P.; **Clark, J.J.J.** (1991). Respiratory Response of Patients With Interstitial Lung Disease To Inhaled Ozone. *American Review of Respiratory Disease*. 143(4):A91.
- Gong, H., Jr.; Simmons, M.S.; McManus, M.S.; Tashkin, D.P.; Clark, V.A.; Detels, R.; **Clark, J.J.** (1990). Relationship Between Responses to Chronic Oxidant and Acute

Ozone Exposures in Residents of Los Angeles County. American Review of Respiratory Disease. 141(4):A70.

Tierney, D.F. and **J.J.J. Clark.** (1990). Lung Polyamine Content Can Be Increased By Spermidine Infusions Into Hyperoxic Rats. American Review of Respiratory Disease. 139(4):A41.

Resume

NORMAN L. MARSHALL, PRESIDENT

nmarshall@smartmobility.com

EDUCATION:

Master of Science in Engineering Sciences, Dartmouth College, Hanover, NH, 1982

Bachelor of Science in Mathematics, Worcester Polytechnic Institute, Worcester, MA, 1977

PROFESSIONAL EXPERIENCE: (36 Years, 22 at Smart Mobility, Inc.)

Norm Marshall helped found Smart Mobility, Inc. in 2001. Prior to this, he was at RSG for 14 years where he developed a national practice in travel demand modeling. He specializes in analyzing the relationships between the built environment and travel behavior and doing planning that coordinates multi-modal transportation with land use and community needs.

Regional Land Use/Transportation Scenario Planning

Portland Area Comprehensive Transportation System (PACTS) – the Portland Maine Metropolitan Planning Organization. Updating regional travel demand model with new data (including AirSage), adding a truck model, and multiclass assignment including differentiation between cash toll and transponder payments.

Loudoun County Virginia Dynamic Traffic Assignment – Enhanced subarea travel demand model to include Dynamic Traffic Assignment (Cube). Model being used to better understand impacts of roadway expansion on induced travel.

Vermont Agency of Transportation-Enhanced statewide travel demand model to evaluate travel impacts of closures and delays resulting from severe storm events. Model uses innovative Monte Carlo simulations process to account for combinations of failures.

California Air Resources Board – Led team including the University of California in \$250k project that reviewed the ability of the new generation of regional activity-based models and land use models to accurately account for greenhouse gas emissions from alternative scenarios including more compact walkable land use and roadway pricing. This work included hands-on testing of the most complex travel demand models in use in the U.S. today.

Climate Plan (California statewide) – Assisted large coalition of groups in reviewing and participating in the target setting process required by Senate Bill 375 and administered by the California Air Resources

Board to reduce future greenhouse gas emissions through land use measures and other regional initiatives.

Chittenden County (2060 Land use and Transportation Vision Burlington Vermont region) – led extensive public visioning project as part of MPO’s long-range transportation plan update.

Flagstaff Metropolitan Planning Organization – Implemented walk, transit and bike models within regional travel demand model. The bike model includes skimming bike networks including on-road and off-road bicycle facilities with a bike level of service established for each segment.

Chicago Metropolis Plan and Chicago Metropolis Freight Plan (6-county region)— developed alternative transportation scenarios, made enhancements in the regional travel demand model, and used the enhanced model to evaluate alternative scenarios including development of alternative regional transit concepts. Developed multi-class assignment model and used it to analyze freight alternatives including congestion pricing and other peak shifting strategies.

Municipal Planning

City of Grand Rapids – Michigan Street Corridor – developed peak period subarea model including non-motorized trips based on urban form. Model is being used to develop traffic volumes for several alternatives that are being additionally analyzed using the City’s Synchro model

City of Omaha - Modified regional travel demand model to properly account for non-motorized trips, transit trips and shorter auto trips that would result from more compact mixed-use development. Scenarios with different roadway, transit, and land use alternatives were modeled.

City of Dublin (Columbus region) – Modified regional travel demand model to properly account for non-motorized trips and shorter auto trips that would result from more compact mixed-use development. The model was applied in analyses for a new downtown to be constructed in the Bridge Street corridor on both sides of an historic village center.

City of Portland, Maine – Implemented model improvements that better account for non-motorized trips and interactions between land use and transportation and applied the enhanced model to two subarea studies.

City of Honolulu – Kaka’ako Transit Oriented Development (TOD) – applied regional travel demand model in estimating impacts of proposed TOD including estimating internal trip capture.

City of Burlington (Vermont) Transportation Plan – Led team that developing Transportation Plan focused on supporting increased population and employment without increases in traffic by focusing investments and policies on transit, walking, biking and Transportation Demand Management.

Transit Planning

Regional Transportation Authority (Chicago) and Chicago Metropolis 2020 – evaluated alternative 2020 and 2030 system-wide transit scenarios including deterioration and enhance/expand under alternative land use and energy pricing assumptions in support of initiatives for increased public funding.

Capital Metropolitan Transportation Authority (Austin, TX) Transit Vision – analyzed the regional effects of implementing the transit vision in concert with an aggressive transit-oriented development plan developed by Calthorpe Associates. Transit vision includes commuter rail and BRT.

Bus Rapid Transit for Northern Virginia HOT Lanes (Breakthrough Technologies, Inc and Environmental Defense.) – analyzed alternative Bus Rapid Transit (BRT) strategies for proposed privately-developing High Occupancy Toll lanes on I-95 and I-495 (Capital Beltway) including different service alternatives (point-to-point services, trunk lines intersecting connecting routes at in-line stations, and hybrid).

Roadway Corridor Planning

I-30 Little Rock Arkansas – Developed enhanced version of regional travel demand model that integrates TransCAD with open source Dynamic Traffic Assignment (DTA) software, and used to model I-30 alternatives. Freeway bottlenecks are modeled much more accurately than in the base TransCAD model.

South Evacuation Lifeline (SELL) – In work for the South Carolina Coastal Conservation League, used Dynamic Travel Assignment (DTA) to estimate evaluation times with different transportation alternatives in coastal South Caroline including a new proposed freeway.

Hudson River Crossing Study (Capital District Transportation Committee and NYSDOT) – Analyzing long term capacity needs for Hudson River bridges which a special focus on the I-90 Patroon Island Bridge where a microsimulation VISSIM model was developed and applied.

PUBLICATIONS AND PRESENTATIONS (partial list)

DTA Love: Co-leader of workshop on Dynamic Traffic Assignment at the June 2019 Transportation Research Board Planning Applications Conference.

Forecasting the Impossible: The Status Quo of Estimating Traffic Flows with Static Traffic Assignment and the Future of Dynamic Traffic Assignment. *Research in Transportation Business and Management* 2018.

Assessing Freeway Expansion Projects with Regional Dynamic Traffic Assignment. Presented at the August 2018 Transportation Research Board Tools of the Trade Conference on Transportation Planning for Small and Medium Sized Communities.

Vermont Statewide Resilience Modeling. With Joseph Segale, James Sullivan and Roy Schiff. Presented at the May 2017 Transportation Research Board Planning Applications Conference.

Assessing Freeway Expansion Projects with Regional Dynamic Traffic Assignment. Presented at the May 2017 Transportation Research Board Planning Applications Conference.

Pre-Destination Choice Walk Mode Choice Modeling. Presented at the May 2017 Transportation Research Board Planning Applications Conference.

A Statistical Model of Regional Traffic Congestion in the United States, presented at the 2016 Annual Meeting of the Transportation Research Board.

MEMBERSHIPS/AFFILIATIONS

Associate Member, Transportation Research Board (TRB)

Member and Co-Leader Project for Transportation Modeling Reform, Congress for the New Urbanism (CNU)



JACK MEIGHAN

Associate

Jack joined Wilson Ihrig in 2021 and is an experienced acoustics engineer with expertise in projects involving rail transit systems, highways, CEQA analysis, environmental noise reduction, mechanical drawing reviews, and construction noise and vibration mitigation. He has hands-on experience with project management, including client coordination and presentations, as well as in designing, developing, and testing MATLAB code used in acoustics applications. Additionally, his expertise includes taking field measurements, developing test plans and specifying, purchasing, setting up and repairing acoustic measurement equipment. He has experience in using Traffic Noise Model (TNM), CadnaA, EASE, Visual Basic, LabView, and CAD software.

Education

- B.S. in Mechanical Engineering, University of Southern California, Los Angeles, CA
-

Project Experience

Metro Regional Connector, Los Angeles CA

Planned, took, and processed measurements as part of a team to determine the effectiveness of floating slab trackwork for a new subway in downtown Los Angeles that travels below the Walt Disney Concert Hall and the Colburn School of Music.

Rodeo Credit Enterprise CEQA Analysis for New Construction, Palmdale, CA

Wrote an accepted proposal and executed it for a noise study project to determine noise mitigation requirements on a new housing development. Led all aspects of the project and managed the budget during all phases of project completion. Completed 5 separate projects of this type for this developer.

Blackhall Studios, Santa Clarita, CA

Led the vibration measurement effort for a new soundstage directly adjacent to an existing freight and commuter rail line. Tested equipment, processed data, and analyzed results to determine the vibration propagation through the soil to the proposed soundstage locations, and was part of the team that developed mitigation techniques for the office spaces directly next to the rail line.

Octavia Residential Condos CEQA Study, San Francisco, CA

Calculated the STC ratings for the proposed windows to meet Title 24 requirements, modeled the acoustic performance of floor and ceiling structures, researched noise codes, helped with a mechanical design review, and wrote a report summarizing the results for a new Condominium project being developed in San Francisco.

San Diego International Airport Terminal I Replacement, CA

Conducted interior noise and vibration measurements, analyzed measurement data to help determine project criteria, modeled the existing and future terminals in CadnaA, and was part of a team that did a complete HVAC analysis of the entire terminal, as part of a CEQA analysis where a new terminal for the airport is being designed.

Five Points Apartments Noise Study, Whittier, CA

Took measurements, researched sound data and solutions, and recommended mitigation for a new apartment complex that was located next to an existing car wash, as part of a CEQA review.

USC Ellison Vibration Survey, Los Angeles, CA

Conducted vibration measurements as part of a survey to determine the effectiveness of vibration isolation platforms that are used to insulate cell growth in a cancer research facility. Determined the effectiveness and presented this information to the client. Researched and recommended a permanent monitoring system so the client could view data in real time.

TEN50 Condos 'Popping' Noise Investigation, Los Angeles, CA

Was part of a team that investigated the noise source of an unwanted popping noise in luxury condos in Downtown Los Angeles. Helped isolate the noise source location with accelerometers to determine where vibrations were occurring first and used an acoustic camera to determine where in the condo the noise was coming from.

2000 University Project, Berkely, CA

Wrote a construction noise monitoring plan based on environmental noise calculations, wrote a report summarizing the results, and attending a meeting with the client to discuss options.

Bay Area Rapid Transit (BART) On-Track, CA, San Francisco Bay Area, CA*

Day to day project manager, responsible for meetings, presentations, and coordination with the client for an ongoing noise study on the BART system. Developed MATLAB code to process measurements and determine areas where high corrugation was present, contributing to excessively high in-car noise levels. Performed noise measurements inside both the right of way and the vehicle cabin, in addition to rail corrugation measurements.

California I-605/SR-60 Interchange Improvement, Los Angeles, CA*

Developed a noise model of the area that predicted sound levels for abatement design, in addition to conducting noise measurements and analysis. Led the Team in use of the FHWA Traffic Noise Model Software for the project, involving three major highways and two busy interchanges extending over 17 miles in southern California.

Sound Transit On-Track, Seattle, WA*

Took measurements, fixed equipment, and developed software in MATLAB to process Corrugation Analysis Trolley measurements as part of an ongoing noise study on the Sound Transit Link system. Tested vibration data to determine the best measurement and processing techniques to store the data in an online database for in-car measurements.

LA Metro CRRC Railcar Testing, Los Angeles, CA*

Led the effort to plan the measurements, determine measurement locations and finalize the test plan. Formulated a method to capture speed data directly from legacy train vehicles. Executed noise and vibration specification measurements for new rail cars delivered by CRRC.

City of Los Angeles, Pershing Square Station Rehabilitation Noise Monitoring, CA*

Built noise models, wrote a construction noise plan, and assisted in on-site construction noise issues as they arose for a renovation of the Pershing Square metro station in downtown Los

Angeles. Trained construction personnel in techniques for noise reduction and how to conduct noise monitoring measurements to meet project specifications.

City of Orange Metrolink Parking Garage Construction Monitoring, CA*

Wrote an adaptive management vibration monitoring plan, set up equipment to monitor live vibration levels, and generated weekly reports as part of an effort to build a new parking garage. Designed, planned, and completed measurements to predict and mitigate pile driving construction impacts at three historic building locations adjacent to the construction site. Coordinated with the client whenever an on-site problem arose.

LA Metro Westside Subway Construction, Los Angeles, CA*

Planned, organized, and processed noise measurements for the Purple Line extension construction. Implemented both long term microphones to measure noise levels and accelerometers to measure vibration levels in existing subway tunnels. Oversaw noise monitoring at sensitive construction sites for the project and worked with the contractor to find ways to reduce construction noise levels by approximately 10dB.

Montreal Réseau Express Métropolitain, Canada*

Conducted vibration propagation measurements used to create models to predict operational vibration levels for an under-construction transit line. Managed equipment, solved problems in the field, and wrote parts of the report summarizing the findings of the acoustic study.

NHCRP Barrier*

Took on-highway measurements and wrote, designed, developed, and tested MATLAB code to identify specific spectrograms to use for analyses for a project evaluating barrier reflected highway traffic noise differences in the presence of a single absorptive or reflective noise barrier.

Siemens Railcar Testing for Sound Transit, Seattle, WA*

Measured in-car noise and vibration for new rail cars delivered by Siemens. Developed new internal techniques for measurements based on the written specifications. Contributed to the team that helped identify issues that new cars had in meeting the Sound Transit specifications for noise and vibration. Participated in developing the test plan and specified then acquired new equipment for the measurement.

Toronto/Ontario Eglinton Crosstown Light Rail, Final Design, Canada*

Assisted in vibration propagation measurements, analysis, and recommendations for mitigation for a 12-mile light-rail line both on and under Eglinton Avenue. Set up and ran equipment for at-grade measurements with an impact hammer for underground measurements with an impact load cell that was used during pre-construction borehole drilling.

** Work done prior to working for Wilson Ihrig*

ADAMS BROADWELL JOSEPH & CARDOZO

A PROFESSIONAL CORPORATION

ATTORNEYS AT LAW

601 GATEWAY BOULEVARD, SUITE 1000
SOUTH SAN FRANCISCO, CA 94080-7037

TEL: (650) 589-1660
FAX: (650) 589-5062

ssannadan@adamsbroadwell.com

SACRAMENTO OFFICE

520 CAPITOL MALL, SUITE 350
SACRAMENTO, CA 95814-4721

TEL: (916) 444-6201
FAX: (916) 444-6209

KEVIN T. CARMICHAEL
CHRISTINA M. CARO
THOMAS A. ENSLOW
KELILAH D. FEDERMAN
RICHARD M. FRANCO
ANDREW J. GRAF
TANYA A. GULESSERIAN
DARION N. JOHNSTON
RACHAEL E. KOSS
AIDAN P. MARSHALL
ALAURO R. MCGUIRE
ISABEL TAHIR

Of Counsel

DANIEL L. CARDOZO
MARC D. JOSEPH

November 14, 2025

VIA EMAIL AND U.S. MAIL

David Contreras, Planning Director
Town of Apple Valley
14955 Dale Evans Parkway
Apple Valley, CA 92307

Email: dcontreras@applevalley.org
Planning@applevalley.org

La Vonda M. Pearson, Town Clerk
Town of Apple Valley
14955 Dale Evans Pkwy
Apple Valley, CA 92307

Email: townclerk@applevalley.org

VIA EMAIL ONLY

Rick Hirsch, Consulting Planner

Email: rhirsch@interwestgrp.com

Re: Request for Immediate Access to Documents Referenced in the Draft Environmental Impact Report - Lake Creek Logistics Center Project (SCH No. 2024020235)

Dear Mr. Contreras, Ms. Pearson, and Mr. Hirsch:

We are writing on behalf of Californians Allied for a Responsible Economy ("CARE CA") to request ***immediate access*** to any and all documents referenced, incorporated by reference, and relied upon in the Draft Environmental Impact Report ("DEIR") prepared for the Lake Creek Logistics Center Project (SCH No. 2024020235) ("Project"), proposed by Lake Creek Industrial ("Applicant"). *This request excludes a copy of the DEIR and any documents that are currently available on the Town of Apple Valley website, as of today's date.*¹

The Project proposes construction and operation of three industrial buildings totaling approximately 3.48 million square feet (SF) on approximately 226.75 acres in the Town of Apple Valley which is within the Victor Valley Area of San Bernardino County, California. The Project is bounded by Gustine Street to the north, Central Road to the east, Corwin Road to the south, and the Apple Valley Airport to the west. The Project site is comprised of five Assessor's Parcel Numbers (APNs): 0463-373-01, -03, -04, -05, -06. Building 1 would encompass approximately 1,238,320 SF, including 20,000 SF of office space, on APNs 0463-373-04 and -06.

¹ Accessed <https://applevalley.org/government/california-environmental-quality-act/> on November 14, 2025.

November 14, 2025

Page 2

Building 2 would consist of approximately 1,238,320 SF, including 20,000 SF of office space, on APNs 0463-373-03 and -05. Building 3 would consist of approximately 1,004,096 SF, including 20,000 SF of office space, on APN 0463-373-01.

Our request for ***immediate access*** to all documents referenced in the DEIR is made pursuant to the California Environmental Quality Act ("CEQA"), which requires that all documents referenced, incorporated by reference, and relied upon in an environmental review document be made available to the public for the entire comment period.²

Please use the following contact information for all correspondence:

U.S. Mail


Sheila M. Sannadan Adams
Broadwell Joseph & Cardozo
601 Gateway Boulevard, Suite 1000
South San Francisco, CA 94080-7037

Email

ssannadan@adamsbroadwell.com

If you have any questions, please call me at (650) 589-1660 or email me at ssannadan@adamsbroadwell.com. Thank you for your assistance with this matter.

Sincerely,



Sheila M. Sannadan
Legal Assistant

SMS:acp

² See Public Resources Code § 21092(b)(1) (stating that "all documents referenced in the draft environmental impact report" shall be made "available for review"); 14 Cal. Code Reg. § 15087(c)(5) (stating that all documents incorporated by reference in the EIR . . . shall be readily accessible to the public"); see also *Vineyard Area Citizens for Responsible Growth, Inc. v. City of Rancho Cordova* (2007) 40 Cal.4th 412, 442, as modified (Apr. 18, 2007) (EIR must transparently incorporate and describe the reference materials relied on in its analysis); *Santiago County Water District v. County of Orange* (1981) 118 Cal.App.3d 818, 831 ("[W]hatever is required to be considered in an EIR must be in that formal report. . ."), internal citations omitted.